

Plan showing the location of Well No. 902 of John L. Dougan et al. of Morgantown, West Virginia, to be abandoned on the E.D. Tenger farm consisting of 60.174 acres located in Slog District, Boone County, West Virginia.



I, the undersigned hereby certify that this map is correct and shows all the information to the best of my knowledge and belief, required by the oil and gas section of the Mining Laws of West Virginia.

*A. L. Headley*  
 Engineer

Acknowledged before me a Notary Public, in and for Boone County, West Virginia, this 20th day of April, 1934.  
 My Commission expires  
 742p. 7, 1940.

*Coburn W. Martin*  
 Notary Public

## WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

## PRELIMINARY DATA SHEET NO. 1

The No. H. A. Thiep at the Clarksville W. Va. 902  
 as the Clarksville W. Va.  
 showing 69/175 Clay 9 W. Va.  
 The name of the company to which the well is owned is Clarksville W. Va.  
 and the address of the owner is Mr. Yeager, Star  
 and the name of the well is not reported  
 owned by the West Virginia Department of Mines, Oil and Gas Division

Thickness of section at top of well 1433

The number of feet of the different steel casings used in the well.

Feet	Weight	Feet	Weight
<u>1103</u>	<u>10</u>	<u>3121</u>	<u>5 3/4</u>
<u>1830</u>	<u>8 1/4</u>	<u>3420</u>	<u>3 1/2</u>
<u>2216</u>	<u>6 5/8</u>		

Feet of \_\_\_\_\_  
 Feet of \_\_\_\_\_  
 Is casing perforated at \_\_\_\_\_  
 Is casing perforated at \_\_\_\_\_

Feet was cemented at 7 1/2 feet, with case 1 1/2 inches, and at 1083  
 feet, thickness 5 1/4 inches and at \_\_\_\_\_ feet, thickness \_\_\_\_\_ inches.

Other notes and details (give details)

May 1st 1925  
H. A. Thiep

*J. M. Sullivan*  
 District Engineer  
 Well No. 902

OIL OR GAS WELL Oil

COMPLETION DATA SHEET  
 No. 2  
 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
<i>Wetland</i>				715	719	4 ft.		
<i>Clay</i>				1083	1088	5 ft.		
<i>Coal</i>				480	1505	25 ft.		
<i>Clay</i>				1825	1860	35 ft.		1830' - 8 1/2"
<i>Clay</i>				2248	2258	10 ft.		2216' - 6 9/8"
<i>Clay</i>				2360	2388	28 ft.		
<i>Clay</i>			Gas	2378	2383			
<i>Clay</i>			Gas	2400	2402			
<i>Clay</i>			Gas	2680	2704	5 ft.		
<i>Clay</i>			Gas	2744				
<i>Clay</i>			air/gas	3025	3026	7 ft.		3111' - 5 3/4"
<i>Clay</i>				3220	3248	28 ft.		
<i>Clay</i>			oil	3221				
<i>Clay</i>				3298	3312	14 ft.		
<i>Clay</i>			oil	3353				
<i>Clay</i>			oil	3400				
				<i>Total Depth</i>				
				3420 ft.				

Well was not shut at \_\_\_\_\_ feet; well was shut at \_\_\_\_\_ feet.

Fresh water at \_\_\_\_\_ feet; fresh water at \_\_\_\_\_ feet.

Well was \_\_\_\_\_ producing \_\_\_\_\_ lbs. \_\_\_\_\_ day

Date \_\_\_\_\_ Approved *J. M. Sullivan*

NOTE: All bottom descriptions must be noted as indicated above and all top-cuts and oil and gas shows must be recorded under their proper geological names in the district as well as any test names commonly used in the district for each stratum.