

LATITUDE 39° 45' 00"

88° 01' 00"

LONGITUDE

75'

7'5 OGIS topo location

7.5' loc $\frac{2.105}{0.20 W}$

15' loc $\frac{2.105}{0.20 W}$
(calc.)

Company _____

Farm _____


Quad Blacksville (ww)

County Monongahela

District Clay

WELL LOCATION MAP

File No. 061-124A



Eliz Loney

Hairs

Peter
Chel Cant

I am...
 several...
 of the...

[Handwritten signature]

Advertisement...
 July, 1966
 by...

[Handwritten signature]

[Handwritten signature]

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

John S. Hansen and
 W. T. Glasscock, Jr.
 Special Inspectors of
 State-Tax Oil Company

Page 1

Company of P. S. Dea, P. S. Bergstrom, E. W.
 at the Eli Bush

containing oil 1/2
 located one and one half miles south of
 Marlinton, in Clay County, West Virginia

The surface of the above well is owned by Eli Bush
 of Marlinton, W. Va.

Address, and the address of the well are owned by
 Clay District Fuel Co., Stewart S. Johnson, Valley Road Building,
 Pittsburgh, Penna.

The oil and gas privileges are held under lease by the above named company, and the well is drilled under permit
 No. Drilled in 1928

issued to the West Virginia Department of Mines, Oil and Gas Division
 No. _____

Direction of surface at top of well, Marathon 1100, 1100

The number of feet of the different steel casing used in the well
 only one size of pipe casing, 70-2111

1200	dia.	4 1/2"	dia.	top	dia.	steel top
1200	dia.	5 1/2"	dia.	top	dia.	steel top
	dia.		dia.	top	dia.	steel top

	gauge of	dia.	dia.
	gauge of	dia.	dia.

	is casing perforated at	dia.	dia.
	is casing perforated at	dia.	dia.

but was measured at Pittsburgh and was measured at depth of 700 feet.
 We have no record of the thickness, nor of any other formations.

See column before and in _____
 There was used as follows: other details: no information available

July 7 1928.

John S. Hansen and
 W. T. Glasscock, Jr.,
 Special Inspectors of
 State-Tax Oil Company.

Robt. D. Hansen and
 Wm. F. Stassenok Jr.
 Special Receivers
 Severe-Tax Oil Company Company

Oil well No. 2116

COMPLETION DATA SHEET
 No. 2
 FORMATION RECORD

P. O. Box 512, Houghton, W. Va.

Well No. 2 (222) From Elk Bush

Zone	Color	Character	Oil or Water	Sp	Bottom	Thickness	Total Depth	Remarks
Pittsburgh coal				744				
Big Injun				2074				
			Oil	2252				
				total depth			2162	

This well was completed October 12, 1904 by F. E. McGerrett, and through various trades it became the property of the Severe-Tax Oil Company about the year 1921.

All the records available is given above, except some data regarding two shots which is shown below.

Well was first shot on Dec. 12, 1904. It shall July 20, well was shot (1171) shall with depth shot (top str. 5 (1st) 1910 (on November 27 1911)

Producing water at _____ and water flooded the wells, more than 5 years ago

Robt. D. Hansen and
 Wm. F. Stassenok Jr.
 Special Receivers of
 SEVERE-TAX OIL COMPANY

July 7 1915

NOTE: All bottom formations must be noted on indicated zone and all layers that are not listed shall be recorded under their proper geological name in the column or well or any other name commonly used in the district for such strata.

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REVIEWED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Work order

- Pull two inch tubing and clean well out to bottom
- Fill with mud to 1107
- Drive pine plugs 1107
- Fill with mud to 2000
- Drive pine plugs 2000
- Fill with mud to 2035
- Drive pine plugs 2035
- Fill with mud 2060
- Drive pine plugs 2060
- Pull 6 5/8 inch casing
- Fill with mud to 1400
- Drive pine plugs 1400
- Pull 8 1/4 inch pipe
- Set bridge 700 and run 2 inch vent pipe 700
- lift 10 inch pipe and cement Pittsburgh seal, cement vent pipe at top face and erect a marker such as is described in rule 10 19th regulations cement to be filled to 20 feet above Pittsburgh seal

WORK ORDER PREPARED BY THE DEPARTMENT OF MINES

Fill 2" tubing and clean well out to bottom

Fill with clay from bottom to 2025' - 20' above the show of gas

Drive wood plug from 2025' to 2075'

Cement from 2075' to 2085' sealing the plug

Continue to fill with clay from 2085' with plugs as stated above to 2095'

Fill with clay from 2095' to 1940' - 20' above the Big Injun hole

Drive wood plug from 1940' to 1977'

Cement from 1977' to 1985'

PULL 6-5/8" casing out at 1985'

Same as above to 700' - 20' below the Pittsburgh seal
~~Set cement plug from 700' to 720' and erect a marker such as is described in rule 10 19th regulations~~

SET A "MARKER BRIDGE" AT 700' and fill with clay to 700' - 20' below the coal
0 cement from 700' to 690' - 20' above the Pittsburgh seal

To the Department of Mines, (If the regulations or other laws of coal appear in this well, they must be cemented from 20' below to 20' above)
Coal Survey or Operator,
Land or Property Owner.

Continue: Fill with clay from 690' to the surface (unless more coal) and erect marker as described above.

This "work order" is submitted for your approval and ~~signature~~ and copies mailed to your department or representative, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and clean the well well on opposite side of this sheet.

Very truly yours

Well Operator

No objections have been filed by the coal owner or coal operator, or any suitable adjacent land or property owner or interested by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this _____ day

of _____, 1925.

NOTICE OF INTENTION TO PLUG AND ABANDON WELL
 (ISSUED BY SECTION 5, ARTICLE 4, CHAPTER 22 OF THE CODE)
 WEST VIRGINIA DEPARTMENT OF MINES
 OIL AND GAS DIVISION

TO THE DEPARTMENT OF MINES,
 Charleston, W. Va.

John R. Conklin

NAME OF WELL OPERATOR

SEAL OPERATOR OR COAL OWNER

Waynesburg, Pa.

EMPLOYER ADDRESS

ADDRESS

July 11, 1935

IN

SEAL OPERATOR OR COAL OWNER

WELL TO BE ABANDONED

Glay

DISTRICT

ADDRESS

Monongalia

COUNTY

John R. Conklin

LEASE OR PROPERTY OWNER

Well No. 2

Waynesburg, Pa.

ADDRESS

Lesley Heira

PERSON


Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 29 day of July 1935, in (which date shall not be less than five days after the day on which this notice is mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and give in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,


 Well Operator.

NOTE: Upon the abandonment of a well drilled prior to June 11, 1935, a plat prepared by a competent geologist, showing the district and county in which the well is located, the name and address of owner, the nature of the contents of adjacent tracts, and the location of the abandoned well, approved by surveyors and the names and distances of such well from two permanent public landmarks on said tract, shall be submitted with this notice.