

LATITUDE 39°42'30"

LONGITUDE 80°22'08"

LONGITUDE

75'
+

7'5 OGIS topo location

7.5' loc $\frac{2795}{10010}$

15' loc $\frac{51675}{32210}$
(calc.)

45 on 1912 Co. Repl.

Company _____

Farm _____

Quad Hundred (Mannington 10')

County Monongahela

District Battelle

WELL LOCATION MAP

File No. 061-136A

was 70171

.....District, Monongalia County, W. Va.
 By Philadelphia Co.
 Completed, July 28 1

MON-136-A

	Top.	Bottom.
Pittsburgh Coal	1080	
Big Injun Sand	2285	- 2500
50-Ft. (Berea) (split into 4 members)	2948	- 2990
30-Ft. (Berea)	2995	- 3035
Campbell's Run Sand (Gantz?)	3045	- 3095
Sand (50-Ft.?)	3100	- 3115
Gordon Stray Sand (30-Ft.?)	3155	- 3170
Gordon Sand (Gordon's Stray?)	3173	- 3195
4th Sand (Gordon?) (gas, 3210-3217')	3208	- 3237
Total depth		3237'

Farm _____

Quad Hundred (Hundred)

County Monongahela

District Battelle

WELL LOCATION MAP

File No. 061-136A

was 70171

This well having been formerly operated for gas in the Big
Skins and oil in the Thirty Foot Sands, and having later been drilled
through the lower Sands without oil, gas or water below the Thirty
Foot Sands, and being already being pulled, therefore:

2100-2100, clay, stone ls.

2100-2100, cement.

2100-2100, cement.

2100-2100, wood plug and cement.

2100-2100, pull 3 1/2" casing.

2100-2100, clay and stone.

Bridge, 2740

2740-2800, clay, stone ls.

2800-2800, wood plug.

2800, pull 3 1/2" casing.

2800-2870, clay, stone ls.

2870-2870, wood plug.

2870-2870, cement.

2870-2870, clay, stone ls.

2870-2870, wood plug.

2870-2870, cement.

2870-2870, clay, stone ls.

2870-2870, wood plug.

2870-2870, cement.

2870-2870, pull 3" casing, 1800.

1800-1800, clay, stone ls.

1800-1800, wood plug.

1800-1800, cement.

1800-1800, 1800, clay and stone.

1800-1800, cement.

1800-1800, clay, stone ls.

1800-1800, wood plug and cement.

1800-1800, clay, stone ls.

1800, pull 1 1/2" casing.

210-2100, clay, stone, ls.

Street Marker, Hole 10.

(Note: This seems like a lot of plugs and cement. If you should think
all are not necessary, we would be glad to be relieved of such part
as you may deem unnecessary).

**AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL.**

PREPARED BY SECTION 2, ARTICLE II, CHAPTER 22 OF THE CODE.

**WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION**

<u>Patrick, Joseph, Shephard et al.</u>	<u>Marton Oil and Gas Co.</u>
<u>c/o Erasmee Trust.</u>	<u>Box 272, Fairmont, W. Va.</u>
<u>Putnam Co.,</u>	<u>W. Va.</u>
_____	_____
_____	_____
<u>A. F. Eshel</u>	_____
Property _____	_____
<u>Putnam Co.,</u>	<u>W. Va.</u>
_____	<u>A. F. Eshel</u>
_____	_____

THIS AFFIDAVIT IS TO BE FILED IN THE OFFICE OF THE COMMISSIONER OF MINES AND DEPARTMENT OF MINES, OIL AND GAS DIVISION, AT CHARLOTTE, WEST VIRGINIA, AND IN THE OFFICE OF THE COUNTY COMMISSIONER OF THE COUNTY IN WHICH THE WELL IS LOCATED.

AFFIDAVIT

STATE OF WEST VIRGINIA, }
County of Putnam } ss.

Alva E. Johnson and A. F. Eshel
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling of oil and gas wells and were employed by Marton Oil and Gas Co., well owners, and participated in the work of plugging and filling the above well, that said work was commenced on the 12th day of December, 1922, at _____, and that the well was plugged and filled in the following manner:

_____ in which said well was plugged. All sands required to be plugged were plugged and sealed as required in the Work Order attached to and made a part of the West Virginia Notice of Intention to Plug and Abandon this well, dated Dec. 12th, 1922, on file in your office. Your Permit to so plug said sands bearing date December 14th, 1922, to which reference is here made.

_____ in which said well was plugged. In accordance with the above Work Order and Permit.

Description of monument: In accordance with Rule 12, Regulations.

AND THESE DEPOSITS ARE MADE AS TO AFFIDAVIT AND SUBSCRIPTIONS WITH THE COMMISSIONER OF MINES AND DEPARTMENT OF MINES, OIL AND GAS DIVISION, AT CHARLOTTE, WEST VIRGINIA, AND IN THE OFFICE OF THE COUNTY COMMISSIONER OF THE COUNTY IN WHICH THE WELL IS LOCATED.



A. F. Eshel
A. F. Eshel

2. 47

PROPOSED MANNER OF PLUGGING AND FILLING WELL
(Pursuant to Rules and Regulations)
WEST VIRGINIA DEPARTMENT OF MINES
COAL AND GAS DIVISION
WORK ORDER

Well to be plugged and filled as follows:

WELL ORDER NUMBER BY THE DEPARTMENT OF MINES:

Fill with clay from bottom 2621' to 2625' - 20' above the Thirty-Foot Sand.
Drive wood plug 2625' to 2628'
Cement from 2628' to 2629' sealing per in Thirty-Foot Sand.
FILL 5-1/8" casing

2621'-2628'-clay-free

SET A PERMANENT BRIDGE AT 2621' using cement at top of bridge
Fill with clay from 2621' to 2642' - 5' below the 5-1/8" casing
FILL 5-1/8" casing set at 2620' and continue to fill with clay from
2642' to 2650' - 20' above the Big Injun Sand.
Drive wood plug from 2650' to 2647'
Cement from 2647' to 2637' sealing the Big Injun Sand.

SET A PERMANENT BRIDGE AT 2645' using cement at top of bridge
Fill with clay from 2645' to 2690' - 20' above the First Salt Sand.
Drive wood plug from 2690' to 2687'
Cement from 2687' to 2677' sealing the Salt Sands.

Continue to fill with clay from 2677' to 2668'
Drive wood plug from 2668' to 2663'
FILL 5-1/8" casing set at 2668'

SET A PERMANENT BRIDGE AT 2668'

Fill with clay from 2668' to 2612' - 20' below the Pittsburgh Coal.
Cement from 2612' to 2608' - 20' above the Pittsburgh Coal

Fill with clay from 2608' to 258' - 20' below 10" casing
Drive wood plug from 258' to 259'
FILL 10" casing and
Fill with clay to the surface

Erect a marker such as is described in Rule 16, 1921 Regulations.

If other coal seams are found in vicinity, they must also be covered.

To the Department of Mines,
Coal Owner or Operator,
Lessee or Property Owner.

Signature:

This "work order" is submitted for your approval and acceptance and unless notified of your disapproval or non-acceptance, the work ordered will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objection has been filed by the coal owner or coal operator, or any available adjacent lease or property owner or interested by the Department of Mines to the manner herein described by the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this _____ day

of _____, 1921.

DEPARTMENT OF MINES
Coal and Gas Division