

'IMPERIAL" TRACING CLOT

1.21g .14w

Longitude

Completed 1896
Total depth 2234/
Plugged 11-18-48

Topo Location

7.5' Loc.______ 15' Loc._____ (calc.)

Company Washington O Co

Farm <u>CC Cno # 5</u>

7.5' Quad Osago

District ____Cass

WELL LOCATION PLAT

County 061 Permit 30416

as

Latitude

On 167.24 acres, on Scott Run. Elevation, 1316* L.

Surface owned by George Statler, Core, W. Va., and minerals by C. C. Core Heirs.

Drilling commenced July 3, 1896; completed Sept. 5, 1896.

Shot March 6, 1907, with 40 qts. nitroglyesrine. Salt water at 2222'.

10" casing, 886'; 3\frac{1}{2}", 1734'; 6\frac{5}{2}", 1911'; 5\frac{5}{2}", 288' (setter? bottom at 2135'); 2" tubing, 2180'.

Coal was encountered at 752-759 and 834-842'.

Oil well. Abandonment reported to Dept. of Mines Aug. 30, 1948. Record to RCT from Mrs. Griffith Jan. 5, 1949. Old File No. 446.

	Top.	Bettom.
Coal, black, seft	752	- 759
Coal, black, seft	834	- 842
Sand, gray, hard	1626	
Sand, Big Injun, gray, soft (oil and salt		
water, 22221)	2126	- 2234
Total denth		2234



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION



Permit No. 1/6

WELL RECORD

ompany Washington Oil Company ddress COP9, % V6. arm C.C. Core Acres 167.24 Size coation (waters) Cotts Run Vell No. 5 Elev /3/6' istrict Cass County Monongalia he surface of tract is owned in fee by Gaorga Statler Address COP9, % Va. Address COP9, % Va. Size 16. Size Size Size Size of Size of Address COP9, % Va. Size 18. 19. 19. 19. 19. 19. 19. 19.	ermit No. // O //			Oil or G	as Well Of 1
Size					Packers
he surface of tract is owned in fee by George Statler Address Core, W.Va. Address Core, Heirs Address Addre	vell No. 5 Elev./3/6.	16			Kind of Packer
Address 53/16 288 288 ter bottom at rilling commenced July 3, 1896 3 Perf. top 2125 Perf. bottom at rilling completed Sept. 5, 1896 2 2180 Perf. bottom perf. top Perf. top Perf. top Perf. bottom Perf. top Perf. bottom Perf. bo	he surface of tract is owned in fee by George Statler	10		172A	Size of
rilling completed Sept. 5, 1896 ate Shot 3/6/07 From To Liners Used Perf. top with 40 Qts. Nitro Glycerine pen Flow /10ths Water in Inch cock Pressure lbs. hrs. ii bbls., 1st 24 hrs. resh water feet feet feet feet feet feet feet f	Ineral rights are owned by C.C. Core, Heirs Address	6% 5 3/16	1911 -	1911	tter bottom at
resh water feet feet feet feet FEET INCHES	rilling completed Sept. 5, 1896	2		2180	Perf. bottom
ock Pressure lbs. hrs. il bbls., 1st 24 hrs. resh water feet feet feet feet FEET INCHES FEET INCHES alt water 2222 feet feet FEET INCHES FEET INCHES	pen Flow /10ths Water in Inch		``		
coal was encountered at 752 feet inches resh water feet feet feet FEET INCHES FEET INCHES alt water 2222 feet feet FEET INCHES FEET INCHES	olumeCu. Ft.	CASING CEMI	ENTEDS	SIZE	No. FtDate
alt water 2222 feet feet FEET INCHES FEET INCHES	ilbbls., 1st 24 hrs.				
		··· -		ES	

Oil			bbls., 1st 24 hrs.		NCOUNTERED AT		
Fresh water 22	322	feet	feet feet	<u>834</u> FEET			
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal	Slack	of't	752	759			,
Coal	B lac k	Soft	. 88€	842			
Same .	Graj	nard	1626				
Sand (30)	:	18 4 t	212 6	2234	Oil & Salt Water	2 222	
			2374				
s.		SEP IEI V	1440 C	·			
				'			

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
	#*						
			·		·		
		·					
							4
					;		
						·	
			, .				
		·					

			1316				
	·				•		

APPROVED SU CAS ALLEGO SONO STITLE)

Date (MIGUS 15 Jost Foreman)

(Stitle)

MATHEWS PRINTING AND LITHOGRAPHING CO