

LATITUDE 39°45'00"

LONGITUDE 75°22'08"

75'
+

7'5 OGIS topo location

7.5' loc	<u>2.725</u>	15' loc	<u>2.725</u>
	<u>0.200</u>	(calc.)	<u>2.420</u>

Company _____

Farm _____

Quad HUNDRED (Maple Hill)

County Monongahela

District Battelle

WELL LOCATION MAP

File No. 061-539A



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

583

WELL RECORD

Permit No. Mon-539-A

Oil or Gas Well Gas
(KIND)


Company Guy E. & A. G. Patterson
Address Cameron, W. Va.
Farm W. Frank Taylor Acres 46
Location (waters) _____
Well No. 2 Elev. 1466
District Pattelle County Monongalia
The surface of tract is owned in fee by W. Frank Taylor
Hundred RD Address W. Va.
Mineral rights are owned by Unknown
Address _____
Drilling commenced 1927
Drilling completed 1927
Date Shot _____ From _____ To _____
With _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			<u>Hook Wall</u>
10	<u>525'</u>	<u>pulled</u>	Size of
8 1/2	<u>1600'</u>	<u>"</u>	
6 3/4	<u>2455</u>	<u>2455'</u>	Depth set
5 3/16			
3			Perf. top
2	<u>3149'</u>	<u>3 49'</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Waynesburg Coal			885	890			
Mapletown Coal			1117	1122			
Pittsburgh Coal			1215	1221			
Little Dunkard			1615	1665			
Big Dunkard			1730	1745			
Gas Sand			1864	1986			
1st Salt Sand			2030	2157			
Little Lime			2417	2420			
Pencil Cave			2420	2432			
Big Lime			2432	2520			
Big Injun			2520	2755			
30 ft. Shell (steel line 3152)			3140	3154			
50 ft. little gas		3190	3187	3228			
30 ft. "		" 3252	3228	3310			
Gordon Stray			3332	3360			
Gorden			3378	3444			
4th Sand			3452	3490			
5th Sand little gas		3532	3575	3537			
Bayard Sand little gas			3655	3666			
		3662 - 3664					
Total depth			3680				



(Over)

JUL 9 1952

Dettelle District, Henningham County, W. Va.
 By Guy B. and A. G. Patterson, Gauley, W. Va.
 Abandoned under permit No. 539A-17
 On 46 acres.

Elevation, 1466' L.

Surface owned by W. Frank Taylor, E. D., Hundred, W. Va.; owner of
 minerals, unknown.

Drilling commenced and completed in 1927.

10" casing, 525' (galled); 8 1/2", 1600' (galled); 6 3/4", 2455'; 2" tubing, 3149'.
 Rock well packer.

Gas well. Record to dept. of mines stopped Feb. 4, 1952.

Record to RCF from Mrs. Griffith July 9, 1952. O. F. No. 583.

	Top.	Bottom.
Weynsburg Coal	885	- 890
Mapletown (Squidley) Coal	1117	- 1122
Pittsburgh Coal	1315	- 1321
Little Richard Sand	1615	- 1655
Big Richard Sand	1730	- 1745
Gas Sand	1864	- 1886
1st Salt Sand	2030	- 2157
Little Line	2417	- 2420
Fennell Cove	2420	- 2432
Big Line	2432	- 2520
Big Injan Sand	2520	- 2755
30-Ft. shell (steel line, 3152')	3140	- 3194
30-Ft. Sand (little gas, 3190')	3187	- 3228
30-Ft. Sand (little gas, 3252')	3228	- 3320
Gordon Gray Sand	3332	- 3460
Gordon Sand	3378	- 3444
4th Sand	3452	- 3490
5th Sand (little gas, 3532')	3537	- 3575
Hayard Sand (little gas, 3662-3664')	3655	- 3666
Total depth		3680

WELLS AND WATER UTILIZATION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPlicate, and kept on file in the Department, and sent to an approved by the State Inspector and the State Geologist. This report should be retained for three years, thereafter it shall be destroyed.

Done on _____ Day 2. of A.G. Patterson
NAME OF WELL OPERATOR
Cameron, W. Va.
COUNTY
 Done on _____ Day 2. of 1952
DATE OF PLUGGING AND FILLING
Bathalia Township
Honouliuli County
 Well No. Two
 Done on _____ Day _____
Frank Taylor Person

STATE INSPECTOR SUPERVISING PLUGGING _____

Done at _____

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Putnam

Mr. Smith

and Thomas Smith

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling of oil and gas wells and were employed by Thomas Smith well operator, and participated in the work of plugging and filling the above well, that work was commenced on the 16 day of Feb., 1952, and that the well was plugged and filled in the following manner:



DEPTH IN FEET	FILLING MATERIAL		PLUGGING	GRINDING	
	START	END		FEET	FEET
0	Clay	1650	1655	6-1/2	6-1/2
	Oil, & St.	1655	1665	1200	
	Clay	1665	1672	Oil-1500	
	Clay	1672	1678	Oil-1600	
	Clay	1678	1684	Oil-1700	
	Clay	1684	1688	Oil-1800	
	Clay	1688	1692	Oil-1900	
	Clay	1692	1698	Oil-2000	
	Clay	1698	1700	Oil-2100	
	Clay	1700	1705	Oil-2200	
	Clay	1705	1710	Oil-2300	
	Clay	1710	1715	Oil-2400	
	Clay	1715	1720	Oil-2500	
	Clay	1720	1725	Oil-2600	
	Clay	1725	1730	Oil-2700	Oil
	Clay	1730	1740	Oil-2800	
	Clay	1740	1745	Oil-2900	
	Clay	1745	1750	Oil-3000	
	Clay	1750	1755	Oil-3100	
	Clay	1755	1760	Oil-3200	
	Clay	1760	1765	Oil-3300	
	Clay	1765	1770	Oil-3400	
	Clay	1770	1775	Oil-3500	
	Clay	1775	1780	Oil-3600	
	Clay	1780	1785	Oil-3700	
	Clay	1785	1790	Oil-3800	
	Clay	1790	1795	Oil-3900	
	Clay	1795	1800	Oil-4000	
	Clay	1800	1805	Oil-4100	
	Clay	1805	1810	Oil-4200	
	Clay	1810	1815	Oil-4300	
	Clay	1815	1820	Oil-4400	
	Clay	1820	1825	Oil-4500	
	Clay	1825	1830	Oil-4600	
	Clay	1830	1835	Oil-4700	
	Clay	1835	1840	Oil-4800	
	Clay	1840	1845	Oil-4900	
	Clay	1845	1850	Oil-5000	
	Clay	1850	1855	Oil-5100	
	Clay	1855	1860	Oil-5200	
	Clay	1860	1865	Oil-5300	
	Clay	1865	1870	Oil-5400	
	Clay	1870	1875	Oil-5500	
	Clay	1875	1880	Oil-5600	
	Clay	1880	1885	Oil-5700	
	Clay	1885	1890	Oil-5800	
	Clay	1890	1895	Oil-5900	
	Clay	1895	1900	Oil-6000	
	Clay	1900	1905	Oil-6100	
	Clay	1905	1910	Oil-6200	
	Clay	1910	1915	Oil-6300	
	Clay	1915	1920	Oil-6400	
	Clay	1920	1925	Oil-6500	
	Clay	1925	1930	Oil-6600	
	Clay	1930	1935	Oil-6700	
	Clay	1935	1940	Oil-6800	
	Clay	1940	1945	Oil-6900	
	Clay	1945	1950	Oil-7000	
	Clay	1950	1955	Oil-7100	
	Clay	1955	1960	Oil-7200	
	Clay	1960	1965	Oil-7300	
	Clay	1965	1970	Oil-7400	
	Clay	1970	1975	Oil-7500	
	Clay	1975	1980	Oil-7600	
	Clay	1980	1985	Oil-7700	
	Clay	1985	1990	Oil-7800	
	Clay	1990	1995	Oil-7900	
	Clay	1995	2000	Oil-8000	

and that the work of plugging and filling said well was completed on the 5 day of _____ Day, 1952

And further deposes with wit,

Done to and subscribed before me this 3 day of _____, 1952

My commission expires Feb 4, 1954

W. L. ...
Thomas Smith
 Henry Fields
 Permit No. 884-578

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 5, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

Unknown Coal Operator or Coal Owner	Guy D. & A. J. Patterson Name of Well Operator
<i>See further attached!</i>	
Address	Garretts, W. Va. Complete Address
	February 2 1952
Coal Operator or Coal Owner	WELL TO BE ABANDONED
Address	Mattelle District
	Monongalia County
Frank Taylor Lessee or Property Owner	Well No. 2 <i>39' 45'</i> <i>20' 20'</i>
R. D. Hundred, W. Va.	Frank Taylor Farm
Address	

Gentlemen:—

NOTICE INSPECTOR D. F. DELIST - FAIRVIEW - TRLS. 1951
24 HOURS IN ADVANCE OF PLUGGING DATE

The undersigned well operator is about to abandon the above described well and will commence

the work of plugging and abandoning said well on the 15 day of FEBRUARY, 1952
(which date shall not be less than five days after the day on which this notice so mailed is received,
or in due course should be received by the Department of Mines.)


This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Guy D. & A. J. Patterson

Well Operator.


In compliance with the provisions of all wells drilled prior to June 1, 1950, a plat prepared by a competent engineer showing the district and county in which the well of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the shaft to be abandoned well, determined by survey, and the location of same well from two permanent points or landmarks on said tract, shall be submitted to the Department of Mines.

(Over)