

LATITUDE 39° 42' 30"

80° 07' 30"

LONGITUDE

75'  
+  
70029

7.5 OGIS topo location

7.5' loc	<u>1085</u>	15' loc	<u>3.965</u>
	<u>1.69W</u>	(calc.)	<u>3.9W</u>

Company \_\_\_\_\_

Farm \_\_\_\_\_

Quad Blacksville NC

County Monongahelia

District Clay

WELL LOCATION MAP

File No. 061-70029

70029

Clay District, Monongalia County, W. Va.

By Eddy Oil &amp; Gas Co.; succeeded by J. H. McDermott Oil Co.;

in turn succeeded by Consolidation Oil &amp; Gas Co.

On south side of a branch of Statler (Jakes) Run.

0.7 mi. N. W. of Mooresville.

Elevation, 1062' L.

6-5/8" casing, 1930' (left in 1830')

Gas test, 10/10 Water in 2" = 150,000 cu. ft.

	Top.	Bottom.
Coal, Pittsburgh	610	
Sand, Big Injun (gas, 1883 and 1907')	1881	- 2075
Sand, Squaw	2300	- 2325
Sand, Fifty-foot	2480	- 2515
Sand, Thirty-foot	2528	- 2600
Sand, Gordon Stray (hole reduced at 2730')	2729	- 2752
Sand	2760	- 2765
Sand Gordon	2770	- 2778
Sand	2785	- 2790
Sand, Fourth	2795	- 2805
Sand and slate	2810	- 3000
Sand, Fifth	3009	- 3026
Sand, Bayard (gas, 3051')	3043	- 3063
Total depth		3099

Clay District, Monongalia County, W. Va.

On south side of a branch of Statler (Jakes) Run, 0.7 mi. N. W. of Mooresville.

Completed, March 27, 1925.

Eddy Oil & Gas Co., succeeded by J. H. McDermott Oil Co.; succeeded by Consolidation Oil Co.

Elevation, 1069' L.

	Top.	Bottom.
Pittsburgh Coal	610	
Big Injun Sand (gas, 1883' and 1907')	1881	2075
Squaw Sand	2300	2325
50-Ft. Sand	2480	2515
30-Ft. Sand	2528	2600
Gordon Stray Sand (hole reduced at 2730')	2729	2752
Sand	2760	2765
Gordon Sand	2770	2778
Sand	2785	2790
4th Sand	2795	2805
Sand and slate	2810	3000
5th Sand	3009	3026
Bayard Sand (gas, 3051')	3043	3063
Total depth		3099

6-5/8" casing, 1930' (left in 1830').  
Gas test, 10/10 W. in 2" — 150 W. cu. ft.

