

- New Location .
- Drill Deeper
- Redrill
- Abandonment

SURVEYED 5-28-62 L.G. STURGILL BK. A PG. 38

Company SOUTHEASTERN GAS CO.
 Address BOX 2347 CHARLESTON, W. VA.
 Farm A.R. McCoy
 Tract _____ Acres 127 Lease No. WN-20
 Well (Farm) No. 1 Serial No. B-24
 Elevation (Spirit Level) 1933.60
 Quadrangle SUMMERSVILLE N.E.
 County NICHOLAS District HAMILTON
 Engineer G. S. Kelly
 Engineer's Registration No. 773
 File No. _____ Drawing No. _____
 Date 6-11-62 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. NIC-16-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 — Denotes one inch spaces on border line of original tracing.



LEASE 11-20

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle Ab. NK-16-A-
Permit No. 16-A-

WELL RECORD

Oil or Gas Well Gas
(KIND)

Company Southern Gas Company
Address Box 2367, Charleston, W. Va.
Farm A. R. McCoy Acres 127
Location (waters) Mudlicky Creek
Well No. 1-24 (1) Elev. 1933.40
District Hamilton County Nicholas
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by J. H. Sayer, Bertha L. Sayer, John Robert Sayer
Imago, W. Va.
Address _____
Drilling commenced Oct. 25, 1926
Drilling completed Nov. 30, 1926
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
15 /10ths Merc. in _____ 2 Inch
Volume 603 Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED _____
WELL FRACTURED _____


Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13 Cond.	11'	11'	
10 - 3/4 - 10	10 1/2'	10 1/2'	Size of
8 1/2 OD	728	728	Depth set
6 1/2 OD	1529	1529	
5 3/16 LINER	125	125	
3			Perf. top
2 3/8	1936	1936	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
219 FEET 60 INCHES 195 FEET 24 INCHES
707 FEET 36 INCHES _____ FEET _____ INCHES

RESULT AFTER TREATMENT _____
ROCK PRESSURE AFTER TREATMENT _____
Fresh Water _____ Feet 1230-1510 Salt Water _____ Feet _____

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Soll			0	2			
Sandy Clay			2	15			
Sand			15	50			
Slate			50	90			
Lime			90	115			
Slate			115	162			
Lime			162	201			
Slate			201	219			
Coal			219	221			
Slate			221	230			
Sand			230	270			
Slate			270	317			
Sand			317	391			
Slate			391	402			
Lime			402	411			
Sand			411	495			
Coal			495	497			
Lime			497	605			
Slate			605	660			
Lime			660	707			
Coal			707	815			
Lime			815	881			
Sand			881	885			
Slate			885	925			
Lime			925	970			
Slate			970	1003			
Lime			1003	1016			
Sand			1016	1125			
Lime			1125				



(over)

A. R. McCoy No 118-7A - OCT 6 1962 NK-16-A

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			1125	1140			
Lime			1140	1184			
Red Rock			1184	1215			
Lime			1215	1285			
Red Rock			1285	1305			
Lime			1305	1352			
Slate			1352	1365			
Lime			1365	1422			
Red Rock			1422	1507			
Maxton Sand			1507	1546			
Slate			1546	1555			
Lime			1555	1568			
Sand			1568	1602			
Slate			1602	1612			
Lime			1612	1659			
Slate			1659	1670			
Little Lime			1670	1695			
Pencil Cave			1695	1712			
Big Lime			1712	1764			
Big Injun			1764	1836			
TD			1836				

Date....., 19.....

APPROVED....., Owner

By.....
(Title)