Latitude

2.175 .34~

Company Haddad & Brooks Inc

Farm \_\_ Ethel M foster # 1


15' Quad\_ (sec.)

7.5' Quad Bothamy

District \_ Liberty

WELL LOCATION PLAT

County Old





### STATE OF WEST VIRGINIA

### DEPARTMENT OF MINES

# Oil and Gas Division

## WELL RECORD

Quadrangle Bethany 7.5 minute

Permit No. <u>47-069-0</u>028

Rotary	Oil
Cable	Gas
Recycling	Comb
Water Flood	
Disposal	
-	111

Casing and	Used in	Left in Well	Cement fill up
1 ubing	Drilling	in well	Cu ft. (Sks.)
Size			
20-16			
Cond.			
11 3/4	25'	none	
9 5/8			
8 5/8	1004	al1	150 sks lite
1g 7			50 sks Neat 4% Cac
5 1/2			
4 1/2	2420	570	150 sks Thixotropi
3			130 Skg Inixotropi
2			1
Liners Used			
Attach conv of	cementing reco	ard	
2 holes Frac	with 875 1	arrele o	f water
moch and 0	WICH U/J	Jaileis C	I water
mesii sanu, 8	2 2	<del></del>	
	Inche	s	Feet
	Size 20-16 Cond. 11 3/4 9 5/8 8 5/8 18 7 5 1/2 4 1/2 3 2 Liners Used  Attach copy of 2 holes Frace	Size 20-16 Cond.  11 3/4 25' 9 5/8 8 5/8 1004  7 5 1/2 4 1/2 2420  3 2 Liners Used  Attach copy of cementing reco	Tubing   Drilling   in Well

Formation	Color Ha	rd or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
SH,S1st,SS	Red-gy,wh	S	0	1500	
SS	Wh	S	1500	1561	Salt Sand HFW
SH	Dk Gy-Med Gy	, S	1961	1646	
LS	Wh-lt br	11	10.6	1696	Greenbrier Very Fossiliferous
SS	Wh	S	1.696	1984	Big Injun
SH	Lt Gy-M Gy	S	1.984	2254	
S1st	Lt Gy-M Gy	H	2254	2277	Welsh Stray
SH	Med Gy	S	2277	2326	
SS	Lt Gy	H	2326	2348	Berea
SH,Slst	Lt Gy-M Gy	S-H	2348	2710	
Slst	Lt Gy	H	2710	2724	Gordon
SH	Med Gy	S	2724	2808	
Slst	Lt Gy	Н	2808	2832	5th
SH,Slst	Lt Gy,M Gy	S-H	2832	3208	
Sndy,Slst	Wh, Lt Gy	Н	3208	3291	_Warren
SH,S1st	Lt Gy-M Gy	S-H	3291	3475	104.701
	•			L.T.D.	Plug back T.D. 2423'
					OCT 1 4 1980

DEMANDE NO.

FORM IV-2 STATE OF WE Coverse) DEPARTMENT OF MINES,	EST VIRGINIA OIL AND GAS DIVISION Date: March 4, 198
[08-78]	Operator's No.1.E. Foster PERMIT APPLICATION
	API Well No. 47 - 069 - 0028 State County Permit
WELL TYPE: Oil/ Gas _X/	
	und storage / Deep / Shallow X /)
	: Castlemans Run  Ohio Rothany (1.24000)
	Ohio Quadrangle: Bethany (1:24000)
Haddad & Brooks, Inc.	DESIGNATED AGENT Henry Parsons
Address 905 Washington Road	Address 121 Glenville Drive
Washington, PA 15301	New Martinsville, WV 26155
Oll & GAS	
CYALTY OWNER Ethel M. Foster	COAL OPERATOR Valley Camp Coal Co.
Address R.D. #2 Box 253	Address P. O. Box 218
West Alexander, PA 15376	Triadelphia, WV 26059
Acreage 176  ***URPACE OWNER Same	COAL OWNER(S) WITH DECLARATION ON RECORD:
	Name Kanawha & Hocking Coal & Coke
Address	Address P. O. Box 218
Acres	Triadelphia, WV 26059
Acreage (IF MADE) TO:	Name
Thung	Address
Address	COAL LESSEE WITH DECEMBER ON RECORD
	Name
The Gas inspector to be notified	Address MAR - 6 1980
Address Middlebourne, WV 26149	OIL & GAS DIVISION
Address <u>Middlebourne</u> , WV 26149 304-758-4573	DEPT. OF MINES
The undersigned well operator is entitled	to operate for oil or gas purposes at the above
For ation under a deed/ lease $\underline{X}$ / other c	contract/ dated August 13, 19 79 , to the
equersigned well operator fromEthel M.	
If said deed, lease, or other contract has been re	
wederded on October 11, 19 79, in the office	
County, West Virginia, in Deed Book 592	at page 649 . A permit is requested as follows:
PROPOSED WORK: Drill X / Drill deeper /	
	Perforate new formation/
Other physical change in well	(specify)
	order on the reverse side hereof.
	(s), and coal lessee are hereby notified that any
	by Code § 22-4-3 must be filed with the Department
Mines within fifteen (15) days after the receipt	
	enclosed plat and reclamation plan have been mailed
	e named coal operator, coal owner(s), and coal lessee
	this Permit Application to the Department of Mines at
erleston, West Virginia.	Haddad & Brooks, Inc.
AASE SUBMIT COPIES OF ALL OPHYSICAL LOGS DIRECTLY TO:	Well Operator
OT VIRGINIA OIL AND GAS	
CONSERVATION COMMISSION  ALL WASHINGTON STREET FAST	By Sistle
BLANKET POWD	Its Vice President 2/29/80

### PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY:
ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING CO	NTRACTO	R (IF	KNOMN)		U	nion Drilli	ng Compan	У	
				Addre	nas B	uckhannon,	WV	Annual of Asian digital displaying	•
	7 T				****		The state of the s		
CECTOGICAL		70 D		[1] ~ ·					
GEOLOGICAL 1	*		***************************************						
									Cable tools/
Approx:	imate w	ator s	timba di	eptha '	: Fr	msh. 50 fo	ot; shit,	1700 feet.	
Approxi	imate c	oal so	am depti	hs: :	550	(Pgn) Is c	oal being mi	ned in the area	Yes_/ No_X
CASING AND T	PUBING	PROGRAI	М						• "
CASING OR	100		IFICATIO			FOOTAGE I	NTERVALS	CEMENT FILL-UF	PACKERS
TUBING TYPE	Size	Grade	Welght per ft	New	Used	For drilling		OD CACKG	i n mane
Conductor	11 3/4		42#		х	60'	60'		Kinds
Fresh water									kinds
Coal	8 5/8		22#	Х		950'	950'	Cemented to surface	11
Intermediate				***************************************				Buildec	Sines
Production	4 1/2	K55	9.5#	X	1	3500'	3500'	Cemented a needed	5
Tubing					<b>-</b>			needed	Depths set
Liners						· · · · · · · · · · · · · · · · · · ·			
	1				ļ				Perforations:
									Toj Botton (
					<b></b>		The American		
where is my THIS	fractuled as PERMIT	requir the pr separa ring c such on MUST I being i . Code,	od hy Coponed in the Form the Fosting POST	ode 3 well. IV-2 latin prm I ED A	shall g is V-2 y T THE with C	1-9a from the of to be part of ited in connect WELL SITE Chapter 22, y approved	wher of any	water well or a	(n) if application [1] for [2] for [3] and so [4] for [3] and so [4] for [4] f
		//				all expire if			
<b>5</b> pera!	ions hav	e not co	mmenced	by		30.80			
~	1)0 he	7 6				_			
io Th	to be	issued Estraed	within	fifi perat	een een	\( \frac{1}{2} \) \( \frac{1}{	under tode recipt thereo	2 / of the	real under the walt
well location the work pro-	n, the posed t	well 1 o be d	ocation one at	han This	ieuu been Tocat	iodation. If a added to the r	n mine map e: The map. The	Kists which dove ne undersigned l norstor has dom	ers the area of the
	n kanders op springen erholde. – de en en	•	] i			••			and the second s
						By			

ADDRESSES.

Member, Pennsylvania Association of Notaria-

#### STATE OF WEST VIRGINIA DEPARTMENT OF MINES

0ST 1 4 1980

OIL AND GAS WELLS DIVISION

୍ୟ & GAS DIVISION

0028

AFFIDAVIT OF PLUGGING AND FILLING WELL T. OF MINES AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE

Coal Company	Hadd	ad & Brooks, Inc	3.	
PERATOR OR OWNER		NAME OF WELL O		
Triadelphia, WV 26155	905	Washington Rd, V	<del></del>	, PA 15
				19
PERATOR OR OWNER	Lib		CATION	
ADDRESS	•			_District
er	Ohi	.0		_County
- · · · · · · · · · · · · · · · · · · ·				
	Well. N	ro. 1	***************************************	
ADDRESS PA 153/6	Eth	el Foster	•	Farm
SUPERVISING PLUGGING Fr	ed Burdet	te	·	<del></del>
	DAVIT			
· • • • • • • • • • • • • • • • • • • •				
	_and			
orn according to law depose	and say th	hat they are experie	enced in the	work of
oil and gas wells and were er	nploved by	7		
participated in the work of pl	ugging and	filling the above		
the 2nd day of Septemb	er	., 19_80_, and that t	he well was	plugged
		Pi usa usan	T	
	<u> </u>			BING
5 /0" 5 5		SIZE & KIND	PULLED	LEFT IN
		<del> </del>	8 5/8" 0'	1000'
	1000-900		4 1/2"	973'
6% GET Water 1300-1000			1450	9/3
/ 1/2!! Control Company		Plug @ 1500'		
			4	
2423 1300				
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
Cement Plug 2542-2442				
-				
Cement Plug 3319-3219				
			11 1	
		25623171		
			ON OF MONUME	NT
		Steel Plate wit	h vent	NT
			h vent	NT
		Steel Plate wit	h vent	NT
		Steel Plate wit	h vent	NT
	well was	Steel Plate wit Welded on 8 5/8	h vent " casing.	
of plugging and filling said	well was	Steel Plate wit Welded on 8 5/8	h vent " casing.	_day of
	well was	Steel Plate wit Welded on 8 5/8	h vent " casing.	
of plugging and filling said, 19_80 ponents saith not.	well was	Steel Plate wit Welded on 8 5/8	casing.  2nd	_day of
of plugging and filling said, 19_80	well was	Steel Plate wit Welded on 8 5/8  completed on the	casing.  2nd	
of plugging and filling said, 19_80 ponents saith not. subscribed before me this 2	The	Steel Plate wit Welded on 8 5/8  completed on the	2nd	_day of
of plugging and filling said, 19_80 ponents saith not.	The	Steel Plate wit Welded on 8 5/8  completed on the  of  of  Outside  Audian	2nd	_day of
of plugging and filling said, 19_80 ponents saith not. subscribed before me this 2	The	Steel Plate wit Welded on 8 5/8  completed on the  of  of  Outside  Audian	2nd	_day of
	ADDRESS ter  OR PROPERTY OWNER 253, West Alexander, ADDRESS PA 15376  SUPERVISING PLUGGING Fr  VIRGINIA, SS: Shields From according to law deposes oil and gas wells and were exparticipated in the work of pl the 2nd day of Septembellowing manner:  FILLING MATERIAL  8 5/8" Surface Csg. 0- Cement Plug in 8 5/8" 6% Gel water 1500-1000  4 1/2" Casing Cemented 2423-1500  Cement Plug 2542-2442	ADDRESS ter Ohi OR PROPERTY OWNER  253, West Alexander, ADDRESS PA 15376  Eth SUPERVISING PLUGGING. Fred Burdet  AFFIDAVIT  VIRGINIA, SS: Shields and were employed by participated in the work of plugging and the 2nd day of September llowing manner:  FILLING MATERIAL  8 5/8" Surface Csg. 0-1000 Cement Plug in 8 5/8" 1000-900 6% Gel water 1500-1000  Cement Plug in 8 5/8" 1000-900 6% Gel water 1500-1000  Cement Plug 2542-2442	ADDRESS DET Ohio  ADDRESS Ohio  ADDRESS PA 15376  Ethel Foster  SUPERVISING PLUGGING Fred Burdette  AFFIDAVIT  VIRGINIA,  SS:  Shields and  Form according to law depose and say that they are experiency oil and gas wells and were employed by participated in the work of plugging and filling the above the 2nd day of September 19_80, and that they are llowing manner:  FILLING MATERIAL PLUGS USED  8. 5/8" Surface Csg. 0-1000  Cement Plug in 8 5/8" 1000-900 6% Gel water 1500-1000  4 1/2" Bridge Plug @ 1500'  4 1/2" Casing Cemented 2423-1500  Cement Plug 2542-2442	ADDRESS TOTAL CONTROLL  ADDRESS TOTAL CONTROLL  ADDRESS TOTAL CONTROLL  ADDRESS PA 15376  Ethel Foster  SUPERVISING PLUGGING. Fred Burdette  AFFIDAVIT  VIRGINIA,  SS:  Shields  From according to law depose and say that they are experienced in the coll and gas wells and were employed by participated in the work of plugging and filling the above well, that see the 2nd day of September 19 80., and that the well was llowing manner:  FILLING MATERIAL PLUGS USED CAN SIZE A KIND PULLED  8. 5/8" Surface Csg. 0-1000 8 5/8" 0'  Cement Plug in 8 5/8" 1000-900 6% Gel water 1500-1000 4 1/2" Bridge Plug @ 1500'  4. 1/2" Casing Cemented 2423-1500  Cement Plug 2542-2442  Cement Plug 2542-2442