

~WELL INFORMATION

WELL NAME: ALICE EDGE OHI 205 WB#1
 FILE CREATED: 1/11/2016 15:37
 START DEPTH: 0
 STOP DEPTH: 14515
 PLAY: West Virginia
 COUNTY: Ohio Co. WV
 SHL LATITUDE: 40.099856
 SHL LONGITUDE: -80.560313
 SHL NORTHING: 14563399.28
 SHL EASTING: 1763372.085
 DATUM ELEVATION: 1219.4
 GROUND ELEVATION: 1199.4
 MAP DATUM: NAD83 West Virginia - HARN
 MAP SYSTEM: Universal Transverse Mercator (US Survey Feet)
 MAP ZONE: Zone 17N (84 W to 78 W)
 MAG DEC: -8.78
 DEC DATE: 10/16/2014
 MAG MODEL: BGGM2014
 MAG DIP: 67.43
 MAG STRENGTH: 52590.15
 NORTH REF: Grid
 GRID CONV: 0.28
 TOTAL CORR: -9.06
 VS REF: Slot
 VS AZI: 336.66

~SURVEY DATA

MD	INC	AZI	TVD	NS	EW	VSEC	DLS	TOOL
0	0	0	0	0	0	0	0	UNDEFINED
100		0.16	69.47	100	0.05	0.13	-0.01	0.16 SRG-GYRO-MS (1)
200		0.16	90.36	200	0.1	0.4	-0.07	0.06 SRG-GYRO-MS (1)
300		0.17	102.05	300	0.07	0.69	-0.21	0.04 SRG-GYRO-MS (1)
400		0.24	93.2	400	0.02	1.04	-0.39	0.08 SRG-GYRO-MS (1)
500		0.24	77.75	500	0.06	1.45	-0.53	0.06 SRG-GYRO-MS (1)
585		0.32	74.7	585	0.16	1.86	-0.59	0.1 SRG-GYRO-MS (1)
713		0.4	14.54	712.99	0.68	2.31	-0.29	0.29 MWD (2)
808		0.6	110.64	807.99	0.83	2.86	-0.37	0.8 MWD (2)
903		2.4	88.64	902.96	0.7	5.32	-1.46	1.96 MWD (2)
997		5.6	98.34	996.72	0.08	11.82	-4.61	3.47 MWD (2)
1092		8.4	98.74	1091	-1.65	23.27	-10.73	2.95 MWD (2)
1187		8.6	104.44	1184.96	-4.47	37.01	-18.77	0.91 MWD (2)
1281		8.2	109.24	1277.95	-8.43	50.14	-27.61	0.86 MWD (2)
1376		8.4	108.14	1371.95	-12.83	63.13	-36.79	0.27 MWD (2)
1471		8	114.04	1465.98	-17.68	75.77	-46.25	0.98 MWD (2)
1566		8.7	112.04	1559.98	-23.07	88.46	-56.23	0.8 MWD (2)
1660		8.3	107.14	1652.95	-27.74	101.54	-65.69	0.88 MWD (2)
1755		8.6	107.94	1746.91	-31.94	114.85	-74.83	0.34 MWD (2)
1850		7.6	107.34	1840.97	-36	127.6	-83.61	1.06 MWD (2)
1945		7.8	107.14	1935.11	-39.78	139.76	-91.89	0.21 MWD (2)
2040		6.5	110.84	2029.37	-43.59	152	-99.85	1.45 MWD (2)
2145		7	105.94	2133.64	-47.46	162.66	-108.07	0.6 MWD (2)
2240		10.2	92.24	2227.57	-49.38	176.63	-115.32	3.98 MWD (2)
2334		11.7	80.94	2319.87	-48.21	194.36	-121.26	2.78 MWD (2)
2429		10.9	75.54	2413.03	-44.45	212.47	-122.05	1.4 MWD (2)
2524		13	72.64	2505.96	-39.01	231.47	-127.53	2.3 MWD (2)
2618		15.2	73.14	2597.13	-32.28	253.35	-130.02	1.1 MWD (2)
2713		17.9	74.94	2688.18	-24.88	279.38	-133.53	2.89 MWD (2)
2807		20.7	71.14	2776.89	-15.75	309.05	-134.11	3.28 MWD (2)
2902		22.2	74.74	2865.32	-5.6	342.26	-140.74	2.1 MWD (2)
2997		21.5	71.84	2953.49	4.55	376.12	-144.83	1.35 MWD (2)
3091		20.2	71.04	3041.34	15.19	407.84	-147.63	1.42 MWD (2)
3185		18.9	68.84	3129.92	25.96	437.38	-149.45	1.59 MWD (2)
3279		20.1	67.64	3218.52	37.6	466.52	-150.3	1.35 MWD (2)
3374		21.4	68.74	3307.36	50.1	497.77	-151.21	1.43 MWD (2)

RECEIVED
 Office of Oil and Gas
 JAN 12 2016
 WV Department of
 Environmental Protection

3469	20.7	67.84	3396.02	62.72	529.47	-152.19	0.81	MWD (2)
3564	22.1	69.74	3484.47	75.24	561.79	-153.49	1.64	MWD (2)
3659	22	68.44	3572.52	87.96	595.1	-155.01	0.52	MWD (2)
3753	20.4	70.34	3660.16	99.95	626.91	-156.6	1.85	MWD (2)
3848	19.5	66.64	3749.46	111.81	657.06	-157.66	1.63	MWD (2)
3943	18.8	64.64	3839.2	124.65	685.45	-157.12	1.01	MWD (2)
4037	18.8	65.34	3928.19	137.46	712.9	-156.23	0.24	MWD (2)
4132	19.8	65.44	4017.85	150.53	741.45	-155.54	1.05	MWD (2)
4226	21.4	69.54	4105.84	163.14	772	-156.06	2.29	MWD (2)
4321	21.8	73.24	4194.17	174.29	805.13	-158.95	1.49	MWD (2)
4421	20.8	70.94	4287.34	185.44	839.69	-162.41	1.3	MWD (2)
4515	21.4	71.94	4375.04	196.21	871.77	-165.23	0.74	MWD (2)
4610	19.8	74.44	4463.96	205.9	903.75	-169	1.92	MWD (2)
4705	18.7	70.44	4553.65	215.32	933.6	-172.19	1.81	MWD (2)
4800	18.2	72.94	4643.77	224.77	962.14	-174.81	0.99	MWD (2)
4894	19.3	73.74	4732.78	233.42	991.09	-178.33	1.2	MWD (2)
4989	18	69.94	4822.8	242.85	1019.95	-181.11	1.87	MWD (2)
5084	19.7	68.24	4912.7	253.83	1048.61	-182.39	1.88	MWD (2)
5178	18.8	64.84	5001.44	266.14	1077.03	-182.35	1.53	MWD (2)
5273	19.6	67.54	5091.16	278.74	1105.62	-182.1	1.26	MWD (2)
5367	20.3	69.74	5179.52	290.41	1135.48	-183.22	1.09	MWD (2)
5462	21	63.64	5268.43	303.67	1166.2	-183.21	2.38	MWD (2)
5557	19.5	70.54	5357.57	316.52	1196.41	-183.39	2.97	MWD (2)
5652	19	67.44	5447.26	327.73	1225.64	-184.67	1.2	MWD (2)
5746	20.2	69.74	5535.81	339.22	1255	-185.75	1.52	MWD (2)
5841	19.8	64.34	5625.09	351.87	1284.89	-185.98	1.99	MWD (2)
5936	21.6	63.84	5713.95	366.55	1315.09	-184.47	1.9	MWD (2)
6001	22.3	64.94	5774.24	377.05	1337	-183.51	1.25	MWD (2)
6052	22.7	67.04	5821.36	384.98	1354.83	-183.28	1.76	MWD (2)
6084	24.2	61.54	5850.72	390.52	1366.28	-182.74	8.29	MWD (2)
6115	26.5	56.64	5878.73	397.35	1377.65	-180.97	10.04	MWD (2)
6147	28	52.64	5907.18	405.84	1389.58	-177.91	7.4	MWD (2)
6178	27.9	50.74	5934.57	414.84	1400.98	-174.15	2.89	MWD (2)
6210	28.4	49.14	5962.78	424.56	1412.54	-169.81	2.83	MWD (2)
6241	30.5	45.34	5989.78	434.91	1423.71	-164.73	9.06	MWD (2)
6273	33.9	41.24	6016.86	447.34	1435.37	-157.94	12.62	MWD (2)
6305	35.1	39.24	6043.23	461.17	1447.08	-149.88	5.16	MWD (2)
6336	37.9	35.94	6068.15	475.79	1458.31	-140.91	11.03	MWD (2)
6367	39.4	33.44	6092.36	491.71	1469.32	-130.65	6.98	MWD (2)
6399	40.2	32.04	6116.95	508.94	1480.39	-119.22	3.75	MWD (2)
6430	42.8	30.24	6140.16	526.52	1491.01	-107.28	9.23	MWD (2)
6462	43.9	28.74	6163.43	545.64	1501.82	-94.01	4.71	MWD (2)
6494	44.4	27.04	6186.39	565.34	1512.24	-80.05	4.02	MWD (2)
6525	46.8	23.14	6208.09	585.4	1521.61	-65.35	11.86	MWD (2)
6557	49.7	18.64	6229.4	607.7	1530.1	-48.24	13.86	MWD (2)
6588	51.9	15.84	6248.99	630.64	1537.21	-29.99	9.97	MWD (2)
6620	53.9	15.94	6268.29	655.19	1544.2	-10.22	6.25	MWD (2)
6651	58.4	14.74	6285.56	680.01	1551	9.88	14.87	MWD (2)
6683	60.6	13.84	6301.8	706.73	1557.8	31.71	7.29	MWD (2)
6714	62.6	12.94	6316.54	733.25	1564.12	53.57	6.94	MWD (2)
6746	65.1	12.34	6330.64	761.28	1570.4	76.81	7.99	MWD (2)
6778	67.9	11.04	6343.4	790.01	1576.34	100.84	9.51	MWD (2)
6809	70.9	10.24	6354.31	818.53	1581.7	124.9	9.97	MWD (2)
6841	73.5	8.74	6364.09	848.58	1586.72	150.5	9.27	MWD (2)
6872	77.2	8.44	6371.93	878.23	1591.2	175.95	11.97	MWD (2)
6904	80.1	6.94	6378.23	909.32	1595.39	202.83	10.16	MWD (2)
6935	81.3	7.24	6383.24	939.67	1599.1	229.21	3.99	MWD (2)
6967	81.5	5.84	6388.02	971.11	1602.79	256.44	11.97	MWD (2)
6999	82.3	4.84	6392.53	1002.65	1605.72	284.44	3.98	MWD (2)
7030	84.9	2.94	6395.99	1033.38	1607.81	311.83	16.37	MWD (2)
7061	88	359.34	6397.91	1064.31	1608.42	339.98	15.31	MWD (2)
7093	89.9	355.74	6398.49	1096.27	1607.05	369.87	12.72	MWD (2)
7125	90	351.84	6398.52	1128.07	1603.59	400.44	6.11	MWD (2)
7156	90.5	349.04	6398.39	1158.64	1598.44	430.55	9.18	MWD (2)
7188	90.3	346.74	6398.16	1189.97	1591.73	461.93	7.21	MWD (2)
7220	89.6	344.54	6398.19	1220.92	1583.79	493.54	7.21	MWD (2)

RECEIVED
Office of Oil and Gas
JAN 19 2016
WV Department of Environmental Protection

7251	87.5	341.74	6398.97	1250.57	1574.8	524.32	11.29	MWD (2)
7283	84.9	337.94	6401.1	1280.54	1563.8	556.19	14.37	MWD (2)
7314	82.4	336.24	6404.52	1308.92	1551.81	587	9.73	MWD (2)
7346	83.5	336.24	6408.45	1337.98	1539.02	618.76	3.44	MWD (2)
7377	85.5	336.04	6411.42	1366.2	1526.54	649.61	6.48	MWD (2)
7409	87	335.34	6413.52	1395.3	1513.39	681.54	5.17	MWD (2)
7472	88.6	335.24	6415.93	1452.49	1487.08	744.47	2.54	MWD (2)
7566	87.8	334.64	6418.89	1537.6	1447.28	838.38	1.06	MWD (2)
7661	90.2	336.84	6420.54	1624.18	1408.26	933.34	3.43	MWD (2)
7755	89.4	336.34	6420.87	1710.44	1370.91	1027.34	1	MWD (2)
7850	89.1	337.04	6422.12	1797.68	1333.32	1122.33	0.8	MWD (2)
7945	90.7	336.14	6422.28	1884.86	1295.58	1217.33	1.93	MWD (2)
8040	93.7	335.94	6418.64	1971.6	1257.04	1312.24	3.16	MWD (2)
8134	93.3	336.44	6412.9	2057.43	1219.16	1406.06	0.68	MWD (2)
8229	92.4	335.34	6408.17	2144.04	1180.4	1500.93	1.49	MWD (2)
8324	91.2	334.54	6405.19	2230.05	1140.18	1595.84	1.52	MWD (2)
8418	90.3	333.74	6403.96	2314.63	1099.19	1689.74	1.28	MWD (2)
8513	91.8	336.64	6402.22	2400.83	1059.33	1784.68	3.44	MWD (2)
8608	90.3	333.84	6400.48	2487.07	1019.56	1879.62	3.34	MWD (2)
8702	89.4	333.24	6400.72	2571.23	977.68	1973.48	1.15	MWD (2)
8797	90.3	334.94	6400.97	2656.67	936.17	2068.38	2.02	MWD (2)
8892	91.3	338.54	6399.64	2743.93	898.66	2163.35	3.93	MWD (2)
8986	90.4	338.24	6398.25	2831.31	864.05	2257.3	1.01	MWD (2)
9081	92.1	338.94	6396.18	2919.73	829.38	2352.22	1.94	MWD (2)
9175	91.4	338.94	6393.31	3007.41	795.61	2446.1	0.74	MWD (2)
9270	90.9	339.84	6391.4	3096.31	762.18	2540.97	1.08	MWD (2)
9365	90.8	337.64	6389.99	3184.83	727.74	2635.89	2.32	MWD (2)
9460	91.1	334.74	6388.42	3271.72	689.4	2730.87	3.07	MWD (2)
9554	90	331.14	6387.51	3355.41	646.64	2824.65	4	MWD (2)
9648	89.9	334.34	6387.6	3438.96	603.59	2918.42	3.41	MWD (2)
9743	89.3	334.64	6388.26	3524.7	562.68	3013.34	0.71	MWD (2)
9837	89.8	335.34	6389	3609.88	522.94	3107.3	0.92	MWD (2)
9932	91.6	335.74	6387.84	3696.34	483.61	3202.27	1.94	MWD (2)
10027	91.8	335.54	6385.02	3782.85	444.44	3297.21	0.3	MWD (2)
10122	91.6	335.94	6382.2	3869.42	405.43	3392.16	0.47	MWD (2)
10216	90.7	335.34	6380.31	3955.03	366.66	3486.13	1.15	MWD (2)
10311	90.2	336.04	6379.57	4041.61	327.56	3581.11	0.91	MWD (2)
10406	91.8	335.14	6377.91	4128.1	288.31	3676.07	1.93	MWD (2)
10501	91.7	335.34	6375.01	4214.32	248.54	3771	0.24	MWD (2)
10596	89.4	330.64	6374.1	4298.93	205.41	3865.77	5.51	MWD (2)
10690	90.5	333.04	6374.18	4381.79	161.05	3959.43	2.81	MWD (2)
10785	91.7	336.54	6372.35	4467.72	120.6	4054.34	3.89	MWD (2)
10880	90.6	335.04	6370.45	4554.34	81.65	4149.31	1.96	MWD (2)
10975	89.7	336.64	6370.2	4641.01	42.77	4244.29	1.93	MWD (2)
11069	91.6	338.24	6369.13	4727.81	6.71	4338.27	2.64	MWD (2)
11164	91.2	337.84	6366.81	4815.89	-28.8	4433.22	0.6	MWD (2)
11259	90.8	337.94	6365.15	4903.89	-64.55	4528.18	0.43	MWD (2)
11353	90.3	338.94	6364.25	4991.31	-99.09	4622.13	1.19	MWD (2)
11448	90.1	338.94	6363.92	5079.96	-133.23	4717.05	0.21	MWD (2)
11542	89.4	339.04	6364.33	5167.71	-166.93	4810.97	0.75	MWD (2)
11637	91.2	337.54	6363.83	5255.96	-202.07	4905.93	2.47	MWD (2)
11731	93.2	336.74	6360.22	5342.51	-238.56	4999.85	2.29	MWD (2)
11826	93.7	335.44	6354.51	5429.2	-276.99	5094.67	1.46	MWD (2)
11921	91.4	333.64	6350.28	5514.88	-317.79	5189.5	3.07	MWD (2)
12015	90.8	333.54	6348.47	5599.05	-359.59	5283.35	0.65	MWD (2)
12109	90.9	334.94	6347.08	5683.7	-400.44	5377.21	0.7	MWD (2)
12204	90.4	335.34	6346	5769.89	-440.37	5472.07	0.7	MWD (2)
12299	90.4	335.34	6345.34	5856.22	-480.01	5567.18	0	MWD (2)
12393	90.6	335.74	6344.52	5941.78	-518.93	5661.16	0.48	MWD (2)
12488	90.1	334.64	6343.94	6028.01	-558.79	5756.13	1.37	MWD (2)
12583	91.1	340.14	6342.94	6115.67	-595.3	5851.08	5.88	MWD (2)
12678	92.1	339.14	6340.29	6204.7	-628.33	5945.91	1.49	MWD (2)
12773	91.5	334.84	6337.3	6292.08	-667.44	6040.84	4.57	MWD (2)
12867	91	333.84	6335.25	6376.79	-706.14	6135.74	1.19	MWD (2)
12962	91.2	334.84	6333.43	6462.4	-747.27	6229.64	1.07	MWD (2)
13056	89.6	332.84	6332.77	6546.76	-788.71	6323.51	2.72	MWD (2)

RECEIVED
Office of Oil and Gas
JAN 12 2016
U.S. Department of
Environmental Protection

13151	88.9	332.24	6334.02	6631.05	-832.51	6418.26	0.97	MWD (2)
13246	88.6	333.44	6336.09	6715.55	-875.86	6513.02	1.3	MWD (2)
13341	88.1	332.74	6338.83	6800.23	-918.84	6607.8	0.91	MWD (2)
13435	90.1	333.94	6340.3	6884.22	-961.01	6701.62	2.48	MWD (2)
13530	91.4	334.64	6339.06	6969.81	-1002.22	6796.53	1.55	MWD (2)
13625	89.7	331.64	6338.15	7054.54	-1045.13	6891.33	3.63	MWD (2)
13719	89.4	333.74	6338.88	7138.06	-1088.26	6985.1	2.26	MWD (2)
13814	91.5	338.54	6338.14	7224.9	-1126.67	7080.06	5.51	MWD (2)
13909	91	338.24	6336.07	7313.2	-1161.65	7174.99	0.61	MWD (2)
14004	89.7	335.84	6335.49	7400.67	-1198.7	7269.98	2.87	MWD (2)
14098	91.1	337.74	6334.83	7487.05	-1235.74	7363.97	2.51	MWD (2)
14193	91.3	338.14	6332.84	7575.08	-1271.42	7458.93	0.47	MWD (2)
14287	91.1	338.04	6330.87	7662.27	-1306.48	7552.88	0.24	MWD (2)
14382	90.2	336.84	6329.79	7749.99	-1342.93	7647.86	1.58	MWD (2)
14452	89.6	335.34	6329.92	7813.98	-1371.3	7717.85	2.31	MWD (2)
14515	89.6	335.34	6330.35	7871.24	-1397.58	7780.84	0	MWD (2)

ALICE EDGE OHI 205 WB#1

RECEIVED
Office of Oil and Gas

JAN 12 2016

WV Department of
Environmental Protection
03/04/2016

Alice Edge OHI 205H_Surveys

~VERSION INFORMATION

VERS. 2.0 : CWLS LOG ASCII STANDARD - VERSION 2.0
 WRAP. NO : ONE LINE PER DEPTH STEP

~WELL INFORMATION BLOCK

#	MNEM.	UNIT	DATA	DESCRIPTION OF MNEMONIC
STRT.	FT		0.00	: START DEPTH
STOP.	FT		14515.00	: STOP DEPTH
STEP.	FT		0.00	: STEP DEPTH
NULL.			-999.2500	: NULL VALUE
COMP.		West Virginia		: COMPANY NAME
WELL.		ALICE EDGE OHI 205		: WELL NAME
FLD.		Ohio Co. WV		: FIELD NAME
LOC.				: LOCATION / LEASE
CNTY.		OFFSHORE		: COUNTY
STAT.		Texas		: STATE NAME
CTRY.		USA		: COUNTRY NAME
SRVC.				: SERVICE COMPANY
API.				: API SERIAL NUMBER
DATE.			16:29:52 11-Jan-16	: DATE

~CURVE INFORMATION

#	MNEM.	UNIT	CURVE DESCRIPTION
DEPTH		.FT	:
INC		.DEG	:
AZM		.DEG	:
TVD		.FT	:
NORTH		.FT	:
EAST		.FT	:
VS		.FT	:
DLS		.°/100FT	:

~ASCII DATA SECTION

0.00	0.000	0.000	0.00	0.00	0.00	0.00	0.00
100.00	0.160	69.470	100.00	0.05	0.13	-0.01	0.16
200.00	0.160	90.360	200.00	0.10	0.40	-0.07	0.06
300.00	0.170	102.050	300.00	0.07	0.69	-0.21	0.04
400.00	0.240	93.200	400.00	0.02	1.04	-0.39	0.08
500.00	0.240	77.750	500.00	0.06	1.45	-0.53	0.06
585.00	0.320	74.700	585.00	0.16	1.86	-0.59	0.10
713.00	0.400	14.540	712.99	0.68	2.31	-0.29	0.29
808.00	0.600	110.640	807.99	0.83	2.86	-0.37	0.80
903.00	2.400	88.640	902.96	0.70	5.32	-1.46	1.96
997.00	5.600	98.340	996.72	0.08	11.82	-4.61	3.47
1092.00	8.400	98.740	1091.00	-1.65	23.27	-10.73	2.95
1187.00	8.600	104.440	1184.96	-4.47	37.01	-18.77	0.91
1281.00	8.200	109.240	1277.95	-8.43	50.14	-27.61	0.86
1376.00	8.400	108.140	1371.95	-12.83	63.13	-36.79	0.27
1471.00	8.000	114.040	1465.98	-17.68	75.77	-46.25	0.98
1566.00	8.700	112.040	1559.98	-23.07	88.46	-56.23	0.80
1660.00	8.300	107.140	1652.95	-27.74	101.54	-65.69	0.88
1755.00	8.600	107.940	1746.91	-31.94	114.85	-74.83	0.34
1850.00	7.600	107.340	1840.97	-36.00	127.60	-83.61	1.06
1945.00	7.800	107.140	1935.11	-39.78	139.76	-91.89	0.21
2040.00	6.500	110.840	2029.37	-43.59	150.94	-108.02	1.45
2145.00	7.000	105.940	2133.64	-47.46	176.63	-115.32	0.73
2240.00	10.200	92.240	2227.57	-49.38	194.36	-125.03	3.98
2334.00	11.700	80.940	2319.87	-48.21	212.57	-127.53	2.78
2429.00	10.900	75.540	2413.03	-44.45	231.47	-127.53	1.40
2524.00	13.000	72.640	2505.96	-39.01	253.35	-130.62	2.30
2618.00	15.200	73.140	2597.13	-32.28			2.34

RECEIVED
 Office of Oil and Gas
 JAN 12 2016
 WV Department of
 Environmental Protection

Alice Edge OHI 205H_Surveys

2713.00	17.900	74.940	2688.18	-24.88	279.38	-133.53	2.89
2807.00	20.700	71.140	2776.89	-15.75	309.05	-136.91	3.26
2902.00	22.200	74.740	2865.32	-5.60	342.26	-140.74	2.10
2997.00	21.500	71.840	2953.49	4.55	376.12	-144.83	1.35
3091.00	20.200	71.040	3041.34	15.19	407.84	-147.63	1.42
3185.00	18.900	68.840	3129.92	25.96	437.38	-149.45	1.59
3279.00	20.100	67.640	3218.52	37.60	466.52	-150.30	1.35
3374.00	21.400	68.740	3307.36	50.10	497.77	-151.21	1.43
3469.00	20.700	67.840	3396.02	62.72	529.47	-152.19	0.81
3564.00	22.100	69.740	3484.47	75.24	561.79	-153.49	1.64
3659.00	22.000	68.440	3572.52	87.96	595.10	-155.01	0.52
3753.00	20.400	70.340	3660.16	99.95	626.91	-156.60	1.85
3848.00	19.500	66.640	3749.46	111.81	657.06	-157.66	1.63
3943.00	18.800	64.640	3839.20	124.65	685.45	-157.12	1.01
4037.00	18.800	65.340	3928.19	137.46	712.90	-156.23	0.24
4132.00	19.800	65.440	4017.85	150.53	741.45	-155.54	1.05
4226.00	21.400	69.540	4105.84	163.14	772.00	-156.06	2.29
4321.00	21.800	73.240	4194.17	174.29	805.13	-158.95	1.49
4421.00	20.800	70.940	4287.34	185.44	839.69	-162.41	1.30
4515.00	21.400	71.940	4375.04	196.21	871.77	-165.23	0.74
4610.00	19.800	74.440	4463.96	205.90	903.75	-169.00	1.92
4705.00	18.700	70.440	4553.65	215.32	933.60	-172.19	1.81
4800.00	18.200	72.940	4643.77	224.77	962.14	-174.81	0.99
4894.00	19.300	73.740	4732.78	233.42	991.09	-178.33	1.20
4989.00	18.000	69.940	4822.80	242.85	1019.95	-181.11	1.87
5084.00	19.700	68.240	4912.70	253.83	1048.61	-182.39	1.88
5178.00	18.800	64.840	5001.44	266.14	1077.03	-182.35	1.53
5273.00	19.600	67.540	5091.16	278.74	1105.62	-182.10	1.26
5367.00	20.300	69.740	5179.52	290.41	1135.48	-183.22	1.09
5462.00	21.000	63.640	5268.43	303.67	1166.20	-183.21	2.38
5557.00	19.500	70.540	5357.57	316.52	1196.41	-183.39	2.97
5652.00	19.000	67.440	5447.26	327.73	1225.64	-184.67	1.20
5746.00	20.200	69.740	5535.81	339.22	1255.00	-185.75	1.52
5841.00	19.800	64.340	5625.09	351.87	1284.89	-185.98	1.99
5936.00	21.600	63.840	5713.95	366.55	1315.09	-184.47	1.90
6001.00	22.300	64.940	5774.24	377.05	1337.00	-183.51	1.25
6052.00	22.700	67.040	5821.36	384.98	1354.83	-183.28	1.76
6084.00	24.200	61.540	5850.72	390.52	1366.28	-182.74	8.29
6115.00	26.500	56.640	5878.73	397.35	1377.65	-180.97	10.04
6147.00	28.000	52.640	5907.18	405.84	1389.58	-177.91	7.40
6178.00	27.900	50.740	5934.57	414.84	1400.98	-174.15	2.89
6210.00	28.400	49.140	5962.78	424.56	1412.54	-169.81	2.83
6241.00	30.500	45.340	5989.78	434.91	1423.71	-164.73	9.06
6273.00	33.900	41.240	6016.86	447.34	1435.37	-157.94	12.62
6305.00	35.100	39.240	6043.23	461.17	1447.08	-149.88	5.16
6336.00	37.900	35.940	6068.15	475.79	1458.31	-140.91	11.03
6367.00	39.400	33.440	6092.36	491.71	1469.32	-130.65	6.98
6399.00	40.200	32.040	6116.95	508.94	1480.39	-119.22	3.75
6430.00	42.800	30.240	6140.16	526.52	1491.01	-107.28	9.23
6462.00	43.900	28.740	6163.43	545.64	1501.82	-94.01	4.71
6494.00	44.400	27.040	6186.39	565.34	1512.24	-80.05	4.02
6525.00	46.800	23.140	6208.09	585.40	1521.61	-65.35	11.86
6557.00	49.700	18.640	6229.40	607.70	1530.10	-48.24	13.86
6588.00	51.900	15.840	6248.99	630.64	1537.21	-29.99	9.97
6620.00	53.900	15.940	6268.29	655.19	1544.20	-10.22	6.25
6651.00	58.400	14.740	6285.56	680.01	1551.00	9.88	14.87
6683.00	60.600	13.840	6301.80	706.73	1557.80	33.57	7.29
6714.00	62.600	12.940	6316.54	733.25	1564.12	53.57	9.94
6746.00	65.100	12.340	6330.64	761.28	1570.40	100.84	7.99
6778.00	67.900	11.040	6343.40	790.01	1576.00	124.00	9.51
6809.00	70.900	10.240	6354.31	818.53	1581.70	150.50	9.97
6841.00	73.500	8.740	6364.09	848.58	1586.72	175.95	9.27
6872.00	77.200	8.440	6371.93	878.23	1591.20	175.95	11.87

RECEIVED
 Office of Oil and Gas
 JAN 02 2016
 WV Department of
 Environmental Protection

Alice Edge OHI 205H_Surveys

6904.00	80.100	6.940	6378.23	909.32	1595.39	202.83	10.16
6935.00	81.300	7.240	6383.24	939.67	1599.17	229.21	3.99
6967.00	81.500	5.840	6388.02	971.11	1602.77	256.64	4.37
6999.00	82.300	4.840	6392.53	1002.65	1605.72	284.44	3.98
7030.00	84.900	2.940	6395.99	1033.38	1607.81	311.83	10.37
7061.00	88.000	359.340	6397.91	1064.31	1608.42	339.98	15.31
7093.00	89.900	355.740	6398.49	1096.27	1607.05	369.87	12.72
7125.00	90.000	351.840	6398.52	1128.07	1603.59	400.44	12.19
7156.00	90.500	349.040	6398.39	1158.64	1598.44	430.55	9.18
7188.00	90.300	346.740	6398.16	1189.92	1591.73	461.93	7.21
7220.00	89.600	344.540	6398.19	1220.92	1583.79	493.54	7.21
7251.00	87.500	341.740	6398.97	1250.57	1574.80	524.32	11.29
7283.00	84.900	337.940	6401.10	1280.54	1563.80	556.19	14.37
7314.00	82.400	336.240	6404.52	1308.92	1551.81	587.00	9.73
7346.00	83.500	336.240	6408.45	1337.98	1539.02	618.76	3.44
7377.00	85.500	336.040	6411.42	1366.20	1526.54	649.61	6.48
7409.00	87.000	335.340	6413.52	1395.30	1513.39	681.54	5.17
7472.00	88.600	335.240	6415.93	1452.49	1487.08	744.47	2.54
7566.00	87.800	334.640	6418.89	1537.60	1447.28	838.38	1.06
7661.00	90.200	336.840	6420.54	1624.18	1408.26	933.34	3.43
7755.00	89.400	336.340	6420.87	1710.44	1370.91	1027.34	1.00
7850.00	89.100	337.040	6422.12	1797.68	1333.32	1122.33	0.80
7945.00	90.700	336.140	6422.28	1884.86	1295.58	1217.33	1.93
8040.00	93.700	335.940	6418.64	1971.60	1257.04	1312.24	3.16
8134.00	93.300	336.440	6412.90	2057.43	1219.16	1406.06	0.68
8229.00	92.400	335.340	6408.17	2144.04	1180.40	1500.93	1.49
8324.00	91.200	334.540	6405.19	2230.05	1140.18	1595.84	1.52
8418.00	90.300	333.740	6403.96	2314.63	1099.19	1689.74	1.28
8513.00	91.800	336.640	6402.23	2400.83	1059.33	1784.68	3.44
8608.00	90.300	333.840	6400.48	2487.07	1019.56	1879.62	3.34
8702.00	89.400	333.240	6400.72	2571.23	977.68	1973.48	1.15
8797.00	90.300	334.940	6400.97	2656.67	936.17	2068.38	2.02
8892.00	91.300	338.540	6399.64	2743.93	898.66	2163.35	3.93
8986.00	90.400	338.240	6398.25	2831.31	864.05	2257.30	1.01
9081.00	92.100	338.940	6396.18	2919.73	829.38	2352.22	1.94
9175.00	91.400	338.940	6393.31	3007.41	795.61	2446.10	0.74
9270.00	90.900	339.840	6391.40	3096.31	762.18	2540.97	1.08
9365.00	90.800	337.640	6389.99	3184.83	727.74	2635.89	2.32
9460.00	91.100	334.740	6388.42	3271.72	689.40	2730.87	3.07
9554.00	90.000	331.140	6387.51	3355.41	646.64	2824.65	4.00
9648.00	89.900	334.340	6387.60	3438.96	603.59	2918.42	3.41
9743.00	89.300	334.640	6388.26	3524.70	562.68	3013.34	0.71
9837.00	89.800	335.340	6389.00	3609.88	522.94	3107.30	0.92
9932.00	91.600	335.740	6387.84	3696.34	483.61	3202.27	1.94
10027.00	91.800	335.540	6385.02	3782.85	444.44	3297.21	0.30
10122.00	91.600	335.940	6382.20	3869.42	405.43	3392.16	0.47
10216.00	90.700	335.340	6380.31	3955.03	366.66	3486.13	1.15
10311.00	90.200	336.040	6379.57	4041.61	327.56	3581.11	0.91
10406.00	91.800	335.140	6377.91	4128.10	288.31	3676.07	1.93
10501.00	91.700	335.340	6375.01	4214.32	248.54	3771.00	0.24
10596.00	89.400	330.640	6374.10	4298.93	205.41	3865.77	5.51
10690.00	90.500	333.040	6374.18	4381.79	161.05	3959.43	2.81
10785.00	91.700	336.540	6372.35	4467.72	120.60	4054.34	3.89
10880.00	90.600	335.040	6370.45	4554.34	81.65	4149.31	1.96
10975.00	89.700	336.640	6370.20	4641.01	42.77	4244.29	1.93
11069.00	91.600	338.240	6369.13	4727.81	6.71	4338.27	2.64
11164.00	91.200	337.840	6366.81	4815.89	-28.80	4433.23	0.60
11259.00	90.800	337.940	6365.15	4903.89	-64.55	4528.18	0.43
11353.00	90.300	338.940	6364.25	4991.31	-99.09	4622.93	1.19
11448.00	90.100	338.940	6363.92	5079.96	-133.23	4717.05	0.21
11542.00	89.400	339.040	6364.33	5167.71	-166.93	4810.97	0.75
11637.00	91.200	337.540	6363.83	5255.96	-202.07	4902.93	2.47
11731.00	93.200	336.740	6360.22	5342.51	-238.56	4999.85	2.29

RECEIVED
 Large of Oil and Gas
 JAN 02 2016

Alice Edge OHI 205H_Surveys

11826.00	93.700	335.440	6354.51	5429.20	-276.99	5094.67	1.46
11921.00	91.400	333.640	6350.28	5514.88	-317.79	5189.50	3.07
12015.00	90.800	333.540	6348.47	5599.05	-359.59	5283.35	0.65
12109.00	90.900	334.940	6347.08	5683.70	-400.44	5377.25	1.49
12204.00	90.400	335.340	6346.00	5769.89	-440.37	5472.21	0.67
12299.00	90.400	335.340	6345.34	5856.22	-480.01	5567.18	0.00
12393.00	90.600	335.740	6344.52	5941.78	-518.93	5661.16	0.48
12488.00	90.100	334.640	6343.94	6028.01	-558.79	5756.13	1.27
12583.00	91.100	340.140	6342.94	6115.67	-595.30	5851.08	5.88
12678.00	92.100	339.140	6340.29	6204.70	-628.33	5945.91	1.49
12773.00	91.500	334.840	6337.30	6292.08	-665.44	6040.84	4.57
12867.00	91.000	333.840	6335.25	6376.79	-706.14	6134.74	1.19
12962.00	91.200	334.840	6333.43	6462.40	-747.27	6229.64	1.07
13056.00	89.600	332.840	6332.77	6546.76	-788.71	6323.51	2.72
13151.00	88.900	332.240	6334.02	6631.05	-832.51	6418.26	0.97
13246.00	88.600	333.440	6336.09	6715.55	-875.86	6513.02	1.30
13341.00	88.100	332.740	6338.83	6800.23	-918.84	6607.80	0.91
13435.00	90.100	333.940	6340.30	6884.22	-961.01	6701.62	2.48
13530.00	91.400	334.640	6339.06	6969.81	-1002.22	6796.53	1.55
13625.00	89.700	331.640	6338.15	7054.54	-1045.13	6891.33	3.63
13719.00	89.400	333.740	6338.88	7138.06	-1088.26	6985.10	2.26
13814.00	91.500	338.540	6338.14	7224.90	-1126.67	7080.06	5.51
13909.00	91.000	338.240	6336.07	7313.20	-1161.65	7174.99	0.61
14004.00	89.700	335.840	6335.49	7400.67	-1198.70	7269.98	2.87
14098.00	91.100	337.740	6334.83	7487.05	-1235.74	7363.97	2.51
14193.00	91.300	338.140	6332.84	7575.08	-1271.42	7458.93	0.47
14287.00	91.100	338.040	6330.87	7662.27	-1306.48	7552.88	0.24
14382.00	90.200	336.840	6329.79	7749.99	-1342.93	7647.86	1.58
14452.00	89.600	335.340	6329.92	7813.98	-1371.30	7717.85	2.31
14515.00	89.600	335.340	6330.35	7871.24	-1397.58	7780.84	0.00

RECEIVED
Office of Oil and Gas

JAN 12 2016

WV Department of
Environmental Protection
03/04/2016

Site: PANHANDLE (ALICE EDGE)
 Well: ALICE EDGE OHI 205
 Bore: WB#1
 Sign: Actual

Geodetic System: Universal Transverse Mercator (US Survey Feet)
 Datum: NAD83 West Virginia - HARN
 Ellipsoid: GRS 1980
 Zone: Zone 17N (84 W to 78 W)
 System Datum: Mean Sea Level

