3
30,5
`
02
•
9
LONGTTUDE

7'5 OG15 topo location
7.5' loc 2755 15' loc \_\_\_\_\_\_\_
(calc.)

Cempany \_\_\_\_

Farm

Quad RAVEN ROCK 7/2'
County PLEASANTS

District WASHINGTON

WELL LOCATION MAP File No. <u>073 - 0031</u> douth 127 SILLA 31

plan

## WEST VIRGINIA DEPARTMENT OF MINES

## OIL AND GAS DIVISION

## PRELIMINARY DATA SHEET NO. 1

File No. Ple 31				Well No7_	
DINSMOOR AND	Company	of	St. Marys,	West Virgini	ia
	on the	Joe	Robinson(%I	saac Pethtel)	_ Farm
containing 100 acres. Locatio		•			
Washington	_District, in_	Ple	asants	County, West Vi	irginia
The surface of the above tract is owned in fee b	У	James	Robinson H	eirs	<del> </del>
of St. Marys, W. Va.			_address, and the n	nineral rights are own	ned by
James Robinson Heir	of_		St. Marys,	w. Va.	· · ·
The oil and gas privileges are held under lea	se by the abo	ve named	company, and this	well is drilled under ]	permit
No. Pleasants-31 issue	d by the Wes	t Virginia	a Department of M	lines, Oil and Gas Di	ivision
December 11,		193 4			
Elevation of surface at top of well,					aetric.
The number of feet of the different sized casings us			er er grunden i Speren.	organistic of the second se	
	feet	· · · · · · · · · · · · · · · · · · ·	10 inch	size. XXXXX cond	iuctor.
258 feet 8 1/4 <sup>n</sup>	-size, csg.——		feet	size	ed csg.
feet	size, csg	•	feet	size	d csg.
feet	size, csg	-	feet		ed cag.
packer o	f		size, set	at	
packer o	f		size, set	at	. ·
, in casing perforated	d at		feet to		-feet.
, in casing perforated	i at		feet to		_feet.
Coal was encountered at No Coal f	eet, thick ness	<b></b>	inches,	and at	<del></del>
feet; thicknessinches; and a	t		feet; thickness	inche	s.
Liners were used as follows: (Give details)—					<del></del>
• •	•	1,,,,,,,,			
		· · · · · · · · · · · · · · · · · · ·			
.1AN G (2003					
	Date. Approved_	15	Pleren	JR.	wner.
	Ву				ATTEL.
			(TITLE)		

Plens. 31

DINSMOOR AND	Company
St. Marys, W. Va.	Address

## COMPLETION DATA SHEET No. 2 FORMATION RECORD

Well No. 7. Joe Robinson (& Isaac Pethtel)

Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Remarks
Clay Slate Red Rock Slate Sand Slate Send	Yellor White Red White White White White	Shelly		1 40 80 110 160 250 310	40 80 110 160 250 310 335	40 40 30 50 90 60 25		
Shale Red Rock Red Rock Sand Black Shal Pink Rock Slate Courun San	L <b>i</b> gi <b>t</b>	Shelly Solid		335 450 640 700 750 785 800 847	450 640 700 750 785 800 847 852	115 190 60 50 35 15 47		
				·				
								Carrie (weste)
		·						

shot Well was not shot at	feet; well was shot atfeet.
Salt Fresh water at	saltfeet; fresh water atfeet.
Well was hole. dry	W. P. Kerey
Date	Approved Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

PETHTEL-ROBINSON, JOE, NO. 7.

Pleas-31.

MANAGE STATE OF THE PROPERTY O

By Dinsmoor & Co.

Washington Dist.