

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, April 14, 2023 WELL WORK PLUGGING PERMIT Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 3 47-073-00116-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number:

Farm Name: COX, JACOB

U.S. WELL NUMBER: 47-073-00116-00-00

Vertical Plugging

Date Issued: 4/14/2023

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.

4707300116 2) Operator's Well No. COX, JACOB & NINA 3 3) API Well No. 47-073 - 00116

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4) Well Type: Oil $\frac{X}{}$ / Gas $\frac{X}{}$ / Liqui (If "Gas, Production $\frac{X}{}$ or Un	d injection/ Waste disposal/ derground storage) Deep/ Shallow X
5) Location: Elevation 820'	Watershed McKim Creek
District Lafayette	County Pleasants Quadrangle Ellenboro
6) Well Operator Address Onknown - DEP Paid Plugging Contract WVDEP 601 57th Street	7) Designated Agent H. Jason Harmon Address 601 57th Street
Charleston, WV 25304	Charleston, WV 25304
8) Oil and Gas Inspector to be notified	9)Plugging Contractor
Name Isaiah M. Richards	Name Unlimited Energy Services, LLC
Address 114 Turkey Lick Road	Address 264 Industrial Park Road
West Union, WV 26456	Jane Lew, WV 26378
Begin plugging and abandonment operations. RIH Wireline. Run CBL on 6 5/8" casing from 7 TIH w/ tubing to 1849', set 100' Class A cement plug Cut 6 5/8" CSG at free point TOOH w Set Class A cement plug from 1779'-1679' gel h TIH w/ tubing 1504', set 1504' Class A cement plug	widown the well into a grounded tank with a secure line. Pull 2" tubing. Load 6 5/8" casing with fresh water. 1879'-surface. Determine free point on 6 5/8" casing. from 1879' to 1779' (gas shown at 1554', elevation at 820'). W/ CSG. TIH w/ tubing to 1779'. Tole 1679' to 1504'. TOOH w/ tubing. WOC. Tag TOC. 1504' to 0' (fresh water at 302' & 950', salt water at 1160'). Adate plugged, and company name. Reclaim location and road to WVDEP specifications. RECEIVED Office of Oil and Gas
	APR 4 2023
Notification must be given to the district owork can commence.	il and gas inspector 24 howy Department of Environmental Protection
Work order approved by inspector	Date 03/27/2023

00116

WW-4A Revised 6-07

2) Operator's Well Number	
COX, JACOB & NINA 3	

073

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

	NOTICE 01	F APPLICATIO	N TO PLUG A	ND ABANDON A WELL	ı			
4) Surface Own	ner(s) to be served:	5) (a) Coal Operato	r				
(a) Name	Jerry Westfall, WVDNF		Name	•				
Address	West Virginia Department of N		Address					
11441000	2311 Ohio Avenue, Pa	rkersburg WV 26101	_					
(b) Name			(b) Coal O	wner(s) with Declaration				
Address			Name	Westvaco Corporation				
		THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	Address	180 Westvaco Rd				
			_	Summerville, SC 29843				
(c) Name		Name						
Address			Address		REC	CEIVED		
11441000	0		_			Oil and Gas		
6) Inspector	Isaiah M. Richards		(c) Coal Le	ssee with Declaration	4.00			
Address 114 Turkey Lick Road			Name		APR	4 2023		
	West Union, WV 26456	6	Address					
Telephone	304-205-3032				WV Der	partment of		
						ntal Protection		
Take notice accompanyi Protection, the Applica	that under Chapter 22-6 o ing documents for a permit with respect to the well at	any action at all. f the West Virginia Code to plug and abandon a v the location described or en mailed by registered	e, the undersigned wel well with the Chief of t the attached Applica or certified mail or d	I operator proposes to file or has file he Office of Oil and Gas, West Virg tion and depicted on the attached Fo elivered by hand to the person(s) no	ed this Notice and A inia Department of form WW-6. Copies	Application and Environmental of this Notice,		
		Well Operator	Unknown - DEP Pa	aid Plugging Contract WVDEP				
	ICIAL SEAL	By:	Matthew A. Yearsley					
NOT!	ARY PUBLIC }	Its:	Coastal Drilling East	LLC, Plugging Contractor	>			
	WEST VIRGINIA }	Address	130 Meadow Ridge					
78 St	arling Estates		Mt. Morris, Pennsylv	ania 15349				
	West Virginia 26508 }	Telephone	304-291-0175					
	sworn before me th	Chu	ay of Marc	Notary Public				
My Commission	Expires	10 8 20A						

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deprivacyoffier@wv.gov.

WAYNE AMMONS
 JNLIMITED ENERGY SERVICES, LLC
 !64 INDUSTRIAL PARK ROAD
 IANE LEW, WEST VIRGINIA 26378



7018 3090 0001 4398 3866 7018 3090 0001 4398 3866

Jerry Westfalt, WVDNR D6 Wildlife Biologist
West Virginia Department of Natural Resources
2311 Ohio Avenue
Parkersburg, WV 26101

Mary appealance of

RECEIVED
Office of Oil and Gas

APR 4 2023

WV Department of Environmental Protection

Jerry Westfall, WVDNR D6 Wildlife Biologist West Virginia Department of Natural Resources 2311 Ohio Avenue Parkersburg, WV 26101

EG23060 COX, JACOB & NINA 00116 - Plugging Permit Packet

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON I	DELIVERY
 Complete items 1, 2, and 3, Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature X B. Received by (Printed Name)	☐ Agent ☐ Addres C. Date of Deliv
Article Addressed to: Jerry Westfall, WVDNR D6 Wildlife Biologist West Virginia Department of Natural Resources 2311 Ohio Avenue Parkersburg, WV 26101	D. Is delivery address different from If YES, enter delivery address b	
9590 9402 7364 2028 0238 89	☐ Adult Signature ☐ Adult Signature Restricted Delivery ☐ Certified Mail® ☐ Certified Mail Restricted Delivery	☐ Priority Mail Express®☐ Registered Mail™☐ Registered Mail Restriction Delivery☐ Signature Confirmatio☐ Signature Confirmatio☐ Signature Confirmatio

PS Form 3811, July 2020 PSN 7530-02-000-9053

7018 3090 0001 4398 3866

04/14/2023

lail lail Restricted Delivery 7018 3090 0001 4398 3910 7018 3090 0001 4398 3910

USANSUS CERTAIN TO WAY IN THE CERTAIN CONTROL OF THE CONTROL OF THE CERTAIN CONTROL OF THE

Westvaco Corporation 180 Westvaco Rd Summerville, SC 29843

OX, JACOB & NINA gging Permit Packet

OENDER OUN EENE MIG GEORON	COMPLETE THIS SECTION ON	DELIVERY
 Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. 	A. Signature	☐ Agent ☐ Addressee
Attach this card to the back of the mailpiece, or on the front if space permits.	B. Received by (Printed Name)	C. Date of Delivery
Article Addressed to:	D. Is delivery address different from If YES, enter delivery address	mitem 1? 🗀 Yes below: 🔲 No
Westvaco Corporation		
180 Westvaco Rd		
Summerville, SC 29843		
9590 9402 7364 2028 0238 27	3. Service Type D Adult Signature Adult Signature Restricted Delivery Gertified Mail® Certified Mail Restricted Delivery Collect on Delivery	☐ Priority Mail Express® ☐ Registered Mail™ ☐ Registered Mail Restricte Delivery ☐ Signature Confirmation™ ☐ Signature Confirmation
Article Number (Transfer from service label)	Collect on Delivery Restricted Delivery	Restricted Delivery
2019 3040 0000 4349 3	☐☐ Restricted Delivery	
S Form 3811, July 2020 PSN 7530-02-000-9053	C	Omestic Return Receipt

RECEIVED
Office of Oil and Gas

APR 4 2023

WV Department of Environmental Protection WW-9 (5/16)

A PI Number 47 - 073 _ 00116 Operator's Well No. COX, JACOB & NINA 3


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Unknown - DEP Paid Plugging Contract WVDEP	OP Code	
Watershed (HUC 10) McKim Creek Quadran	ngle Ellenboro	
Do you anticipate using more than 5,000 bbls of water to complete the propo	sed well work? Yes No	7
Will a pit be used? Yes No		
If so, please describe anticipated pit waste:		
Will a synthetic liner be used in the pit? Yes No	If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes:		
Land Application (if selected provide a completed	The second secon	
Underground Injection (UIC Permit Number)
Reuse (at API Number Off Site Disposal (Supply form WW-9 for disposal)	al location))
Other (Explain		
Will closed loop systembe used? If so, describe: Yes. Gel will be circulated from	om tank through well bore and returned ba	ack to tank.
Drilling medium anticipated for this well (vertical and horizontal)? Air, fresh	water, oil based, etc. Fresh water gel and	d/or cement
-If oil based, what type? Synthetic, petroleum, etc		
Additives to be used in drilling medium? Bentonite, Bicarbonate of soda		
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etcF	Removed offsite	
-If left in pit and plan to solidify what medium will be used? (cemer	it, lime, sawdust)	
-Landfill or offsite name/permit number? Austin Master Services, LLC; AM:	S Martins Ferry Facility; WF ID #BELM-05; Permit #	#WF-2022-05
Permittee shall provide written notice to the Office of Oil and Gas of any load West Virginia solid waste facility. The notice shall be provided within 24 hou where it was properly disposed.	of drill cuttings or associated waste rears of rejection and the permittee shall a	jected at any lso disclose
I certify that I understand and agree to the terms and conditions of t on April 1, 2016, by the Office of Oil and Cas of the West Virginia Department provisions of the permit are enforceable by law. Violations of any term or conforcement can lead to enforcement action. I certify under penalty of law that I have personally examined an application form and all attachments thereto and that, based on my inquiry of the information, I believe that the information is true, accurate, and comple submitting false information, including the possibility of fine or imprisonment	the ent of Environmental Protection. I under a dition of the general permit and/or other dam familiar with the information subthose individuals immediately responsible. I am aware that there are significant. RECEIVED	derstand that the er applicable law ubmitted on this
Company Official Signature The Section	Office of Oil and Gas	ALLIC LLIC HGIN 81 91 91 91 91 91 91 91 91 91 91 91 91 91
Company Official (Typed Name) Mick Goodwin	APR 4 2023	NL SE PUB ST VI Sunc Stensi
Company Official Title President		ARY ARY OB Linge St Es
	WV Department of	Oliv 2224 12th Horn Hissior
Subscribed and sworn before me this 3 day of March	, 20 23	ST. S.
Olyvey Duncan		EGITTA S
	Notary Public	
My commission expires $3/34/26$		
۶ ۳۹ 03/27/2023	\cap	1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /

Operator's Well No. COX, JACOB & NINA 3

Proposed Revegetation Treatment: Acres Di		Preveg etation pH _	
Lime 3 Tons/acre	e or to correct to pH 6.0		
Fertilizer type 10-20-20 or Equiv	valent		
Fertilizer amount 500	lbs/acre		
Mulch 2	Tons/acre		
	Seed Mixtures		
Temporary		Permanen	t
Seed Type lbs/acre	Se	eed Type	lbs/acre
	Medium F	Red Clover	9
	Ladino Wh	nite Clover	9
	White-Dut	ch Clover	9
Permanent Seed Mixture (cont	tinued): Alfalfa (9 lbs/acre).	Winter Wheat	(9 lbs/acre)
Aaps(s) of road, location, pit and proposed a rovided). If water from the pit will be land applicately, w), and area in acres, of the land applicate	applied, provide water volume, include ation area.		
Maps(s) of road, location, pit and proposed a rovided). If water from the pit will be land a c., W), and area in acres, of the land applica hotocopied section of involved 7.5' topogra	applied, provide water volume, include ation area.		
flaps(s) of road, location, pit and proposed a rovided). If water from the pit will be land a way, W), and area in acres, of the land applica hotocopied section of involved 7.5' topograllan Approved by:	applied, provide water volume, include ition area. aphic sheet.	dimensions (L, W,	D) of the pit, and dimen
laps(s) of road, location, pit and proposed a rovided). If water from the pit will be land a polica, W), and area in acres, of the land applica hotocopied section of involved 7.5' topogradian Approved by: No pits will be used.	applied, provide water volume, include ation area. aphic sheet. Remove oil & gas production	ction debris [i	D) of the pit, and dimen
Maps(s) of road, location, pit and proposed a rovided). If water from the pit will be land a polical by and area in acres, of the land applical hotocopied section of involved 7.5' topogramus and Approved by: No pits will be used. Droduction tank(s), pipe, gas	applied, provide water volume, include ation area. aphic sheet. Remove oil & gas products meter(s)] from the site	ction debris [i	i.e., pumpjack, eclaim, seed,
Attach: Maps(s) of road, location, pit and proposed a provided). If water from the pit will be land a polical. Thotocopied section of involved 7.5' topograms Plan Approved by: No pits will be used. Poroduction tank(s), pipe, gased and mulch all disturbed are working the seed to ensure	Remove oil & gas production area. Remove oil & gas production area. Remove oil & gas production area.	ction debris [i e. Properly re	i.e., pumpjack, eclaim, seed, uding
Maps(s) of road, location, pit and proposed a provided). If water from the pit will be land a provided. If water from the pit will be land a polical chotocopied section of involved 7.5' topograph and Approved by: No pits will be used. Production tank(s), pipe, gas and mulch all disturbed are	Remove oil & gas production area.	ction debris [i e. Properly re andards, incl any applica	i.e., pumpjack, eclaim, seed, uding
Maps(s) of road, location, pit and proposed a provided). If water from the pit will be land a provided. If water from the pit will be land a polical chotocopied section of involved 7.5' topographotocopied section of involved 7.5' topographoto	Remove oil & gas production area.	ction debris [i e. Properly re andards, incl any applica	i.e., pumpjack, eclaim, seed, uding
Maps(s) of road, location, pit and proposed a provided). If water from the pit will be land a provided. If water from the pit will be land a polical chotocopied section of involved 7.5' topographotocopied section of involved 7.5' topographoto	Remove oil & gas production area.	ction debris [i e. Properly re andards, incl any applica	i.e., pumpjack, eclaim, seed, uding
Maps(s) of road, location, pit and proposed a provided). If water from the pit will be land a provided. If water from the pit will be land a polical chotocopied section of involved 7.5' topographotocopied section of involved 7.5' topographoto	Remove oil & gas production area.	ction debris [i e. Properly re andards, incl any applica	i.e., pumpjack, eclaim, seed, uding
Maps(s) of road, location, pit and proposed a provided). If water from the pit will be land a provided. If water from the pit will be land a polical chotocopied section of involved 7.5' topographotocopied section of involved 7.5' topographoto	Remove oil & gas production area. Remove oil & gas production area. Remove oil & gas production the site as to DEP and DNR state germination. Obliterate naterials as requested by	ction debris [i e. Properly re andards, incl any applica y WVDNR.	i.e., pumpjack, eclaim, seed, uding ble RECEIVED Office of Oil and Gas
Maps(s) of road, location, pit and proposed a rovided). If water from the pit will be land a rovided). If water from the pit will be land a rovided). If water from the pit will be land a rovided). If water from the pit will be land a rovided in a cres, of the land application that control is to produce the property of the land application and a property of the land application and a production tank(s), pipe, gas and mulch all disturbed are working the seed to ensure the road/access construction may be a production tank and a production tank are the land application and the land application are the land application are the land application and the land application are the land application	Remove oil & gas production area.	ction debris [i e. Properly re andards, incl any applica y WVDNR.	i.e., pumpjack, eclaim, seed, uding





proceed to drill at said

ell operator authorized to

Abandonme	int American Line 医多种性原则
Company_	COX FARM OIL CO.
	MAXWELL WY
Farm	COM AND NINA COX
·Tract	Acres 85 Less No
Well (Farm) No. 3 Serial No.
Elevation (Spirit Level) 804
_	St. MARYS 11E
	LEASANIS District MAFAYETTE
	2. T. Disselver
	Registration No. 65
File No.	23-L Drawing No.

Date MAN 22 No 193 Scale 40 Rope To. FINLA

J.T.Coss

SUGAR

SIPEZT

FILMP

Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

Denotes one inch spaces on border line of original tracing.

04/14/2023

New Location 🛣

Drill Deeper

lus.	Brus 39	NE WE		GAS DIVISION	N		and an improvement of the company of the large and the lar
/	W. D.	**	WELL	RECORI	- 10 10 10 10 2	ib in	1.475
Permit No.	lens-11	6				Oll or G	as Well Jan.
To	it dec	- MI	Compan	. 152 7 16.	[max36.7]		
Address	120	aturell		Casing and Tabing	Used in Drilling	Left in Well	Packers
Farm Lack Location (water	Or Col	wit Ben	Acres 80	Size		Li lega	
Well No.	3	· · · · · · · · · · · · · · · · · · ·	Elev GOU'	16	20 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	3 Dec	Kind of Packer
District. The surface of		in fee by Jack	1 X Rine la	7 10		基格斯拉尔	Size of
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Address /Zele	roal Pitelie	CG_814	302/1	120000	Depth set
Mineral rights a	re owned by	Address Relay	and Ritchie	6.5/8 cm=/ 5.3/16	1,00	1.0	Depth set
Drilling commen	. /	14.1020	1	3			Perf. top
Drilling complete	Jung	Depth of al	1682.91	Liners Used		. ,	Perf. top
Open Flow	/10ths Water /10ths Merc	1	The state of the s			4 3 2 2	Perf. bottom
Volume	30,000		Co. F	· / / / / / / / / / / / / / / / / / / /	ENTED.	SIZE	N. FTDate
Rock Pressure	1	The state of the s	bbls, 1st 24 hr	7. /	ENCOUNTERED	ATC	FEETINCHES
Fresh water		Negt Com		/	TINCI	ES	FEET INCHES
Balt water.		foe	fee	t / 1 / 2 FEE	T LINCE	ES.	FEETINCHES
<u>~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ </u>		Hard or		<u> </u>	On Cas	Depth	
Formation	Color	Soft	Top	Boltom	or Water	Found	Remarks
Lek State	Bluck	Soft	1,6,8	160	A Section		
Sund	White	1	60	180	12-17-6	1.00 m	
Slute.	Ked	soft	80%	200			
Sund	While	Softi	7.00	36/25	30.2 - 8	/	
Rock	rid	soft.	220	32723	Berlion	X3.6.	\$ 1
land	while	soft-	3.20	360	4		7
roch.	While	soft -	3.80	380	ger	tul But	- 10-8:
roch	sid.	set-	3.8030	393	and /	-3.4	2 73
	Whit	soft	39505	430			
quely,	1.1.1	hund	43015	440			
Varid.	white I	A.M.	4405	3:00			
State '	While	Lin	3:600	13:35			
ime -	unia.	sout	3-33	5 46		1.77	
Sund	While	1 At	3.405.	5.85			RECEIVED
Joek	white	Hard	6.83	600		0.	Office of Oil and Ga
land	Rich	soft,	400	710			. APR 4 2023
me.	While	Nost-	710	73.5			
late	while	Hard	76.5	760			WV Department of Environmental Protecti
ing	proh	soft	7.50	7.90			
Jack	state.	soft	77.5	793			
little	sand	** O. C C.	1815	2 3			
Lile	state		795	8.13			
	77.72	2300	12 (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				0.414.410000
1999/09/20	Caar,	fard, c.	上的探察员员			1kpth	04/14/2023

Formation	Color	Hard of Soft	Top .	Bottom	Oil, Ges or Water	Depth Found	Remarks
and	White	soft	815	847		450	18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Sale	1/2 X		847	860			[[] [] [] [] [] [] [] []
	While	Hand	865	711-			
Vale	While	soft	8.75	933		1	
lati	Blick	sist	935	945	950'-	6/8"	
mik.		Hurd	945	965		1000	
State, Sind 2m	linki v.Z.	12:00	965	1020			
	Black	Same North Co	1020	10.75		To the second of	
state	11 3 4 7 7	1 Y V () L ()	1090	11/0			
and	first .	111	7010	1130			
Bluck	state	Sitt	7/30.	1160		7	3/ hall - Lin
white,	sund	122	11.60	13.20	The state of the s	, water 6	3/4 bile più
Block	State	View.	W329	1360			
while,	sand	MAN	17350	1.332			
Black	state	sign.	3/382	7380	14 Y 10 S.		
While	sund	Sint.	3767	15-10	国際特	//	是
Block	state	sight	5/3.80	13.37	gar!	5-376	
Matin	while	soft	1.2510	18811	1	Tielmil.	1548
lime-	White	1	16:70	1688		7.1-2 -	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	While	1	16.81	1682	Sollow	1562	
Sand		right	1.688	1.000			
State	1/		1692	1704.			
sand,	While	1	1704				
sand	grey	hard	1709	17.67			
undstate	putals	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. - , , , , , -	1747	e) Maler	Found	EMIL)
70ploque	While	Jan.	17/7	1 2	1011 Coa . S	i jebni	Will Street
Insuh-	bluch	sipt	1747	1749	1-1-1	111:11	
frioh Sund	While	hard	1747	1877	101 also	rujun	18.7 txcnas
U:		1 1 A . 30	(केट वह 5, प्रद	COAL TAS	NCOU. TERE	DXT	1 Transfer
livek Presure.	- v:1)-	122	Transfer Services	c peren co	ENTER	SIZE	Sh FTE Diles'
	19th Merc	A CONTRACT CONTRACT				nesetrare, a	or from the second seco
Open Flow	10th Water		A Company				popular promiser
apparen Sanguag	Thick		11.57.14	d'Llavis lisci			te f. totteralii il <u>iinili</u> ani ee te f. toe iliinia iliii jar
frilling comme			337.7.			r	2. top
Albert richts.	2 . OU UL 7 10."			0.3/34.24.24.24.24.24.24.24.24.24.24.24.24.24	ANNEX.		RECEIVED
المنافق السنامينية التالك المنافق الإيجابية والمالية التالك	9		PART T				
Secondary	115 (100) (200)	The to A.C.		1 10 7 1			APR 4 2023
Weil No	- 3						il d of Burker
Tator energy				1 - 5 - 3 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5			WV Department of Environmental Protect
3,4100		ANTENNA ANTENNA	1000	7.77		72.51	Padkery
Compage, 2			TO THE STATE OF				
Bittle Herman	AKTA AMARA		48 (\$2,477)		45 (78 (55 cm)	Topici de	MAINTENANT
		新数字数。 14 第757	100 (100 (100 (100 (100 (100 (100 (100		Date	a gradina a fare da como de la co La como de la como de	, 19
				APPROVE	法治疗性 多糖 品页货币		Owner.
				raya dalaman	01. juni 118. d		
minia di Ma	有關於					(Title)	04/14/2023
1		1.00					

STATE OF WEST VIRGINIA

DEPARTMENT OF MINE

INSPECTOR'S WELL REPORT

Permit No Pleas 1167

COLL OF GAS WILL

Company Sud Pow	PI	Casing and Tubing	Used in Drilling	Left in Well	Packers	
Address St Mary S		Size			T. Year	
Farm Jocob CD		16			Kind of Packer	
Well No. 3	A 1	10	A VIEW TO	1,	Size of	
District La Foyette	County Plag	814	302		Depth set	
Drilling commenced		5 3/16		1	1	
Drilling completed				[Perf. top	
Date shot		Liners Used			Perf. top	
Open Flow after tubing					Perf. bottom	
Volume	Ça. F	L CASING CE	ENTED	SizE	No. FT	Date
Rock Pressure	lbs hr					
Oil	bbls., 1st 24 hr	COAL WAS	ENÇOUNTER	ED AT.	FEET	INCHES
Fresh, water	feet fe	•	eetI	NCHES	FEET	INCHES
Salt water	feet fe		EETI	NCHES	FEET	INCHES
Drillers' Names Busy	Powell.				Office of Oil	
Well Abandoned and Plugged					APR 4	£:2023 .
REMARKS: Fillin		ne holo	w Mas	VDM.	WV Depart Environmental	ment of Protection
ب ، ، ، ، ب		vo 48 hu			witing	
			B	1/201	Lu.	
Aug 15.1939			A. Janes	jour	DISTRICT WELL IN	SPECTOR
					04/14/2	2023

641

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

INSPECTOR'S WELL REPORT

mit No Pleas 116	Ju	ling	100		Oil or	Gas Well
mpany Sud	Powel	l:	Casing and Tubing	Used in Drilling	Left in Well	Packers
iress maswell	wva		Size			
- Jucob C	of		13			Kind of Packer
11 No. 3	L X		29			Size of
rice To Fayett	County -	Chans	8%	302		Office of Oil and Depth set
lling commenced	Total Dep		53/16			APR 4 202
e shot			2			Perf. WY Department Epvironmental Prote Perf. bottom
ial Open Flow		ad X mid ar	Liners Used			Perf. top
n Flow after tubing	/10ths Men	c. inInch				Perf. bottom
Ime.		Co/Ft.	CASING CEM		SIZE	No. FTD
k Pressure	1 bs	hra		385 (0 .5)		
	feet		COAL WAS E		CHES	FEET INCH
sh water	feet.	foot			189	FEET A INCH
lers' Names Land	I Pou	ill	1 Bros		234	1617
					E AS	(A. 19)
! Abandoned and Plugg	red.				EE (29)	SZVLETI
MARKS: Cenin	ting p	cupen	+ 64	ggmg	orm	al tulin
julup mich	lemeal?	mid n	iyer t	looksle	Ke good	job
	1000			S	(mn)	Smil
W 22,23+24	1107	a de ser a la companya de la company	State State Control			······/····/

Tueld Hard Minner OF PLUGGING AND FILLING WELL (REGURES AT TULES AND REGULATIONS). WEST VIRGINIA INTEST VIRGINIA ANTICATOR TO ATATA A TO THE WORK OF THE CONTROL OF WORK ORDER NOTICE OF INTENTION TO PLUG AND ABANDON WELL Well to be plugged and filled poor and a same t Circultura di incidi Momitic ggb gally 50% TO THE DEPARTMENT OF MINES, with third fact Charleston, W. Va. telegiste deux dieten diete and the color want of the bolon bear this of the is these test world a test that the design jamanga gala bay 43 ka-81.5 Well No. Gentlemen: The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the total day of the (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines.) This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undergened will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this this work order is submitted for your approval and concurrence and units of recording the middle of the property of the plant of the pl of the coulect manning on the date stated in the notice of intention to plug and abandon the said This notice is being mailed by registered mail to each of you at the above addresses on the above date. RECEIVED Very truly yours, Office of Oil and Gas . Well Operator. coal owner or coal operator, or any available adjacent lease or rd belli med even Well Operator. show or interpreted by the Department of Allnes to the manner herein described for the plus-WV Department of area ultime of the well above mentioned. Therefore, the came is hereby approved this...i..... [25].

VILE: This were orders abuil be filed in triplicate, one copy for the flex of the Principation of Microse one

NOTER Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined

by survey, and the courses as be submitted with this notice.

Environmental Protection

ROPOSED MANNER OF PLUGGING AND FILLING WELL WEST VIRGINIA DEPARTMENT OF MINES TO BAS DIVISION TO WORK ORDER NOTICE OF INTENTION TO PLUG AND ABANDON WELL Well to be plugged and filled as follows: to narrano WORK CRUER ARRANGED BY THE DEPART To THIDDL MITMENT OF Charlecton, W. V. Fill with red alty from bottom 18794 - 1880* The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the granding of the contract of (which date shaft not be lear than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Minea,) his potice is given for in order that your respective representatives may foris following both of

and fallight of said well. You are further notified that whether you are represented for range of visages or executive thereafter, to plug, and fill said well in the manner required by Section 10, Avielo 4, Chapter 22 of the Code and given in detail on the reverse generalings

This: "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said This notice is being mailed by registered mail to each of you at the abselectific shin stinoquered list

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this.

NOTE: Upon the shandonnet of all wells delited prior to dance; 1972, a plat prepared by a competent neer, shewing the district self-countryle which the tract of land 1972, a plat prepared by a competent name a cEMIME, AD TRACED, and the location of the about to be abandoned well determined uver, and the moisivid read baseliof auch well from two permanent points or leadmarks on said trace, shall chantled with this potec.

filed in triplicate, one copy for the files of the Department of Mines; one d'to the well operator as his authority for plugging said well; and one for

RECEIVED Office of Oil and Gas

4 2023

WV Department of

Environmental Protection

0 Q

RECEIVED
Office of Oil and Gas

APR 4 2023

WV Department of Environmental Protection FORM G-1

NOTICE OF PROPOSED LOCATION CF OIL AND GAS WILL

WEST VIRGINIA DEPARTMENT OF MINES

	TO THE DEPARTMENT OF MINES,			
<i>:</i>	Charleston, W. Va.	la a	- Total	. O:0 O
	COAL OPERATE OF COAL OWNER		NAME OF WELL OPERA	NOR
•	N. C.		1 00	11116
	**************************************		ofwell	· W.Ve.
	ADDRESS		No.	י "
•	Bay on page 1 cts on a second control of the second page 1 cts of the s		March &	193 8
	COAL OPERATOR OF COAL OWNER	년	PROPOSED LO	CATION
			100-11	<i>7</i> -
	ADDECES	,, (Lafayet	District
	J. J. Gass-1Rf-6# 3	9-51, Mary	Place and	To County
	OWNER OF MINERAL RIGHTS		37	25'
	0 6 6 7 7 10	11.1	Well No. 3 81	00
	Jacob Cox - Ruther	Hid, W, Va.	18101	0
. • .		He	cirl of frua	Farm
	GINTLEMEN:	U.	277	/
	The undersigned well operator is er	titled to drill upon	the above named farm of	r tract of land for
				39
•	oil and gas, having fee title thereto, (or a	s the case may be)	under grant or lease dat	
	November 193	5 made by Co	acob Elallina	e lax is
_				
a	B. Shra Wasi	and Sud	Rowell recorded o	n theday
	of June 1936	in the o	flice of the County Clerk	for said County in
	5211: 154			
	Book page 283		and shows the managed	lacation of a scall
	The enclosed plat was prepared by a to be drilled for oil and gas by the unders	igned well operator	on the farm and in the M	Lagisterial District
	and County above named, determined by su	rvey and courses ar	nd distances from two per	rmanent points, or
•	land marks. The undersigned well operator is in	formed and believes	there are no coal operate	ors operating beds
•	of coal beneath said farm or tract of land aries of the same, who have mapped their	on which said well	is located, or within 500	feet of the bound-
	coal operators or coal owners (if any) abo	ve named as address	wes.	iaw, excepting the
The state of the s	The above named coal operators or o	oal owners (if any)	are notified that any ob	jections they may
	desire to make to such proposed location, or the drilling of a well at said proposed locat	ion will cause a dan	gerous condition in or abo	nt their respective
¥ .	enal mines, must be received by, or filed wit a copy of this notice and accompanying pla	h the Department o	f Mines within ten• days :	from the receipt of
•	that forces for use in making such object	ions will be furnis	hed to them by the Dep	artment of Mines
	promptly on request and that all such object ground or grounds on which such objection	tions must set forth	ı as definitely as is reaso	nably possible the
	posed location should be moved to overcom	e same.		
	(The next paragraph is to be comp Copies of this notice and the enclose			
		. •		
	named coal operators or ead owners at the or on the same day with the mailing or d			day before, incs at Charleston,
:	West Virginia.	TT 4	Car Firm a	760 3
		Very truly you	1898	010
	0.0312122	<i>نون</i> (۲)	De van	ier.
	Call Down Co.	• 0	WELL OF TRAIL	•
		dress)	BYRENT	
	E Wall	of Operator	Maxwell	
		, perment	CITY OR TOWN	West
`,				VIIVa,
	\$ (00 ng 3)		STATE	***
. "	ten days from the Peccint of said notice and p	lat by the departmen	the department of mines, w	location the depart-
	ment shall forthwith issue to the well operato have been made by the coal operators to the li	r a drilling permit re scation, or found the	citing the filing of such pla- icto by the department, an	t, that no objections distinct the mains in
	approved and the well operator authorized to	proceed to drill at sa	ild location.	C : 7 - 12 - 12 - 12 - 12 - 12 - 12 - 12 -

RECEIVED
Office of Oil and Gas

APR 4 2023

wv Department of Left-Environmental Protection

114

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

1.	1 1/2 V/2	W I	WELL	RECORE)	i.	
Permit No. 7	162-11	k	1			Oll or G	as Well Jap
Company. Los	ct fag	mtil	Compan	Casing and Tubing	Used in Brilling	Left in Well	Packers 0
Farmfill	of Coj	- Par	Acres 80	Size			
Location (vaters Well No	3		Elev QULI	16		*	Kind of Packer
District Take	1 77	County	insuta,	13	17.74		
The surface of ti	ract is owned i	. <i>!!!!.3 #</i>	rad Ritelia	7 10 6 8 74	30211		Size of
Mineral r ghts a	re owned by		ling Leat	6 5/8	950 1		Depth set
		Address Leles	and Ritchie	C 5 3/16	18		Perf. top
Filling commend Filling complete	// /	14,1939	,	_ 3			Perf. bottom
ate shot	77		iot: 1682-169	Liners Used			Perf. top
	/10ths Water		Incl				Perf. bettom
Volume	. /10ths Merc. 30,000	la	Cu Ft		IENTED	SIZE	No. FTDate
Rock Pressure		lbs	hrs	L			
OllFresh water		- Cont	bb's., 1st 24 hrs	*-	ENCOUNTERE	D AT	
rresh water Salt water			fce		TINC		FEET INCHES
<u> </u>					•,		7,47
Formstion	Color	Hard or Soft	Төр	Bottom	Oil Gas or Water	Depth Found	c) Remarks
ch State	Bluck	Soft	16	60		The second secon	
Sund	White	soft	60	80 .			
le t	Red	soft	80	2.00			
line	White	solt	200	220	,	1.	
same	and a	soft	220	326	30 2	2/6	
ivek!	rual		325	360			
anil	while	soft	1	380	,		· .
och.	While	soft-	380]			
den	rich	soft	380	393			
2 6	White	1 1	395	430			
quelly.	1 1	1 0/ 1	430	440	7.1	1	i j
arid	While			500		1 2	
lute	while	soft	440.	_,		1 . "	
me	While	shell	500.	3-33			
land	While	soft	5-35	5.46°	J. E	1.1.4	RECEIVED
Joek,	med	soft,	5-46-	600			Office of Oil and Ga
and	While	Hurd	610	700	70		APR 4 2023
Red	1. Buch	Noft Hard	700	710			14 11 → C0C3
me	While	soft,	710	75.5	1		WV Department of
late	while	Harch	755	760			Environmental Protect
ms	pork	soft	760	776		1: 1	
rick	state	soft =	773	793-		(1)	
fack.	sund	7	790	17 47		. اسلا	
litle	11 +		7911	813			
thile.	State		1/2			: .	The state of
				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	j.		60
		# 6 T		(Over)	133		' 04/14/2 (

1	4	6
		U

· · · · · · · · · · · · · · · · · · ·				1.5%			() 7-3-() ()
Formation	Color	Herd or Soft	Тор	Betters	Oil, Gas or Water	Deptil Found	Remarks
Sand	White	soft	815-	847			4
slate	11 11	,4	847	860		٠,	
	While.	Hard	860	865			[
Line	While	soft	865	873-		. (1)	
state		· · <u>-</u>	875	933	1 :	it . 15	
slate.	Block	sigt	933	945	1 Month	15/1	, Ta
Pink	Buck	sigt		965	950 -	0 18	
state,	White	Hund	945	1020	(6)		t.
si are			965				
Sund 2mi	Cucu	reera	1020	1090			
slate	. Klock	soft	91	1110			The state of the s
	first	sult	1090	1130	1	li 🚉	
sand o	17		1010			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 13 15 15
Bluck	state	12	1/30	1160	V	126	
white,	sund.	sult	1130	1320	- Salt	water	3/ Faile per
while	11 1	soft	1160		1 1/4	0	well
Block	State	4-	1320	1350	į	- 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
while,	Sand	sixt	1	1332	•]	
prince	state		1350	00			
Block	Mari		1352	1380		u	
While	sund	sight		15-10	1	/ /	起源 "
Block	state	sort	1380		gar /	3-3% ~	73
	6.0		15:10	15-70,		Le fine	1540
Macin	while		18.70	1681	1 18		
line	White	soft	1010	1688		11-1-	
	1.1.	hard-	1681		Bollom	1562	
sand.	while	name	1-688	1692		, ,	
State	Black	soft					
	While		1692	1704		. # · · ·	
sand,	1	0 1	1 .				
sand.	grey	hard	1			1	
sund state	Subols	soft	1709	17/7			
			1747	1747			
Top logine	white			1.			
' ii . I . A	bluch	sixt	1147	1749	٠/ ـــــــ (*	1000 6	
frich	0-	1 / ^	1749	1879	10/al	Sopth	1874
Sund	While	hurd	1749	12.7.			/. /.
			1				
						1.	, ,
•							
		'		•			- C
, ,							
			1 .	-2.		4	$\Psi_{i}^{(i)}$
•		73	j,	c ·			
	• •						RECEIVED
					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	Office of Oil and G
te .		1.					1.00
	1 .						APR 4 2023
.			İ			,}	
	100				``		WV Department o
		1			1.	E	nvironmental Protec
	1		1	1 .		1 5	
		l .		1		•	

D. روز کې د پېښورو په	ate	
jogografija iz en en 😑 Politikorio	€	
APPROVED.		 Owner

(Tille)

04/14/2023

DEPARTMENT OF MINES

INSPECTOR'S WELL REPORT

INSPECTO	K2 WELL	. REPOR	(C) Y	60
Permit No. Pleas III. P	•		Oil or	Gas Well
company Swel Powell	Casing and Tubing	Used in Drilling	Left in Well	Packers P
Address St Mary s: 10 10 90	Size			
arm Vacod Cox	13 13			Kind of Packer.
Vell No. 3	10	302	}	Size of
District La Face ptt is Country Pirets	64	No		Depth set
rilling commenced	6 3/16			
ate shot Depth of shot	3			Perf. top
nitial Open Flow	Liners Used.			Perf. top
open Flow after tubing/10ths Merc. inIncl	1	# 31		Perf. bottom
olumeCu. Ft	CASING CEN	ENTED	SIZE	No. FTDate
ock Pressure hrs.	6	1,		estror and northern handland and account and no engineering
bbls, 1st 24 hrs			•	FEETINCHES
resh waterfeet		1		FEET INCHES
Fillers' Names Burl Powell				RECEIVED
Sud Posipl!))		, in the way had belief of Parison	Office of Oil and C
Vell Abandoned and Plugged		1		
	g bolo:	e Max	מש.	Environmental Protei
5 run tabing Temperow 1. 011	1 1/3 hu	test he	Layer Class	in thing

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No Pleas 116 P Jus	bing lot			Gas Well
Company Sud Power	Casing a Tubing	und Used in Drilling	Left in Well	Packers
Address Majurell Word	Size	.		
Farm Jacob Cox	13			Kiud of Packer
Vell No. 3	10	<u> </u>	<u> </u> 	Size of
District Jayall County 1	i	الأسام		RECEIVED
Orilling commenced	5 3/10			APR 4 2023
Orilling completed	3			Perf. top
Date shell	2	ad		Perf. Wy. Department of Environmental Protect
initial Open Flow/10ths Water	inInih [, , , , , , , , , , , , , , , , , , ,	Perf. bottom
Open Flow after tubing	/	.		
	ا المرا	CEMENTED	SIZE	No. FT. Date
Rock Pressure		AS PRODINTER	ED AT	FEED INCHES
	fcet	51	NCHES	-PS-ET INCHES
Salt waterfeet	· // //	FFÉT 1	130	FEET INCHES
Dillow Names Sand Proces	11 0	r-tiller-	234	
Drillers' Names Adda Col.	1		E Kan	
Well Abandoned and Plugged	, 19		6505750)	197 97 Santa
1	uffer J- 6	Jaic a in a	سداد پرو	of teeling
	in gener	+ looks l	Ke gurre	int-
		D.	1.3	hans
day 22,23+24,190°4		ded.	المجينة والم	BINTHEOF WHILE INSPECTOR
				04/14/2023

4707300116

DEPARTMENT OF MINES

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

To The Department of Mines,	
Charleston, W. Va.	
\mathbf{n}	Cont Plant C M. Control
COAL OPERATOR OR COAL OWNER	
	SMELETY ADDRESS
(*GDAKES	and the second s
	19.
COAL OPERATOR OR COAL OWNER	WELL TO BE ABANDONED
o e	District
	La Contraction Con
ADDNESS	G
	County
LEASE ON PROPERTY OWNER	317-11 37-
	Well No.
ADDATES	The state of the s
Gentlemen:	
The undersigned well operator is about to aband	on the above described well and will commence the
work of plugging and abandoning said well on the	2011 day of, 1940.
(which date shall not be less than five days after the day	
due course should be received by the Department of I	Mines.)
Ventage and the second	
and filling of said well. You are further notified that	tive representatives may be present at the plugging
undersigned will proceed on that date, or shortly th	
required by Section 10, Article 4, Chapter 22 of the	
notice, in "Work Order."	orac and given in detail on the exerce and of this
	ranin ir karangan karangan Kabupaten
This notice is being mailed by registered muil to ea	ach of you at the above addresses on the above date.
Very t:	ruly yours,

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreege of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the ocurars and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

Office of Oil and Gas

PERMIT NUMBER

WV Department of Environmental Protection 04/14/2023

PROPOSED MANNER OF PLUGGING AND FILLING WELL

REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

WORK ORDER

NOEK CRICE ARRANGED BY WED DESCRIPTION OF MUSIC, NOEK CRICE ARRANGED BY WED DESCRIPTION OF MUSIC,

Fill with red elsy from bottom 1870; - 1880; - 10; below laxon Sand.

Road Fing 1880; - 1877;

Camput 1877; - 1870; - Seeling hole completely below Gas in Enses.

Set 2 personnet pecker at about 1640' - with 2" taking to surface.
Pour shout 15' of most count on top of pecker and soul completely-

Fill with slay around 2" tabing from top of racker consent to 965' - 15' below 8-5/8" easing.

Comment (Comment and mater unly) to 958'
Pull 8-5/8" easing and

Fill with red clay around 2" thoing my warford.

Then well is exhausted, the memon or producing sont shall be filled solid with heat commet through 2" tubing and then tubing filled also with meet commet to surface. Spect Marker such as is required by Sule 18, 1931 regulations.

To the Department of Mines Coal Owner or Operator, Leese or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

193

DEPARTMENT OF MINES.

ing with each of the And of the following the last

RECEIVED
Office of Oil and Gas

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to he approved or corrected and returned to the well operatur as his authority for plugging said well; and one for the well inspector.

. .

4 2023

JARREST PHEFIEL COMPANY, CARLESTER, V.

47 0 7 3 0 0 1 1 6 47-073-00116

API No.	47-073-00116	
Farm Name		
Well No.	COX, JACOB & NINA 3	
	COX, JACOB & NINA 3	

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
The undersigned coal operatorhas examined this proposed plugging work of done at this location, provided, the well of Virginia Code and the governing regulations	order. The undersigned has perator has complied with	/ of the coal under this well location no objection to the work proposed to be all applicable requirements of the West
Date:		
	By:	
	Its	

RECEIVED
Office of Oil and Gas

APR 4 2023

WV Department of Environmental Protection

SURFACE OWNER WAIVER

4707300116

Operator's Well Number

COX, JACOB & NINA 3

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

> Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- The proposed well work will constitute a hazard to the safety of persons.
- The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- The proposed well work fails to protect fresh water sources or supplies;
- The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I hav	e no objection to	o the planned wor	k described	in these materials, and I have a	no
objection to a permit being issued FOR EXECUTION BY A NATUR	ıls.	FOR EXECUTION BY A CORPORATION			
Signature	Date	Name	RECEIVED Office of Oil and Gas		
		By Its	APR 4 2023	APR 4 2023 Date	
			Signature	WV Department of Date Environmental (21012)	



April 3, 2023

Mr. H. Jason Harmon West Virginia Department of Environmental Protection Office of Oil & Gas 601 57th Street Charleston, WV 25304

Dear Mr. Harmon,

Please find enclosed the permit applications to plug the following wells:

API 47-073-00116, Lafayette District, Pleasants County API 47-073-00202, Jefferson District, Pleasants County API 47-073-00498, Union District, Pleasants County

These wells are part of the multi-well plugging contract for the Orphan and Abandoned Well Program for Region 7. The plugging contractor is Coastal Drilling East, LLC, operating under the Region 7 contract. The surface owner(s) and mineral owner(s) have been mailed copies of the permit application. The signed waivers will be forwarded to you via email as we receive them. The inspector was emailed a copy of the permit application. The inspector signed the enclosed copies. I have enclosed a photocopy of the surface owner(s) and mineral owner(s) Certified Mail packages that were sent to them.

Should you require additional information or assistance, please do not hesitate to let me know.

Thank you for giving Unlimited Energy Services the opportunity to serve your energy industry needs!

Best regards,

P. Wayne Ammons Project Manager

264 Industrial Park Road Jane Lew, WV 26378 304-884-8246 office 304-439-4357 mobile wayne@ulenergyco.com Office of Oil and Gas

APR 4 2023

WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 4707300116 07300202 07300498

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Fri, Apr 14, 2023 at 1:54 PM


To: Henry J Harmon henry.j.harmon@wv.gov, wayne@ulenergyco.com, MYearsley@shaftdrillers.com, Isaiah M Richards <isaiah.m.richards@wv.gov>, vgorrell@assessor.state.wv.us


To whom it may concern, plugging permits have been issued for 4707300116 07300202 07300498.

James Kennedy


WVDEP OOG

6 attachments











4707300202.pdf 2848K