1 2 3 LATITUDE 39 (15') 39 °	•
(15') 39 °	4127/7 27, 30 30
JOHN A. SMITH	30
JOHN A. SIM	90 92 •
N 71.00'E	0.0
594	
Q 0 N73 15 b 594 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	80
Pigni C G	CONGITUD
40 ac tract	Ś
The state was the state of the	
\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
ROS AND ANTHONY WELLS SON MOE NAS 171E TO NOS 171E TO	Witness C
Stocking Stocking	
ZITO DE LE COMO DE LA COMO DEL COMO DE LA COMO DEL LA COMO DE LA C	
THOM THOM IS SOOK IN	
15 N85 17E	THE COLUMN
15' FO N85 17E 3	
15 NO 11-193 3617 Les	ac at the state of
5.335 Elle	
sycamore 35 and want 3 3 1 W	
sycamore, 159. 18 35 actract 3.13 71/2 + 134 18 18 18 18 18 18 18 18 18 18 18 18 18	
LEGEND  Lines plotted from deed calls 1.	vastad in
Lines plotted from deed calls 1. Fee ownership is	ioner
Surveyed lines 1 / 6 50 D.J. Wa	
Roads D.S. Wa	
Roads D.S. Wa	Arvilla W.Va.
Roads  O Well Locations	
Roads  Well Locations  Stake	
Roads  Well Locations  Minimum Error of Closure   In 200'	
Surveyed lines  Roads  Well Locations  Minimum Error of Closure 1 in 200'  Source of Elevation USGS BM at Arvilla = 635  I, the undersigned, hereby certify that this map is correct to the bledge and belief and shows all the information required by paragra	W.Va.
Surveyed lines  Roads  Well Locations  Minimum Error of Closure   in 200'  Source of Elevation USGS BM at Arvilla = 635  L, the undersigned, hereby certify that this map is correct to the bledge and belief and shows all the information required by paragrand regulations of the oil and gas section of the mining laws of the oil and gas section of the o	W.Va.
Surveyed lines  Roads  Well Locations  Minimum Error of Closure   1 in 200'  Source of Elevation   USGS B M at Arvilla : 635  L, the undersigned, hereby certify that this map is correct to the b ledge and belief and shows all the information required by paragra and regulations of the oil and gas section of the mining laws of the oil and gas section of the oil and gas	W.Va.
Surveyed lines  Roads  Well Locations  Minimum Error of Closure   lin 200'  Source of Elevation   USGS BM at Arvilla = 635  I, the undersigned, hereby certify that this map is correct to the bledge and belief and shows all the information required by paragra and regulations of the oil and gas section of the mining laws of the oil and gas section	w. Va.  Dest of my know- aph 6 of the rules of West Virginia.
Surveyed lines  Roads  Well Locations  Minimum Error of Closure	w.va.  Dest of my know- aph 6 of the rules of West Virginia.  W
Surveyed lines   Roads   Rural Route   Rur	w.va.  Dest of my know- aph 6 of the rules of West Virginia.  W
Surveyed lines   Roads   Rural Route   Rur	W.Va.  Dest of my know- aph 6 of the rules of West Virginia.  W
Minimum Error of Closure	W.Va.  Dest of my know- aph 6 of the rules of West Virginia.  W  NIA  N  M A P
Surveyed lines   Roads   Rural Route   Rur	W.Va.  Dest of my know- aph 6 of the rules of West Virginia.  W  NIA  N  M A P
Minimum Error of Closure 1 in 200  Source of Elevation USGS BM at Arvilla: 635  Little undersigned, hereby certify that this map is correct to the bledge and belief and above all the information required by paragrand regulations of the oil and gas section of the mining laws of Signed:  Map No.  Signed:  Map No.  Squares: N S E  Company SECURITY GAS 2 011 INC.  Address 100 Bush St. Suite 2301, San Francisco California.  Farm D.J. Wogner  Tract Acres 101 Lease No.  Well (Farm) No. One Serial No.  Elevation (Spirit Level) 793  Ouadrangle Sens Run, W. Va. 7½, St. Markes (5)	w.va.  Dest of my knowaph 6 of the rules of West Virginia.  W  NIA  N  MAP  0749
Minimum Error of Closure   1 in 200    Source of Elevation   USGS BM at Arvilla : 635    Li the undersigned, hereby certify that this map is correct to the bledge and belief and shows all the information required by paragrand regulations of the oil and gas section of the mining laws of the oil and gas section of the oil and gas	w.va.  Dest of my knowaph 6 of the rules of West Virginia.  W  NIA  N  MAP  0749  dited States
Minimum Error of Closure   1 in 200	w.va.  Dest of my knowaph 6 of the rules of West Virginia.  W  NIA  N  MAP  0749  dited States
Minimum Error of Closure   Im 200	W.Va.  Dest of my knowaph 6 of the rules of West Virginia.  W  NIA  N  MAP  0749  dited States  00, latitude esented by
Minimum Error of Closure   1 in 200	W.Va.  Dest of my knowaph 6 of the rules of West Virginia.  W  NIA  N  MAP  0749  dited States  00, latitude esented by





OIL & GAS DIVISION DEPT. OF MINES

## Oil and Gas Division

## OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,	
Charleston, W. Va.	DATE April 12, 1979
Surface Owner D. J. & H. M. Wagner Address Bens Run, West Virginia	Company Security Gas & Oil Inc.  100 Bush St., Suite 2301  Address San Francisco. Ca 94104
Mineral Owner Same	
Address	Die Dan
Coal Owner Same	(ma (1) 703
	Inion Plesants
Address  Coal Operator None	
Address	- Quadrangie
operations have not commenced by 12-27-79.  Deputy Director - Oil & Gas Division  Deputy Director - Oil & Gas Division  The undersigned well operator is entitled to drill upon the	NSPECTOR O BE NOTIFIED Philip Tracey  DDRESS Middlebourne, W.Va.  HONE 1-304-758-4573  The above named farm or tract of land for oil and gas, having fee
title thereto, (or as the case may be) under grant or lease de H. M. Wagner made to Frank E. Pethtel  1978 in Fleasants County, Book 149	and recorded on the 18th day of April
XXXX NEW WELLDRILL DEEPER	
OIL AND GAS WELL ORIGINALLY DRILLED	
The enclosed plat was prepared by a registered engineer o have been notified as of the above date.	or licensed land surveyor and all coal owners and/or operators
The above named coal owners and/or operator are hereby to make by Section 3 of the Code, must be received by, or fi	notified that any objection they wish to make, or are required iled with the Department of Mines within ten (10) days. *
	registered mail, or delivered to the above named coal operators  day
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO:	Very truly yours, (Sign Name) The General Well Operator
	Security Cas Coil Inc.
WEST VIRGINIA GEOLOGICAL AND ECONOMIC SURVEY Addres	100 Bush St., Suite 2301 Street
P. O. BOX 879	Com Thermal Ton Co Ohloh
MORGANTOWN, WEST VIRGINIA 26505 Well Opera AC-304 - 292-6331	City or Town
	State

\*SECTION 3 . . . . If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

> CASH DEPOSIT HELD BY TREASURER

47-073-0749 PERMIT NUMBER

## THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

DRILLING CONTRACTOR: (I					
N A MIP	•		RESPONSIBLE AGENT		
NAME					
ADDRESS					
TELEPHONE					
ESTIMATED DEPTH OF COMP		- ItOIAILI	CABLE TOOLS		
PROPOSED GEOLOGICAL FOR					
TYPE OF WELL: OIL	GAS	COMB. XXXX STORA	GE DISPOSAL		
	RECYC	LING WATER F	LOODOTHER		
CASING PROGRA	<b>M</b> :				
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN	CEMINETH I UP		
0 - 16	DRILLING	WELL	OR SACKS CUBIC EL.		
3 - 10					
- 5/8	,				
- 5/8	2501	250	Fill - up		
			prii - up		
1/2					
1/2	3000	3000°	180 Sacks		
			1		
ners			Perf. Top		
			Perf. Bottom		
DRILL:		BI WHOM?	FEET		
SUBMIT FIVE (5) COPIES OF PLAT.  DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE:  OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUMBER OF PRIOR OF PERMIT NUMBER OF PLAT OF PRIOR ORIGINAL PERMIT NUMBER OF PLAT OF PERMIT NUMBER OF PERMIT NUMBER OF PLAT OF PERMIT NUMBER O	OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIG O 1929, A PERMANENT C D. IGINALLY DRILLED BEFO AND ORIGINAL WELL REC IGINALLY DRILLED ON A	IT FEE, PERFORMANCE INAL PERMIT NUMBER AT COPY OF THE PLAT AND CRE JUNE 5, 1929, FIVE (5) CORD.  ND/OR AFTER JUNE 5, 1929 BOND.	BOND AND PERMANENT COPY  ND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD  COPIES OG - 1, PERFORMANCE  29, FIVE COPIES OG - 1, SHOW- Inspector to be notified twenty-		
SUBMIT FIVE (5) COPIES OF PLAT.  DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE:  OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUMBER OF THE PROPERTY OF THE P	OF OG 1, \$100.00 PERM L: OF OG 1, SHOWING ORIGO O 1929, A PERMANENT CO D. IGINALLY DRILLED BEFO AND ORIGINAL WELL REC IGINALLY DRILLED ON A IBER, AND PERFORMANCE within ninety (90) days of co	INAL PERMIT NUMBER AS OPY OF THE PLAT AND CORD.  ND/OR AFTER JUNE 5, 1929, FIVE (5) BOND.  Completion for bond release.	BOND AND PERMANENT COPY  ND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD  COPIES OG - 1, PERFORMANCE  29, FIVE COPIES OG - 1, SHOW- Inspector to be notified twenty-		
SUBMIT FIVE (5) COPIES OF PLAT.  DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE:  OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUMBER OF THE PROPERTY OF THE P	OF OG 1, \$100.00 PERM L: OF OG 1, SHOWING ORIGO O 1929, A PERMANENT CO D. IGINALLY DRILLED BEFO AND ORIGINAL WELL REC IGINALLY DRILLED ON A IBER, AND PERFORMANCE within ninety (90) days of co	INAL PERMIT NUMBER AS OPY OF THE PLAT AND CORD.  ND/OR AFTER JUNE 5, 1929, FIVE (5) BOND.  Completion for bond release.	BOND AND PERMANENT COPY  ND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD  COPIES OG - 1, PERFORMANCE  29, FIVE COPIES OG - 1, SHOW- Inspector to be notified twenty-		
SUBMIT FIVE (5) COPIES OF PLAT.  DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED FRACTURE - STIMULATE:  OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUMBER OF THE PROPERTY OF THE FORMAL OF THE FORMAL OF THE FORMAL OF THE FORMAL OR THE FORMAL OF THE	OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIGO O 1929, A PERMANENT COD.  IGINALLY DRILLED BEFO AND ORIGINAL WELL RECORD IGINALLY DRILLED ON A IBER, AND PERFORMANCE within ninety (90) days of completed by the coal ope for and place on our mine ma	INAL PERMIT NUMBER AS OPY OF THE PLAT AND CORD.  ND/OR AFTER JUNE 5, 1929, FIVE (5) BOND.  completion for bond release.  Prator if the permit is to be compared this proposed well located.	BOND AND PERMANENT COPY  ND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD  COPIES OG - 1, PERFORMANCE  29, FIVE COPIES OG - 1, SHOW-  Inspector to be notified twenty-  issued within ten days of receipt or Operator of the coal under ion.		
SUBMIT FIVE (5) COPIES OF PLAT.  DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance.  The following waiver must be eof.  IVER: I the undersigned, Agent this lease have examined We the	OF OG 1, \$100.00 PERM L: OF OG 1, SHOWING ORIGO O 1929, A PERMANENT COD.  IGINALLY DRILLED BEFO AND ORIGINAL WELL RECONSTRUCTION IBER, AND PERFORMANCE within ninety (90) days of completed by the coal open	INAL PERMIT NUMBER AS OPY OF THE PLAT AND CORD.  ND/OR AFTER JUNE 5, 1929, FIVE (5) BOND.  Completion for bond release.  Coal Company, Owner aps this proposed well locat the proposed well locat the proposed of the proposed with the proposed well locat the proposed of the proposed well locat th	BOND AND PERMANENT COPY  ND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD  COPIES OG - 1, PERFORMANCE  29, FIVE COPIES OG - 1, SHOW- Inspector to be notified twenty-  issued within ten days of receipt		
SUBMIT FIVE (5) COPIES OF PLAT.  DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance.  The following waiver must be eof.  IVER: I the undersigned, Agent this lease have examined We the	OF OG 1, \$100.00 PERM L: OF OG 1, SHOWING ORIGO O 1929, A PERMANENT COD.  IGINALLY DRILLED BEFO AND ORIGINAL WELL RECONSTRUCTION IBER, AND PERFORMANCE within ninety (90) days of completed by the coal open	INAL PERMIT NUMBER AS OPY OF THE PLAT AND CORD.  ND/OR AFTER JUNE 5, 1929, FIVE (5) BOND.  Completion for bond release.  Coal Company, Owner aps this proposed well locat the proposed well locat the proposed of the proposed with the proposed well locat the proposed of the proposed well locat th	BOND AND PERMANENT COPY  ND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD  COPIES OG - 1, PERFORMANCE  29, FIVE COPIES OG - 1, SHOW-  Inspector to be notified twenty-  issued within ten days of receipt  or Operator of the coal under ion.		

Official Title