(Revised 3-81)



Well No.	#1	
Farm_Carl	& Delores 3 - 1223	Elder
API #47 -07	3 - 1223	
Date_June	4, 1981	

#### STATE OF WEST VIRGINIA OFFICE OF OIL AND GAS - DEPARTMENT OF MINES

OILANDGASWELL	PERMIT APPLICATION
WELL TYPE: 0il / Gas /	
(If "Gas", Production/ Un	derground storage / Deep / Shallow /
LOCATION: Elevation: OCE Waters	hed: Middle Island Creek
District: Union County	: Pleasants Quadrangle: Raven Rock, W.Va
WELL OPERATOR BKK Prospecting Ltd.	
Address 55 North Road	Address 209 Second St.
OIL AND GAS Niles, Ohio 44446	St. Marys. W.Va.
ROYALTY OWNER Carl & Delores Elder	COAL OPERATOR Address
Address St. Marys, W.Va.	Address
Acreage 15.89	COAL CUMED (C) WITH DECLARATION
SURFACE OWNER Carl & Delores Elder	COAL OWNER(S) WITH DECLARATION ON RECORD:
Address St. Marys, W.Va.	Address
Acreage 15.89	NAME
FIELD SALE (IF MADE) TO:	Address
NAME	
Address	COAL LESSEE WITH DECLARATION ON RECORD:
	Address
OIL AND GAS INSPECTOR TO BE NOTIFIED:	WE SELVE I
NAMEPhil Tracy	
Address Route 23, Alma, W.Va.	26320 JUN - 4 1981
Telephone 758-4573	OIL & GAS DIVISION
	DEPT. OF MINES
The undersigned well operator is enti- above location under a deed/ lease x to the undersigned well operator from	tled to operate for oil or gas purposes at the _/ other contract/ dated <u>May 15</u> 19 <u>81</u> <u>Carl &amp; Delores Elder</u>
(If said deed, lease, or other contract has	s been recorded:)
Recorded on June 2, 19819, in the of	ffice of the Clerk of County Commission of
Pleasants County, West Virginia, in	#164 Book at page #215 A permit is
requested as follows: PROPOSED WORK: Drill/ Drill Deeper Plug off old formation	r / Redrill / Fracture or stimulate / Perforate new formation /
Other physical change in	well (specify)
The above named coal operator, coal owner(sobjection they wish to make or are required Department of Mines within fifteen (15) day Copies of this Permit Application and the emailed by registered mail or delivered by her(s), and coal lessees on or before the dato the Department of Mines at Charleston, we	he work order on the reverse side hereof.  (a), and coal lessee are hereby notified that any of to make by Code §22-4-3 must be filed with the research of this Application by the Dept. Enclosed plat and reclamation plan have been hand to the above named coal operator, coal ownay of the mailing or delivery of this Application West Virginia.
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO:	BKK Prospecting, Ltd.
WEST VIRGINIA OIL AND GAS	Well Operator
CONSERVATION COMMISSION	34: John Wicham
1613 WASHINGTON ST., E. CHARLESTON, WV 25311	S: Paginatal 3
Telephone - 304/348-3092	Designated Agent

(Revised 3-81)

#### PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY:
ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING CO	NTRACT	OR (IF	KNOWN)		Ha	arry Wil	son Dril	ling Contra	actor	
		А	ddress			3				
			##Children.wi			a zako hiran iligo <u>nedigone eld</u> er <del>ilimiku azo, filir initito</del> y ng gorah	madasan mad hadi SEC (COSAB memerapa pada hisiologian man ming dalapan pa			
							Money of the said of the United States of the said of			
GEOLOGICAL Estimate			Show all the state of the state	THE RESIDENCE AND ADDRESS OF THE PARTY OF TH	ale 591	oo fee	et. Rotal	ry / Cabl	e tools feet.	/
Approxim	ate co	al seam	depths:	115.	rresii	' <del>- 150'</del>	Treet;	sait,	reet.	
Is coal	being	mined i	n this a	rea:	Yes		<u>x</u> /			
CASING AND	TUBING	PROGRA	М							
CASING OR	1	SPE	CIFICATI	ONS		1		CEMENT FILL-	PAC	KERS
TUBING TYPE		Grade	Weight  perft	1 New	Illsed		- Left in Well	UP OR SACKS Cubic ft.		
Conductor -			per re	X	Used	11119	The same of the sa	To surface	Kinds	
Fresh water	3 3/0	1					A			
Coal Intermed.	8-5/8	11	20	X	-				Sizes	
Production	1111		10.5	X		250'	250'	To surface	Depths	set
lubing			10.0			5900"	5900'	Back to top of producing	_	
Liners		-		-				or product.	Top	Bottom
				+					ТОР	DOCCOM
	-									
822-4 requi 822-4 posed A sep where sough  IIS PERMIT MU  II provisions be the W. Va. C drilling perations have	red by -8a fr well. barate fract fract and JST BE P  ing in ac code, the	nd Regu Code 8 com the Form IV uring o is note OSTED A cordance location is This per enced by Gas Divis	lation 2 22-4-12d owner of  -2 shall r stimul d as suc T THE WE  with Chap hereby ap primit shall se 2-12-82	and any and any and any and any and any and	v) un (v) water be receis the F	less previf application well or quired for be part orm IV-2	viously parable, the dwelling was fracture to filed in	ation required id on the same consent required within 200 few ing or stimulation to the connection to the connection to the connection of the connection to	ne well, nired by nired by net of the lating a lating a perm nerewith	the fee Code he pro- well it is
or estable is to the underside location had area of the signed has	gned cos examino objeor has	see who sued wi	has received thin figure ator	corded fteen / own sed we ell lo	WAI  ell lo  catio	claration days of $\frac{V}{I} = \frac{R}{R}$ / lessen cation. On has been done	under Coreceipt the / of If a mine en added the done at the irements of	de §22-4-20, ereof:  the coal und map exists to the mine mais location, of the West V	if the er this which co ap. The provide irginia	well overs the e under- ed the Code and
Date:		, 1	9				BKI	K Prospecti	ng, Lta	1.
						Ву:	John	Trol	lam	
						/	Do	signated Ag	ont.	7



D	ate	_II May	1981
		BKK-1	
API	No	47 - 07	3 - 1223
		State Count	y Permit

# OIL & GAS DIVISION OF WEST VIRGINIA DEPT. OF MINELS OF OIL AND GAS

Company Name BKK Prospect	ing	Designate	d Agent Edwa	ard A. Kleese
Address 45 North Road, Nil				
Telephone 216-652-599				
Landowner Carl+ Delores	Elder	Soil Cons	. District Ur	oper Ohio
Revegetation to be carried out	by	Jim	Renner	(Agent)
This plan has been reveiwed by	Upp	er Ohio	SCD. A	V1 corrections
and additions become a part of	this plan	· 6/3/	81 761 te)	(SCD Agent)
Access Road			Location	
Structure Cross Drain	(A)	Structure	Diversion	Ditch (1)
Spacing		Material	The state of the s	
Page Ref. Manual 1:3		Page Ref.	. Manual 1:9	
Structure Rip - Rap	(B)	Structure	Rip-Rap	(2)
Spacing	Art - many		Rock- Ston	
Page Ref. Manual N/A			Manual N/	
Structure	(C)	Structure		ONE (CIETAN) EIN
Spacing		Material		MD GIII
Page Ref. Manual		Page Ref.	. Manual &	1 1001
All structures should be inspe	cted regula	arly and re	epaired if nece	JUN - 4 1981
	Revegetat	ion		OIL & GAS DIVISION
	NEV E E CE	1011		DEPT. OF MINES
Treatment Area I			Treatment Are	a II
Lime	Tons/acre	Lime		Tons/Acre
or correct to ph 6.5			ect to pH 6	
Fertilizer 500 (10-20-20 or equivalen	lbs/acre	Fertilize	er 50 (10-20-20 or e	lbs/acre
어느보다 가는 사람이 되면서 가지 않는데 없는데 전에 가지 않아 그래?				
	Tons/Acre		¥	2 Tons/Acre
Seed* KY31 Fescue 35 Redtop 5	lbs/acre	Seed. KY	dtop	5 lbs/acre
Ned top	lbs/acre			lbs/acre
*Inoculate all legumes such as v	etch, trefo	il and clo	overs with the	proper

\*Inoculate all legumes such as vetch, trefoil and clovers with the proper bacterium. Inoculate with 3X recommended amount.


Attach or photocopy section of involved Topographic map. Quadrangle Raven Rock, W.Va.



Diversion
Spring O
Wet Spot
Building
Drain Pipe
Waterway

Q7

Sketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with first part of this plan. Include all natural drainage.



Comments: (1) Average Slope of Access Road 10%

(2) Length of Access Road 350'

(3) Brush and Trees to be Piled at Site

Signature:

Agent

Address

Phone Number

Please request landowners cooperation to protect new seeding for one growing season.





STATE OF WEST VIRGINIA
DEPARTMENT OF MINES

OIL & GAS DIVISION

## Oil and Gas Division DEPT. OF MINES

#### WELL RECORD

rmit No.	Rock 7-073-1223  K.K. Prospecting, L	TD	N. CORD		Recycling_	GasComb. X dStorage(Kind)
dress 45	North Road Niles, (	Ohio 44446	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
cation (wat	mion    Middle Island (B.K.K1)    County   tract is owned in fee by   Delores Elder	Elev. 965 Pleasants	Size 20-16 Cond.			
car1	tract is owned in fee by_ & Delores Elder		9 5/8		-	
	arys, WV 26170		8 5/8	957'	957'	To surface
eral rights	are owned by San	ie	7		10	- ve
	Address 6-15-81		5 1/2			<del>-</del> 4
ling Commi	enced 6-15-81 eted 6-23-81		4 1/2 Q	4592	45921	460 sks
al open flo	w 0 cu, ft.	0 hbls	2			Cement
l productio	n Testing cu. ft. per day	Testingbbls.	Liners Used			•
water	ntered at	Feet120	Salt W	Inches		Feet
			Деріп			
rmation	Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or V	Vater * F	Remarks
& Shale	Gray Hard	0	957	r		
	Gray "	957	1025			
	Brown "	1025	1153			
	Gray "	1153	1238			
	Gray Soft	1238	1298			
	Gray Hard	1298	1340			
	Dk Gray "	1340	1378			
	Gray "	1378	1461			
	Gray Soft	1461	1495			
	Gray Hard	1495	1513			
	Gray "	1513	1560			
& Sand	Gray "	1560	1601			
	Gray "	1601	1790			
one	White "	1790	1817		365	

(over)

1849

2574

2683

Saltwater

Oil & Gas

1817

1849

3534

tes Electric Log tops in the remarks section.

Gray

Gray

Gray

riegs. ICL

Big Injun

Gordon

## DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

## INSPECTOR'S WELL REPORT

ermit No. 12-1222			Notes to an experience Marin Marine, or purpose to a section of the first Marine and	K I N D		medit Wood Colonia (Section Colonia Co
DVV Drace	noating	CASING AND TUBING	USED IN DRILLING	Leftin	PACKI	ERS
Address Nil	es OH.	Size				
Com	l Elder	16			. Kind of Pack	cer
P M 1 1Th		13	1			The substitution of the su
Well No 1		- 10	-		Siz. of	
District	CountyPleasants	814	957	957		
Drilling commenced		6 %			_ Depth set	V. S.
		5 3/16			Perf 'p_	
Drilling completed	Total depth 1048	3				
Date shot	Depth of shot	2				
In:tial open flow	/10ths Water inIncl	h				
Open flow after tubing	/10ths Mcrc. inIncl				Tell the second	
Volume	Cu. Ft	CASING CEM	ENTED 8 5	/8 SIZF957	No FT6.	-17-81até
		NAME OF S		PANY Dowel		
Rock pressure	lbshrs	310	Sk. Use	d		
Oil	bbls., 1st 21 has	s. COAL WAS	ENCOUNTER	ED AT	_FEET	INCHES
Fresh water	feetfee	rtFEE	TIN	CHES	_FEET	INCHES
Salt water	feetfee	rtFEF	ETIN	CHES	_FEFT	INCHES
Drillers' Names						
Diniers Names					FINT	
Remarks:					TO O C	The second
				JUN	24 1981	-

OIL & GAS DIVISION
DEPT. OF MINES

All Inacy 5-12
DISTRICT WELL INSPECTOR

6-17-81

DATE

### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

## INSPECTOR'S PLUGGING REPORT

				Well No	CONTRACTOR OF STREET, CO. ST. ST. ST. ST. ST. ST. ST. ST. ST. ST
H No					73-12
(PANY			ADDRESS		
		DISTRICT		UNTY	
RM		and the same of th		2,2,0,0,0,0,0	
ine Material Used				. 1U 691.5	
ing Material Used			AND ADDRESS OF THE PARTY OF THE		
ier Loc	ation	Amount	Facker	Location [	The second second second
PT LIST A	NO DEPTH PLACED		BRIDGES	CASING AND	
Committee of the commit	CONTROLS NOC. CONTROLS OF THE RESIDENCE OF THE PROPERTY OF THE PARTY OF THE PART	LEAD	CONSTRUCTION LUCATION	RECOVERED SIZE	LOST
CEMENT-THICKNESS	WOOD-SIZE			The second secon	1
				1	
angunum et d'un mano aver attent e e en monte, n'agot : 200 i influid Caratière (grange, autre de traspetent d	en een in in haarde gewoonen verstelijfelin is omer delinter 'n standanderine'. Die neemstandig film de				
-			8401.4		
a history gas the second secon			and the state of t		
					-
Charles of the Charle					
the second state of the se					
				-	-
CONTRACTOR OF CO	1 738 - 8	1 3 3			
	Liewou		parameter, symbols, range i i no enderstande remoni i		
		boeu .ic.			
		l i			
			The second secon		
rillers' Names					
emarks:					
14					
	Land December 1991 for	I visited the s	well on this date		
DATE	hereby couldy	T Charlette .			
1 512	TOUTE F.				17-21 -



AUG - 2 1984

OIL & GAS DIVISION
DEPT. OF MINES

#### State of West Virginia Bepartment of Mines Gil and Gas Bivision Charleston 25305

FINAL INSPECTION REPORT

	INSPECTORS COMPLIANCE		
COMPANY	July 25, 1984 BKK Prospecting, Ltd.	PERMIT NO	
45 Nor	th Road	FARM & WELL NOCarl & Delores Eld	er #1
Niles,	Ohio 44446	DIST. & COUNTYUnion/Pleasant	
		IN COMPLIANCE	
RULE	DESCRIPTION	YES NO	
23.06	Notification Prior to Starting Work		
25.04	Prepared before Drilling to Prevent Wa	ste	
25.03	High-Pressure Drilling		
16.01	Required Permits at Wellsite	2	
15.03	Adequate Fresh Water Casing		
15.02	Adequate Coal Casing		
15.01	Adequate Production Casing	<u> </u>	
15.04	Adequate Cement Strenght		
15.05	Cement Type		
23.02	Maintained Access Roads	<del></del>	
25.01	Necessary Equipment to Prevent Waste		
23.04	Reclaimed Drilling Pits		
23.05	No Surface or Underground Pollution		
23.07	Requirements for Production & Gatherin Well Records on Site	g Pipelines	
16.02	Well Records on Site Well Records Filed		
7.05			
7.03	Identification Markings		
I HAVE I	NSPECTED THE ABOVE CAPTIONED WELL AND R	ECOMMEND THAT IT BE RELEASED.	
		SIGNED R. H. Lowlle	
		11/ 2/ 16016	
		DATE July 31, 1787	
Your wel	1 record was received and reclamation r	equirements proved In accordance	
	pter 22, Article 4, Section 2, the above		
	for the life of the well.		
		THING	
		Administrator-Oil & Gas Division	
MS/chm		September 27, 1984	

DATE

