

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, April 24, 2023 WELL WORK PLUGGING PERMIT Not Available Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 470730000D

47-073-02614-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: COKELEY GENE M & SAND

U.S. WELL NUMBER: 47-073-02614-00-00

Not Available Plugging Date Issued: 4/24/2023

Manager .

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date March 2	Date March 29				
2) Operator's					
Well No. 47	0730000D				
3) API Well N	0. 47-073		- 002614		

STATE OF WEST VIRGINIA

	ONMENTAL PROTECTION OIL AND GAS
APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON
4) Well Type: Oil/ Gas X/ Liquid	injection / Waste disposal/
	lerground storage) Deep/ Shallow X
603	Watershed Calf Creek of Ohio River
5) Location: Elevation 693' District Grant	County Pleasants Quadrangle Willow Island 7.5'
District	2ddd2diig20
6) Well Operator Unknown-WV DEP Paid Plugging Contract	7) Designated Agent Jason Harmon
Address 601 57th Street, SE	Address 601 57th Street, SE
Charleston, WV 25304	Charleston, WV 25304
8) Oil and Gas Inspector to be notified	
Name Isaiah Richards	Name Next LVL Energy
Address 114 Turkey Lick Road	Address 104 Heliport Loop
West Union, WV 26456	Bridgeport, WV 26330
	RECEIVED Office of Oil and Gas
	APR 0 3 2023
	WV Department of Environmental Protection
Notification must be given to the district oi work can commence.	l and gas inspector 24 hours before permitted
Work order approved by inspector	Date 03/30/2023





© 293°NW (T)

■ 39.331863°N, 81.330953°W ±13ft

▲ 699ft



PLUGGING PROGNOSIS

West Virginia, Pleasants County API # 47-073-02614

Offset wells and landowner knowledge used to develop plugging procedure

Casing Schedule

6-5/8" csg set at unknown depth 2" Tbg and rods in well at unknown depth TD @ ~700-900'

Completion: Completed zone unknown (likely within 100' of TD)

Fresh Water: None Reported

Saltwater: Only reported salt water in offset well was around depth of hydrocarbon

Coal: None Reported 0-900'

Oil Show: If present, likely within 100' of TD Gas Show: If present, likely within 100' of TD

Elevation: 686'

- 1. Notify inspector, Isaiah Richards @ (304) 205-3032, 48 hrs. prior to commencing operations.
- 2. Check wellhead pressure and kill well as needed.\
- 3. Pull rods and tbg from well.
- 4. RIH w/ wireline to check TD and run CBM to determine TOC behind exposed casing.
- 5. Run in to depth @ TD, clean out well as required by Oil and Gas Inspector. Kill well as needed with 6% bentonite gel and fill rat hole. Pump at least 10 bbls gel. Pump 200' Class A/Class L cement plug from TD' to 200' above TD (Hydrocarbon plug). Tag TOC. Top off as needed. Ensure this plug covers to 50' above the Elevation depth.
- 6. TOOH w/ tbg to top of cement plug. Pump 6% bentonite gel from top of cement plug to 200'
- Free point 6-5/8" csg. Cut and TOOH. Set 100' Class A/Class L cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg to top of plug. Do not omit any plugs listed below. Perforate as needed.
- TOOH w/ tbg to 100'. Pump 100' Class A/Class L Cement plug from 200' to surface (Surface plug).
- 9. Erect monument with API#, date plugged, & company name.
- 10. Reclaim location and road to WV-DEP specifications.

RECEIVED Office of Oil and Gas

APR 0 3 2023

WV Department of Environmental Protection



03/30/2023

WW-4A Revised 6-07 1) Date:

March 29, 2023

2) Operator's Well Number

470730000D

3) API Well No.: 47 -

073 -

02614


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

Surface Ow	mer(s) to be served:	5)	(a) Coal Operato	r	
(a) Name	Gene M. & Sandra L. Co	keley	Name	N/A	
Address	1665 Oak Grove Rd.		Address		
	Waverly, WV 26184		and an expert of the service		
(b) Name				vner(s) with Declaration	
Address				No Declarations found	
			Address		
(c) Name			Name		
Address			Address		
6) Inspector	Isaiah Richards		(c) Coal Le	ssee with Declaration	
Address	114 Turkey Lick Road		Name	No Declarations found	
Address	West Union, WV 26456		Address		
Telephone	304-205-3032				
retephone				-	
accompany Protection the Applic	ying documents for a permit, with respect to the well at t	to plug and abandon a the location described en mailed by registere	a well with the Chief of t on the attached Applicated or certified mail or de	operator proposes to file or has filed the Office of Oil and Gas, West Virgini ion and depicted on the attached Formelivered by hand to the person(s) name	a Department of Environmental WW-6. Copies of this Notice,
[OFFICIAL SEAL NOTARY PUBLIC	By:	r Unknown - WVDEP I Jason Harmon WV Office of Oil & G 601 57th Street, SE	Jason Harmo	~
()	STATE OF WEST VIRGINIA	Address	CONTROL WILDOWS TO THE PROPERTY OF THE PROPERT	14	
} (· ()	RENAE DAWN WHITLOCK 601 57th Street, SE, Charleston, WV 2530	04 \$ ₁₇₋₁₋₁	Charleston, WV 2530 304-926-0452	J4	
	My Commission Expires April 06, 2027	* Telephone	304-920-0432		RECEIVED Office of Oil and Gas
Subscribed and		whate		D 3C33 Notary Public	- APR 0 3 2023
My Commission	n Expires	istel 10.3	2027		WV Department of

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deprivacyoffier@wv.gov.

Environmental Protection





info@slswv.com www.slswv.com

March 29, 2023

Sandra L. Cokeley 1665 Oak Grove Rd. Waverly, WV 26184


Mrs. Cokeley,

Please find a revised Permit Application to plug and abandon a Well for API# 47-073-02614, in Pleasants County, WV which records from the County Courthouse indicate that you are the surface owner. Through the West Virginia DEP Paid Plugging Contract, orphaned and abandoned wells have been proposed to be plugged. I have included an extra Surface owner signature form for you to sign if you approve of the proposed work, please sign and send it back to SLS Land & Energy Development in the self addressed envelope provided for you. The Permit Application is yours to keep for your records. If you have any questions please do not hesitate to contact me.

Jim Mencer SLS Land & Energy Development Permitting Tech. 304-462-5634


RECEIVED
Office of Oil and Gas

APR 03 2023



RECEIVED
Office of Oil and Gas

APR 0 3 2023





info@slswv.com www.siswv.com

March 1, 2023

Gene Cokeley 1665 Oak Grove Rd Waverly WV, 26184

Mr. Cokeley,

Please find enclosed a Notice of Intent to Plug / Replug Abandoned Wells Form for the various wells listed on the notice of intent in Pleasants County, WV, Map 7 Parcel 48, which records from the Pleasants County Courthouse indicate that you are the surface owner.

The well listed above is proposed to be plugged through the West Virginia DEP Paid Plugging Contract, orphaned and abandoned wells program. SLS Land & Energy Development has been contracted to obtain a plugging permit for this well. If you have a water well that you may want to have tested prior to the well plugging, please contact us.

If you have any other questions please do not hesitate to contact me.

Jim Mencer SLS Land & Development Permitting Tech. 304-462-5634

RECEIVED
Office of Oil and Gas

APR **0 3** 2023



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street Charleston, WV 25304 (304) 926-0450 Fax: (304 926-0452 Harold D. Ward, Cabinet Secretary dep.wv.gov

NOTICE OF INTENT TO PLUG / REPLUG ABANDONED WELL(S)

Gene Cokeley 1665 Oak Grove Rd Waverly WV, 26184 RECEIVED
Office of Oil and Gas

APR 0 3 2023

WV Department of Environmental Protection

You are hereby given a twenty-day notice, as required by West Virginia Code, Chapter 22, Article 10, Section 7, that the West Virginia Department of Environmental Protection, Office of Oil and Gas (OOG), intends to enter upon the following described premises where an abandoned well(s) is situated and plug or re-plug such well(s) and reclaim any area disturbed by the plugging or re-plugging. This notice should be construed only as a declared intent to plug such well(s); site-specific considerations or other factors may ultimately prevent the plugging or re-plugging at this time.

Description of premises: <u>Grant Dist., Pleasants County WV, Map 7 Parcel 48</u>
183.00 Acres, Well API# 47-073-02611, 47-073-02612, 47-073-02613, 47-073-02614, 47-073-02615, 47-073-02616, 47-073-02617, 47-073-02619.

The well(s) is considered "abandoned" within the meaning of W. Va. Code § 22-6-19 because it is a dry hole or because it has not been in use for a period of 12 consecutive months and no satisfactory proof of a "bona fide" future use for the well has been demonstrated to the OOG.

If you are a surface owner of the above described premises, be advised that surface owners have the right to repair of any damage or disturbance resulting from the well plugging or to compensation for (1) the reasonable cost of repairing or replacing any water well, (2) the reasonable value of any crops destroyed, damaged or prevented from reaching market, (3) the reasonable cost of repair to personal property up to the value of the replacement value of personal property of like age, wear and quality, (4) lost income or expenses incurred, and (5) reasonable costs to reclaim or repair real property, including roads. Additionally, the surface owners have the potential right to take any casing, equipment or other salvage not claimed in this notice. Please be advised that it is the intent of the OOG to take all casing, equipment, and other salvage from the subject well(s).



GENE COKELEY
1665 OAK GROVE RD
WAVERLY WV, 26184

> RECEIVED Office of Oil and Gas

> > APR 0 3 2023

WV Department of Environmental Protection

FIRST-CLASS



04/28/2023



west virginia department o	environmental	protection
----------------------------	---------------	------------

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)	
LEGISLATIVE RULE 35CSR4)	ORDER NO. 2022-13
SECTION 14.1. AND LEGISLATIVE RULE)	
35CSR8 SECTION 20.1,)	
RELATING TO THE CEMENTING)	
OF OIL AND GAS WELLS)	

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- 1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in RECEIVED place of API Class A cement, relating to the plugging of horizontal wells.

 Office of Oil and Gas

APR 0 3 2023

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas

RECEIVED
Office of Oil and Gas

APR 0 3 2023

WW-9 (5/16)

API Number 47 - ____073 _ - 02614 Operator's Well No. 470730000D

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN	
Operator Name_Unknown - WV DEP Paid Plugging Contract OP Code	
Watershed (HUC 10) Tributary of Calf Creek of Ohio River Quadrangle Willow Island 7.5'	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No	✓
Will a pit be used? Yes No 🗸	
If so, please describe anticipated pit waste:	
If so, please describe anticipated pit waste: Will a synthetic liner be used in the pit? Yes No If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a completed form WW-9-GPP)	· γ
Underground Injection (UIC Permit Number #25-774 Reuse (at API Number)
Off Site Disposal (Supply form WW-9 for disposal location)	
Other (Explain	
Will closed loop systembe used? If so, describe: N/A	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A	
-If oil based, what type? Synthetic, petroleum, etc. N/A	
Additives to be used in drilling medium? N/A	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Offsite	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A	
-Landfill or offsite name/permit number? N/A	
Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings or associated waste re	
West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall a where it was properly disposed.	lso disclose
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION on April 1, 2016, by the Office of Oil and Cas of the West Virginia Department of Environmental Protection. I unprovisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information supplication form and all attachments thereto and that, based on my inquiry of those individuals immediately responsite information, I believe that the information is true, accurate, and complete. I am aware that there are significated by the information, including the possibility of fine or imprisonment. Company Official Signature OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. Company Official Title Deputy Chief OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGORDANY WHITCH.	derstand that the er applicable law ubmitted on this ible for o btaining ant penalties for
My Commission Expires April	m pener
Subscribed and sworn before me this day of day of , 20 23	Office of Oil and Gas
Mencea aux la Deffock Notary Public	APR 0 3 2023
My commission expires Cipro 6,303	WV Department of Environmental Protection

Form WW-9


Operator's Well No. 470730000D


oposed Revegetation Trea	atment: Acres Disturbed L	ess than an acre Prevegetation	рН
Lime 3	Tons/acre or to corre	ct to pH 6.0	
Fertilizer type 20-	-20-20		
Fertilizer amount	500	lbs/acre	
Mulch_2-3		_Tons/acre	
		Seed Mixtures	
Te	emporary	Perm	nanent
Seed Type	lbs/acre	Seed Type	lbs/acre
		Fescue	30
		Clover	3
		Contractor Mix	10
ups(s) of road, location, povided). If water from the W), and area in acres, of		d application (unless engineered plans incl ovide water volume, include dimensions (I	
aps(s) of road, location, povided). If water from the W), and area in acres, of otocopied section of invo	e pit will be land applied, profit the land application area.	ovide water volume, include dimensions (I	., W, D) of the pit, and dimen
ups(s) of road, location, povided). If water from the W), and area in acres, of otocopied section of invo	e pit will be land applied, profit the land application area. Silved 7.5' topographic sheet.	ovide water volume, include dimensions (I	., W, D) of the pit, and dimen
ps(s) of road, location, p vided). If water from the W), and area in acres, of ptocopied section of invo	e pit will be land applied, profit the land application area. Silved 7.5' topographic sheet.	ovide water volume, include dimensions (I	., W, D) of the pit, and dimen
ps(s) of road, location, p vided). If water from the W), and area in acres, of stocopied section of invo	e pit will be land applied, profit the land application area. Silved 7.5' topographic sheet.	ovide water volume, include dimensions (I	., W, D) of the pit, and dimen
ups(s) of road, location, povided). If water from the W), and area in acres, of otocopied section of invo	e pit will be land applied, profit the land application area. Silved 7.5' topographic sheet.	ovide water volume, include dimensions (I	., W, D) of the pit, and dimen
ups(s) of road, location, povided). If water from the W), and area in acres, of otocopied section of invo	e pit will be land applied, profit the land application area. Silved 7.5' topographic sheet.	ovide water volume, include dimensions (I	., W, D) of the pit, and dimen
ovided). If water from the W), and area in acres, of	e pit will be land applied, profit the land application area. Silved 7.5' topographic sheet.	ovide water volume, include dimensions (I	., W, D) of the pit, and dimen
aps(s) of road, location, povided). If water from the W), and area in acres, of otocopied section of invo	e pit will be land applied, profit the land application area. Silved 7.5' topographic sheet.	ovide water volume, include dimensions (I	RECEIVED
aps(s) of road, location, povided). If water from the W), and area in acres, of otocopied section of invo	e pit will be land applied, profit the land application area. Silved 7.5' topographic sheet.	ovide water volume, include dimensions (I	., W. D) of the pit, and dimen


NO COMPLETION REPORT

RECEIVED
Office of Oil and Gas

APR 0 3 2023







WELL RECORD Oil or Gas Well Oil Left in Well Used In Drilling Packers Sizo Location (waters) Kind of Packer Well No. 12 The surfact of tract is owned in fee by 1851/1 7434 743/3 Depth set____ Drilling commenced. 786. Drilling completed Date shot Det Short Liners Used /10ths Water in /10ths Merc. in CASING CEMENTED 26000 COAL WAS ENCOUNTERED AT INCHES FEET Mal INCHES Salt water Oil, Gas or Water Beltom Top Calor Formation O. 105 Red. 130 1.05 130 140 Bed 153 140 Bard 185 102 Red 210 185 Nand 265 Bed 290 265 Hard dack. 3,00 270 Bid 480 sthite 3.90 490 4.80 Red Brek 3-10. 490 3/ hite "Slate 5-25 3-10 Red 3-40 3-25 640 540 Red RECEIVED Hard 11 hite 640. 685 Office of Qil and Gas 710 685 Black APR 03 2023 730 1/10 Red . 760 730 WV Department of **Environmental Protection** 783 7.60 shite 115. Black

(Over)

OFF SET WELL
STATE OF WEST VIRGINIA
DEPARTMENT OF MINES 4707302614
OIL AND GAS DIVISION

; ;

u No Pleus, 196

WELL RECORD

	11.0		(213	n) 3 4 1
Address Maverly & Val	Casing and Tubing	Used in . Drilling	Left in Well	Packers .
Farm R. M. Johnson Location (waters) Bull Crook Well No. Elev.	Sizo		, ,	Kind of Packer.
District Grant County Plansants The surface of tract is owned in fee by R. M. Johnson	13	10 175 "		Size of
Address Mayerly, W. Ve. Mineral rights are owned by R. M. Johnson	81/4	791		Depth set
Address Mayerly, M. Ve. Drilling commenced May 15 Drilling completed June 28	3		4 1 15	Perf. top
Date shot Depth of shot G Open Flow /10ths Water in Inch				Perf. bottom./
Volume none Cu. Ft.	CASING CEMI	ENTED	SIZE	No. FtD
Rock Pressure DONS the hrs. Oil 2801. 57 bbls., 1st 24 hrs. Fresh water 11013. 9 feet feet	COAL WAS E			
Fresh water NONG feet feet Salt water NONG feet feet	FEE			FEET INCH

Formation	Cclor	Hard or Soft	Top	Boltom	Oil Gas oz Water	Depth Found	Retaurks
So11			و الماري	48	. 1		
Red Rock		, ,	148	146	"\\		
Brown Rock Red Rock	į		175	173 183	15,12	,	
Rock			175 183	100			
Red Rock	1		199	199 228			
Sand	2	}	228 ===	253			Î -
Red Rock			253:	- 308	. 4		
Sand			308	353	,		
Red Rook			333	345			
White late			343	408			
Red Rock Whito Slate			408	423			4.5
Red Rock		1.	423	523			
White Slate			523 533	553			
Red Rock		;	ヒニス	553 568		14.1	
White Slate		ما منطقه الما المنطقة ا	568 "	583	7		
Red Rock	Α.		· 583	583			
White State			683	728		,	
Black_Shale			728	743 773			3
Pink Rock			743 773	773			da -
Dark Lime	**		773	803	9		
Sand Show 011		4	803 · 8 1 9	829 8 3 9			
DIION OTT		1)	049	096)		<u> </u>	
	-	1 1		,			
1							
				<i>.</i>			RECEIVED Office of Oil and Gas
		12					Unice of Oil and Gas
						National Section 1985	APD 0 9 2020
	, G		ř			i in the second	" APR 0 3 2023
				,			444.00
(613113)	365				,		WV Department of
(NO ")	12/3						Environmental Protection
Meren Meren	, <u>E3</u>						
一次 理學工具		*	<i>G</i> ;	5 - 1 -			
(C)	100 E			- 10°			
19 , "4	-17 (22) 1			• :		<u> </u>	<u></u>
6 11619AV	. ⊗ 'I			•		79.	
- (Co ♥ 1	(69)			,	ξ.		
1520 S	16,00			TODAY THE		A Property of the Control of the Con	04/00/000
- 25.1	1	7-		12.341.34 .	<u> </u>		<u>U4/28/</u> 2023
and the state of t	teritoria. Kalendaria	e de também de la companya de la co La companya de la co) المستقوم المحد فياة ا	Over)	S ame of the contract of the	منتيبا ووالشها	
			i i				
•	•		• • • •				*** * * *** * * ***

The Mark Control of the			en grande en			07302614
. Formation Color	Hard or Soft	Tvp	Bottom	Oil. Gas or Water	Depth Found	Remarks
4.0	· ·		25 B			
	#	e .				0
		•	*	8		
	,					
				4	N D	
	1	. 1.				
1						₹V.
				3	Ţ	
	2"		2			હું કો હું ઉપયો
2 2 2	₹ "				Ø	
AND THE RESERVE AND ASSESSMENT OF THE PARTY					i i	
		9			6	
				S . C .		
				n jš		
5			1 1		1.	
	2					
		V 1 11				
A Company of the Comp		1. A. t	i se sali a persal	8	16	
				,	6	Control of the Contro
	₽ P	6		() () () () () ()		
	, E		11.7			
			de d		*	in the state of th
	4.	 		3	3 /	
A promise of the contract of t						RECEIVED Office of Oil and Gas
and the second of the second o	/ " · · · · · · · · · · · · · · · · · ·					APR 0/3 2023
						3
						WV Department of Environmental Protection
	9	, <u></u>		1	1	
	1:3	The Landing of		1	-	

WW-4B

API No.	47-073-02614	
Farm Name		
Well No.	470730000D	

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

STATETICS

	WAIVER
has examined this proposed plugging	or/ owner/ lessee/ of the coal under this well location work order. The undersigned has no objection to the work proposed to be well operator has complied with all applicable requirements of the West ulations.
Date:	
	By:
	Its

RECEIVED
Office of Oil and Gas

APR 0 3 2023

4707302614

SURFACE OWNER WAIVER

47-073-02614

Operator's Well Number

470730000D

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

<u>Time Limits and methods for filing comments</u>. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received cop**RECEI** of and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey place of Oil and Gas

I further state that I have no ol	ojection to the	e planned work	described in these materials, and 1 have no
objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON ETC.			WV Department of N. FOR EXECUTION BY A wife of the right Protection
	Date	Name _	
Signature		By _	
		Its _	Date

Signature



info@slswv.com www.slswv.com

March 31, 2023

Jason Harmon, Deputy Director WV Department of Environmental Protection Office of Oil & Gas 601 57th Street, SE Charleston, WV 25304-2345

Dear Mr. Harmon,

Please find enclosed a permit application to plug API# 47-073-02614 in Grant District, Pleasants County. It is a part of the multi-well plugging contract for the Orphan and Abandoned Well Program for Region 1. The plugging contractor is Next Level Energy, operating under the Region 1 contract. The Inspector has signed off on the work to be performed. The surface owner has been mailed a copy of the permit application, mail receipts has been included along with notice of intent form and mail receipts.

If you have any questions or comments please do not hesitate to contact me.

Jim Mencer Permitting Technician SLS Land & Energy Development 304-462-5634

> RECEIVED Office of Oil and Gas

APR 0 3 2023



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 4707302612 07302614 07302615 07302619

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Mon, Apr 24, 2023 at 10:53 AM


To: Henry J Harmon henry.j.harmon@wv.gov, Austin Sutler <a sutler@nextlvlenergy.com, Isaiah M Richards <isaiah.m.richards@wv.gov>, vgorrell@assessor.state.wv.us


To whom it may concern, plugging permits have been issued for 4707302612 07302614 07302615 07302619.


James Kennedy

WVDEP OOG

8 attachments







4707302612.pdf 4194K

4707302614.pdf 4391K

4707302615.pdf 4443K

4707302619.pdf 4504K

IR-8 4707302619.pdf 120K