

New Location   
 Drill Deeper   
 Abandonment

Company HART & HAMILTON  
 Address BOX 26, ST. MARYS, W. VA.  
 Farm J. B. REYNOLDS  
 Tract \_\_\_\_\_ Acres 206 Lease No. \_\_\_\_\_  
 Well (Farm) No. #11 & #16 Serial No. 36  
 Elevation (Spirit Level) #11-920' & #16-980'  
 Quadrangle ST. MARYS  
 County PLEASANTS District WASHINGTON  
 Engineer JOHN W. HAMILTON  
 Engineer's Registration No. 2274  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 11-23-59 Scale 1" = 30 P

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. PLEAS-861-A #11  
PLEAS-866-A #16

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

*Plot 861-A*



*293*

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle St. Marys

Permit No. 866A

WELL RECORD

Oil or Gas Well Oil  
(KIND)

Company Hart & Hamilton  
Address 702 Second Street, St. Marys, W. Va.  
Farm J. B. Reynolds Acres 206  
Location (waters) French Creek  
Well No. 16 Elev. 980  
District Washington County Pleasants  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Nellie R. Quist et al.  
Address \_\_\_\_\_  
Drilling commenced 1901  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
WELL ACIDIZED \_\_\_\_\_  
WELL FRACTURED \_\_\_\_\_


| Casing and Tubing | Used in Drilling | Left in Well | Packers              |
|-------------------|------------------|--------------|----------------------|
| Size              |                  |              | Kind of Packer _____ |
| 16                |                  |              |                      |
| 13                |                  |              | Size of _____        |
| 10                |                  |              |                      |
| 8 1/4             |                  |              | Depth set _____      |
| <u>5 3/16</u>     | <u>815</u>       |              |                      |
| 3                 |                  |              | Perf. top _____      |
| 2                 |                  |              | Perf. bottom _____   |
| Liners Used       |                  |              | Perf. top _____      |
|                   |                  |              | Perf. bottom _____   |

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_  
Fresh Water \_\_\_\_\_ Feet \_\_\_\_\_ Salt Water \_\_\_\_\_ Feet \_\_\_\_\_

| Formation          | Color | Hard or Soft | Top        | Bottom     | Oil, Gas or Water | Depth | Remarks |
|--------------------|-------|--------------|------------|------------|-------------------|-------|---------|
| <u>Cow Run</u>     |       |              | <u>820</u> | <u>850</u> |                   |       |         |
| <u>Total Depth</u> |       |              |            | <u>855</u> |                   |       |         |



APR 6 1962

