

- New Location
- Drill Deeper
- Abandonment

SEP 19 1960

*W.H. Hamilton*  
*J.H. Kim*

Company HART & HAMILTON  
 Address ST. MARYS, W. VA.  
 Farm M. EDDY  
 Tract \_\_\_\_\_ Acres 104 1/2 Lease No. 152  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 1037'  
 Quadrangle ST. MARYS.  
 County PLEASANTS District M.S. KIM.  
 Engineer JOHN W. HAMILTON  
 Engineer's Registration No. 2274  
 File No. \_\_\_\_\_ Drawing No. 196  
 Date AUG. 12, 1960 Scale 1" = 30 P.

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. PLEAS-874-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

M. EDDY No. \_\_\_\_\_ HART & HAMILTON — PLEAS-874-A



230

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle St. Marys

WELL RECORD

Permit No. Pleas 87A A

Oil or Gas Well Gas  
(KIND)

Company Hart & Hamilton  
Address 702 Second Street, St. Marys, W. Va.  
Farm Michael Eddy Acres 104-1/2  
Location (waters) \_\_\_\_\_  
Well No. 1 Elev. 1037'  
District McKim County Pleasants  
The surface of tract is owned in fee by Denver H Drake et ux  
Address \_\_\_\_\_  
Mineral rights are owned by Ira Eddy et ux  
Address \_\_\_\_\_  
Drilling commenced 1912  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
WELL ACIDIZED \_\_\_\_\_  
WELL FRACTURED \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer _____
13			Size of _____
10			Depth set _____
8 3/4			Perf. top _____
6 5/8	<u>1540</u>		Perf. bottom _____
5 3/16			Perf. top _____
3			Perf. bottom _____
2			
Liners Used			


CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT

ROCK PRESSURE AFTER TREATMENT

Fresh Water \_\_\_\_\_ Feet \_\_\_\_\_ Salt Water \_\_\_\_\_ Feet \_\_\_\_\_

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Cow Run		<del>1995</del>	995	1005			
1 st. Salt			1475	1512			
2 nd. Salt			1537	1582			
3 rd. Salt			1622	1752			
Maxton			1780	1800			
Lime			1800	1895			
Keener			1925	1950			
Injun			1950	1990			
Squaw			1990	2050			
Total Depth				2050			



AUG 2 1961

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date August 15, 1960

APPROVED HART & HAMILTON, Owner

By D. H. Webb  
 D. H. Webb (Title)