

AUG 1 3 1996

State of West Virginia Division of Environmental Protection Section of Oil and Gas

**Permitting** Office of Oil & Gas

Well Operator's Report of Well Work

Farm name: MAUST, PLAYFORD Operator Well No.: P. MAUST #1

LOCATION:

Elevation: 2,064.00 Quadrangle: BRANDONVILLE

District: GRANT County: PRESTON
Latitude: 11440 Feet South of 39 Deg. 45Min. 0 Sec.
Longitude 6680 Feet West of 79 Deg. 32 Min. 30 Sec.

Company:PETROLEUM DEVELOPMENT COR 103 E. MAIN ST P.O. BOX 26	Casing	Used in	Left	  Cement
BRIDGEPORT, WV 26330-0026 Agent: ERIC STEARNS	& Tubing	Drilling	in Well	Fill Up  Cu. Ft.
Inspector: PHILLIP TRACY	Size			   
Permit Issued: 06/03/96 Well work Commenced: 06/23/96	9 5/8"	30'	30'	
Well work Completed: 06/26/96  Verbal Plugging  Permission granted on:	7" <sup>-</sup>	   549'	549'	110 sks
Rotary × Cable Rig Total Depth (feet) 3234' Fresh water depths (ft)	4 1/2"	3020'	3020'	146 sks
50; 80'; 120'; 342' Salt water depths (ft)				
Is coal being mined in area (Y/N)? N Coal Depths (ft): n/a				

## OPEN FLOW DATA

Producing formation Bradford/ Lower BalltownPay zone depth (ft) 2780-2843
ous. Initial open flow n/a MCF/d Oll: Initial open flow o nhiza
rindi open ilow 373 MCF/d Final open flow
Time of open flow between initial and final tootsBDI/d
Static fock Pressure (so main / numbers
psig (surface pressure) after 72 Hours
Second producing formation Upper Balltown Pay zone depth (ft) 2682-2738  Gas: Initial open flow MCF(d Oil Tribial Control of the Pay zone depth (ft) 2682-2738
Gas: Initial open flow MCF/d Oil: Initial open flow Bbl/d
Final open flow co-mingled MCF/d Final open flow Bbl/d
Time of open flow between initial and final tests Hours
Static rock Pressurepsig (surface pressure) after Hours
Third producing formation Speechley Pay zone depth (ft) 2466-2591
NOTE: ON BACK OF THIS FORM PUT THE POST OFFICE AND ADDRESS OF THIS FORM PUT THE POST OFFICE ADDRESS OF THE POST OF
NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED
INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL
""" TO IN DIDIBILATION DETAILED GENERAL DECARD AND MAIN HORSES
INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

For: PETROLEUM DEVELOPMENT CORP.

Eric R. Stearns By: Date: August 12, 1996

ANG 21 1835

## Pres 295

Playford Maust #1		00.41.00			
STAGE FORMATION	PERFS	80/100 SKS	20/40 SKS	ACID GAL	N2 (MCF)
lst Bradford Balltown	4 (2841' - 2843') 8 (2780' - 2786')	25	400	500	
2nd Balltown	12 (2682' - 2738')	25	400	500	
3rd Speechley	12 (2466' - 2591')	50	430	500	
were a constant	WELL LOG	RI	EMARKS:	FRESH	& SALT
FORMATION	TOP FEET BOTTOM FE		ATER, COA		
KB - GL sand, shale, RR Little Lime sand, shale Big Lime sand, shale Keener sand, shale Big Injun sand, shale	670 672 672 724 724 728 728 773 773 850	7: 50 7: 0 (a)	5 GPM @50 5 GPM @80 0 GPM @12 5 GPM @34	20'	
Weir sand, shale Gantz sand, shale 50 ft sand, shale 30 ft sand, shale	850 1027 1027 1060 1060 1105 1105 1152 1152 1202 1202 1206 1206 1250	)			
4th sand, shale 5th sand, shale Bayard sand, shale Warren	1690 1736 1736 1916 1916 1980 1980 2002 2002 2043 2043 2156 2156 2200				
sand, shale Speechley sand, shale Tiona sand, shale Balltown sand, shale Bradford	2200 2454 2454 2534 2534 2540 2540 2574 2574 2583 2583 2794 2794 2822 2822 2845			· ·	
sand, shale	2845 3231 3234		rillers T ogger TD	נט	

FORM	WW-2B	nvironmental Prote	ection		07	7-02-95	Pageof		
1 0141				TE OF WEST	VIRGINIA CTION, OFFI		Pageof		
		Parmilu.	MELL WO	ORK PERMIT	' APPLICATI	ON			
1)	Well Op	Office of Oil & G	ETROLEUM	DEVELOPMENT	うで <sup>た</sup> CORPORATION	3,200	W 264		
2)							Elevation: 2064'		
4)			•				ed 06/03/96		
	-					8,00	$\alpha \wedge \lambda \wedge \lambda \wedge \lambda = \lambda$		
	(b) If Gas: Production XX / Underground Storage / Deep / Shallow XX /								
113	Propose	d Target	Formation	(s):	Elk Sands				
22	Propose	d Total De	epth: 550	0'.	feet				
	Approxi	mate fresi	h water s	trata dep	ths: 50';	85'; 190'; 38	35'		
	Approxi	mate salt	water de	pths:	None Reporte	đ			
	Approxi	mate coal	seam dep	ths:	None Reporte	d			
10)	Does la	nd contain	n coal sea	ams tribu	tary to act	ive mine?	Yes/ No_XX_/		
11)	Propose	d Well Wo	rk: Dril	1 & Stimula	te new well	-			
12)									
			CASING	3 AND TUB	ING PROGRAM				
TYPE SPECIFICATIONS FOOTAGE INTERVALS CEMENT									
					TOOTHON T	WINAVIRO	CEMENT		
			Grade	Weight		Left in	-		
Condu	ıctor	Size		Weight	For drilling	Left in well	Fill-up		
Condu	ictor 1 Water	Size	Grade	Weight per ft.	For drilling	Left in well	Fill-up (cu. ft.)		
Condu		Size	Grade	Weight per ft.	For drilling	Left in well	Fill-up (cu. ft.)		
Condu Fresh		Size	Grade	Weight per ft.	For drilling	Left in well	Fill-up (cu. ft.)		
Condu Fresh Coal	Water	<b>Size</b> 9-5/8"	Grade H-40	Weight per ft.	For drilling 30'	Left in well	Fill-up (cu. ft.)		
Condu Fresh Coal	water mediate	<b>Size</b> 9-5/8"	Grade H-40 H-40	Weight per ft. 32#	For drilling 30'	Left in well	Fill-up (cu. ft.) 38CSR18-11.3 38CSR18-11.2.2 38CSR18-11.1		
Condu Fresh Coal Inter	water mediate	<b>Size</b> 9-5/8"	Grade H-40 H-40	Weight per ft. 32#	For drilling 30'	Left in well	Fill-up (cu. ft.) 38CSR18-11.3 38CSR18-11.2.2 38CSR18-11.1		
Condu Fresh Coal Inter Produ	water mediate	Size 9-5/8" 7" 4-1/2"	Grade H-40 H-40	Weight per ft. 32#	For drilling 30'	Left in well	Fill-up (cu. ft.) 38CSR18-11.3 38CSR18-11.2.2 38CSR18-11.1		
Condu Fresh Coal Inter Produ Tubin	water  mediate  action  g  RS: Kir	Size 9-5/8" 7" 4-1/2"	Grade H-40 H-40	Weight per ft. 32#	For drilling 30'	Left in well	Fill-up (cu. ft.) 38CSR18-11.3 38CSR18-11.2.2 38CSR18-11.1		
Condu Fresh Coal Inter Produ Tubin Liner PACKE	water  mediate  action  g  RS: Kir	9-5/8"  7" 4-1/2"  ad_  2es_  oths set	H-40 J-55	Weight per ft.  32#  17#  10.5#	For drilling 30'	Left in well 520' 5500'	Fill-up (cu. ft.) 38CSR18-11.3 38CSR18-11.2.2 38CSR18-11.1		
Condu Fresh Coal Inter Produ Tubin Liner PACKE	water  mediate  action  g  RS: Kir	9-5/8"  7"  4-1/2"  ad  zes  ths set	Grade H-40 J-55	Weight per ft.  32#  17#  10.5#	For drilling 30' 520' 5500'	Left in well 520' 5500'	Fill-up (cu. ft.)   38CSR18-11.3 38CSR18-11.2.2 38CSR18-11.1 450 sks		
Condu Fresh Coal Inter Produ Tubin Liner	water  mediate  action  g  ERS: Kir Siz Der	9-5/8"  7"  4-1/2"  ad  zes  ths set	Grade H-40 J-55	Weight per ft.  32#  17#  10.5#  of Oil as ork Permit	520' 5500' Rec	Left in well 520' 5500'	Fill-up (cu. ft.)  38CSR18-11.3 38CSR18-11.2.2 38CSR18-11.1 450 sks		
Condu Fresh Coal Inter Produ Tubin Liner	water  mediate  action  ag  as  as  as  as  being  continuous  continuous  ag  continuous  ag	9-5/8"  7"  4-1/2"  ad  zes  ths set	Grade H-40  H-40  J-55  Or Office  Well Wo	Weight per ft.  32#  17#  10.5#  of Oil as ork Permit	For drilling 30' 520' 5500'	Left in well 520' 5500'	Fill-up (cu. ft.)   38CSR18-11.3 38CSR18-11.2.2 38CSR18-11.1 450 sks		
Condu Fresh Coal Inter Produ Tubin Liner	water  mediate  action  g  ERS: Kir Siz Der	9-5/8"  7"  4-1/2"  ad  zes  ths set	Grade H-40  H-40  J-55  Or Office  Well Wo	Weight per ft.  32#  17#  10.5#  of Oil as ork Permit	520' 5500' Rec	Left in well 520' 5500'	Fill-up (cu. ft.)  38CSR18-11.3 38CSR18-11.2.2 38CSR18-11.1 450 sks		
Condu Fresh Coal Inter Produ Tubin Liner	water  mediate  action  g  ERS: Kir Siz Der	9-5/8"  7"  4-1/2"  ad  zes  ths set	Grade H-40  H-40  J-55  Or Office  Well Wo	Weight per ft.  32#  17#  10.5#  of Oil as ork Permit	520' 5500' Rec	Left in well 520' 5500'	Fill-up (cu. ft.)  38CSR18-11.3 38CSR18-11.2.2 38CSR18-11.1 450 sks		

		REC	<b>EIVED</b> ivision of or				<b>*</b> • • • • • • • • • • • • • • • • • • •
	_	. Wo	SIVED	1)	Date: Apri	1 00 1006	
	1 of	nvironmei	ital Protection	2)		well number	
	.WW2-A	MAV 2	1 1996	-,	Playford Mar	ust #1	
(6/94	Copy	. , 1997	1 1996	3)	API Well No	: 47 - 77	- 0295
LITE	COPY						
		Office of C	ming				•
	,	STATE OF	WESPSVIRG	INIA -	BUREAU OF EN	VIRONMENT	
		DIVI	SION OF E	ENVIRON	IENTAL PROTEC	CTION	•• 
			OFFIC	E OF OI	L AND GAS	•	•
				3 M T A M P	OD A WELL WO	ом обрити	
		NOTICE A	ND APPLIC	ATION F	OR A WELL WO	RR PERMIT	
4)	Surface	Owner(s) to	o be serv	ed:	5) (a) Coal	Operator:	
٦)					Name		
	Address	Rt. 4, Box 1	16		Address		
		Bruceton Mil	ls, WV 26	525	<u></u>		
	(b) Name				(b) Coal Ow	ner(s) with	Declaration
	Address				Name Address		
					Address		
	(c) Name				Namo		
	Address				Address		, .
					Address		
6)	Inspecto	r Phillip T	<b>***</b>		(c) Coal Le	ssee with D	eclaration
6)		Rt. 2. Bo			• •		
		Montrose.	WV 26283	}			
	Telephor	ne (304)	636-8798				
	•						
		TO THE P	erson(s)	<u>named a</u>	BOVE TAKE NO	TICE THAT:	
			3	. 1	a or other	continuing	contract or
	Include	d is the	lease of	c rease	extract oil	and das OR	contract or
cont	racts by	wnich i no	oformation	regui	red by Chapte	er 22. Artic	cle 6, Section
0 (4)	of the	Code of Wes	t Virgini	ia (see	nage 2)	JI 22, 111-01-0	,
• •	T certi	fy that as	required	under	Chapter 22 o	f the West	Virginia Code
T ha	we serve	d copies o	f this no	otice a	nd applicati	on, a locat	cion plat, and
acco	mpanving	documents	pages 1 t	through	on the a	above named	parties, by:
	Pe	rsonal Serv	/ice (Aff:	idavit a	attached)		
	Ce:	rtified Mai	il (Postma	arked p	ostal receip	t attached)	
	Pul	blication	(Notice of	f Public	cation attach	hed)	
					- 22 6 and 2	0 CCD 11-19	and Tagree
	I have	read and u	nderstand	Chapte	mit issued u	nder this a	3, and I agree nolication.
to t	ne terms	and condition	cions of a	any per	mit issued d	ersonally ex	xamined and am
fami	liar wit	h the info	ormation	submitt	ed on this	application	form and arr
a++:	chmente	and that	based on	mv inal	liry of those	e individua.	TS IMMEGIACETÀ
rest	onsible	for obtain	ing the	informa	tion, I beli	eve that the	he information
is t	rue acc	urate, and	complete	•			
	T am au	are that 1	there are	signif	icant penalt	cies for sul	bmitting false
info	ormation,	including	the poss	ibility	of fine and	ımprisonme	nt.
••••	······	minima	Well O	perator	PETROLEUM DEV	ELOPMENT CORPO	JKATIUN
(91 111	NOT	ARY PUBLIC	By: Er	ic R. Ste	earns Develop	ment	
E BE	STATE	OF WEST VIRGINIA TO S. GABBERT		sP 0 Box			
18	230 E 97 2	BOX 714, APT. 6-F	Addres		ort, WV 26330		
SE SE VE	BRIDG My Commis	EPORT, WV 26330 sion Expires July 7, 2003	Teleph	one	(304) 842-6256		
~305	scribed a	nd sworn b	efore me	this 13	Hay of 1	nay	, 19 <b>96</b>
		<i>(</i> )	0 1	11			Mahami Buhlis
		Janet	12	best	-		_Notary Public