WR-35 Rev (9-11)

State of West Virginia Department of Environmental Protection Office of Oil and Gas Well Operator's Report of Well Work

DATE:	7-31-2012
API#:	47-077-00566

Farm name: Dennis Hart 3H	Operator Well No.: 832773				
LOCATION: Elevation: 1735'	Quadrangle: Morgantown North				
District: Valley Point	County: Pres	ton			
Latitude: ²¹³⁷ Feet South of ³⁹ Deg.		1. 00 Se	c.		
Longitude 7701 Feet West of 79 Deg.	45 Mir	n. 00 Se	c.		
Company: Chesapeake Appalachia, L.L.C.					
Address: P.O. Box 18496	Casing & Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.	
Oklahoma City, OK 73154-0496	20"	120'	120'	Driven	
Agent: Eric Gillespie	13 3/8"	397'	397'	476 Cu. Ft.	
Inspector: Bryan Harris	9 5/8"	3366'	3366'	213 Cu. Ft.	
Date Permit Issued: 1/25/2011	5 1/2"	13884'	13884'	2619 Cu. Ft.	
Date Well Work Commenced: 6/18/2011					
Date Well Work Completed: 1/26/2012					
Verbal Plugging:					
Date Permission granted on:					
Rotary Cable Rig				* .	
Total Vertical Depth (ft): 7774' (cement plug @6625'-7200')					
Total Measured Depth (ft): 13885'				1	
Fresh Water Depth (ft.): 300'					
Salt Water Depth (ft.): None					
Is coal being mined in area (N/Y)? N					
Coal Depths (ft.): 80', 180'					
Void(s) encountered (N/Y) Depth(s) N					
OPEN FLOW DATA (If more than two producing formation Producing formation Marcellus Pay z Gas: Initial open flow MCF/d Oil: Initial open flow Time of open flow between initial and final tests 50 Static rock Pressure 4,969* psig (surface pressure) aft Second producing formation Pay zor Gas: Initial open flow MCF/d Oil: Initial open flow Time of open flow MCF/d Final open flow Time of open flow between initial and final tests Static rock Pressure psig (surface pressure) aft	one depth (ft) owB 0 BtHours erHou ne depth (ft) owBHours	7,876' - 13,745' bbl/d bl/d s *Calculated urs bbl/d bl/d bl/d	RI AU WV GEO	ECEIVED IG 7 2012 PLOGICAL SURVEY RIGANTOWN, WV	

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this document and all the attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information I believe that the information is true, accurate, and complete.

Marlow Williams
Signature

8/3/2012 Date

Were core samples taken? Yes_	No_N	Were	e cuttings caught duri	ng drilling? Yes <u>Y</u>	No
Were Electrical, Mechanical or Ge open hole logs run from 0-7804' MD; LWD GR	cophysical logs recor	ded on this well?	If yes, please list GR	, neutron, density, ar	nd resistivity
NOTE: IN THE AREA BEI FRACTURING OR STIMULA DETAILED GEOLOGICAL F COAL ENCOUNTERED BY T	LOW PUT THE TING, PHYSICAL RECORD OF TH	CHANGE, ETC E TOPS AND B	2. 2). THE WELL LO COTTOMS OF ALI	OG WHICH IS A SY L FORMATIONS, I	STEMATIC
Perforated Intervals, Fracturing, or	Stimulating:				
					,
				nusurum and	
Plug Back Details Including Plug	Гуре and Depth(s):	Cement plug	@ 6625'- 7200'		
			THE RESERVE OF THE PARTY OF THE		
Formations Encountered: Surface:		Top Depth	/	Bottom D	<u>epth</u>
	WWW.W. 1949				***************************************
					~
		,			
e de la companya de l	***************************************				
				 	
			¥ ·		
				RECEIVE	D

AUG 7 2012

WV GEOLOGICAL SURVEY MORGANTOWN, WV

PERFORATION RECORD ATTACHMENT

Well Number and Name: 832773 Dennis Hart 3H

PERFO	RATION RE	CORD	STIMULATION RECORD							
	Interval P	erforated				Fluid		Propping Agent		Average
Date	From	To	Date	Interval	Treated	Туре	Amount	Туре	Amount	Injection
12/14/2011	13,363	13,745	1/18/2012	13,363	13,745	Slk wtr	9,920	Sand	573,379	66
1/18/2012	12,910	13,275	1/19/2012	12,910	13,275	Slk wtr	9,709	Sand	572,590	70
1/19/2012	12,453	12,817	1/20/2012	12,453	12,817	Slk wtr	11,513	Sand	574,717	84
1/20/2012	11,996	12,360	1/20/2012	11,996	12,360	Slk wtr	10,942	Sand	575,837	74
1/20/2012	11,539	11,903	1/21/2012	11,539	11,903	Slk wtr	11,868	Sand	575,272	85
1/21/2012	11,082	11,446	1/22/2012	11,082	11,446	Slk wtr	10,357	Sand	554,563	78
1/22/2012	10,625	10,989	1/23/2012	10,625	10,989	Slk wtr	10,784	Sand	573,500	84
1/23/2012	10,168	10,522	1/23/2012	10,168	10,522	Slk wtr	10,493	Sand	569,333	82
1/23/2012	9,711	10,082	1/24/2012	9,711	10,082	Slk wtr	11,737	Sand	552,196	78
1/24/2012	9,254	9,622	1/24/2012	9,254	9,622	Slk wtr	13,402	Sand	500,775	81
1/24/2012	8,797	9,161	1/25/2012	8,797	9,161	Slk wtr	12,821	Sand	572,098	78
1/25/2012	8,340	8,704	1/25/2012	8,340	8,704	Slk wtr	12,686	Sand	573,046	80
1/25/2012	7,876	8,247	1/26/2012	7,876	8,247	Slk wtr	13,286	Sand	581,176	86

RECEIVED

AUG 7 2012

WV GEOLOGICAL SURVEY MORGANTOWN, WV

VERTICAL PILOT HOLE

Formation/Lithology	Top Depth, TVD/MD (ft)	Bottom Depth, TVD/MD (ft)
SHALE/LS	0	80
SHALE/LS/COAL	80	200
SHALE/LS	200	250
SHALE/SS	250	400
SHALE/LS/COAL	400	450
LS/SS	450	550
SS/SHALE	550	740
SHALE	740	840
LS	840	990
SS/SILT	990	2290
SHALE/SILT/SS	2290	7183
GENESEO	7183	7209
TULLY	7209	7289
HAMILTON	7289	7539
MARCELLUS	7539	7634
ONONDAGA (LS)	7634	
TD OF PILOT HOLE		7774

LATERAL SIDETRACK WELLBORE

Formation/Lithology	Top Depth, MC (ft)	Top Depth, T VD (ft)	D Bottom Depth, MD (ft)	Bottom Depth, TVD (ft)	
SHALE/LS	0	0	80	80	
SHALE/LS/COAL	80	80	200	200	
SHALE/LS	200	200	250	250	
SHALE/SS	250	250	400	400	
SHALE/COAL	400	400	450	450	
LS/SS	450	450	550	550	
SS/SHALE	550	550	740	740	
SHALE	740	740	840	840	
LS	840	840	990	990	RECEIVED
SS/SILT	990	990	2290	2290	NECEIVED
SHALE/SILT/SS	2290	2290	7188	7179	AUG 7 2012
GENESEO	7188	7179	7220	7210	WV GEOLOGICAL SURVEY
TULLY	7220	7210	7299	7285	MORGANTOWN, WV
HAMILTON	7299	7285	7680	7528	
MARCELLUS	7680	7528			
TD OF LATERAL			13885	7645	