

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Jim Justice , Governor Austin Caperton , Cabinet Secretary www.dep.wv.gov

Monday, January 08, 2018 WELL WORK PERMIT Horizontal 6A / Horizontal 6A Well

ARSENAL RESOURCES LLC 6031 WALLACE ROAD EXTENSION SUITE 603

WEXFORD, PA 15090

Re:

Permit approval for DARWIN 214

47-077-00623-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: DARWIN 214 Farm Name: HUFFMAN, MARCHETTA U.S. WELL NUMBER: 47-077-00623-00-00

Horizontal 6A / Horizontal 6A Well

Date Issued: 1/8/2018

Promoting a healthy environment.

API Number: 77-00623

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: 77-0623

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street Charleston, WV 25304 (304) 926-0450 fax (304) 926-0452

Jim Justice, Governor Austin Caperton, Cabinet Secretary www.dep.wv.gov

ORDER ISSUED UNDER WEST VIRGINIA CODE, CHAPTER 22, ARTICLE 6A

TO: Arsenal Resources, LLC 6031 Wallace Rd Ext, Ste 300 Wexford, PA 15090

DATE: December 8, 2017 ORDER NO.: 2017-W-2

INTRODUCTION

This Order (hereinafter "Order") is issued by the Office of Oil and Gas (hereinafter "OOG"), by and through its Chief, pursuant to the authority of W. Va. Code §§ 22-1-1, 22-6-1 and 22-6A-1 et seq. to Arsenal Resources, LLC (hereinafter "Operator"), collectively the "Parties."

FINDINGS OF THE CHIEF

In support of this Order, the Chief hereby finds the following:

- OOG, an office within the West Virginia Department of Environmental Protection, is the agency
 with the duty and authority to execute and enforce W. Va. Code §22-6-1 and §22-6A-1 et seq., and
 the rules and regulations promulgated thereunder.
- Arsenal Resources, LLC is a "person" as defined by W. Va. Code §22-6-1(n), with a corporate address as 6031 Wallace Rd Ext, Ste 300, Wexford, Pennsylvania.
- 3. On July 5, 2016, Arsenal Resources, LLC submitted a well work permit application identified as API# 47-077-00623. Subsequent well work applications were submitted on August 14, 2017, API# 47-077-00637; August 18, 2017, API#s 47-077-00638 and 47-077-00638; August 31, 2017, API# 47-077-00640; and September 29, 2017, API# 47-077-00641. The proposed wells are to be located on the Darwin Pad in Reno District of Preston County, West Virginia.
- On November 17, 2016, Arsenal Resources, LLC requested a waiver for Wetland 1A and Wetland 1B outlined in Attachment 1, from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit application identified as API# 47-077-00623.

CONCLUSIONS OF LAW

- 1. West Virginia Code §22-1-6(d) requires, in part, that "[i]n addition to other powers, duties and responsibilities granted and assigned to the secretary by this chapter, the secretary is authorized and empowered to...(3) Enter private lands to make surveys and inspections for environmental protection purposes; to investigate for violations of statutes or rules which the Office of Oil and Gas is charged with enforcing; to serve and execute warrants and processes; to make arrests; issue orders, which for the purposes of this chapter include consent agreements; and to otherwise enforce the statutes or rules which the Office of Oil and Gas is charged with enforcing."
- 2. West Virginia Code §22-6A-2(a)(6) requires, in part, that "Concomitant with the broad powers to condition the issuance of well work permits, the secretary should also have broad authority to waive certain minimum requirements of this article when, in his or her discretion, such waiver is appropriate: *Provided*, That the secretary shall submit a written report of the number of waivers granted to the Legislature commencing January 1, 2013, and each year thereafter."
- 3. West Virginia Code §22-6A-12(b) requires, in part, that "[n]o well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the Office of Oil and Gas shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The Office of Oil and Gas may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary."

ORDER

West Virginia Code §22-6A-12(b) requires, in part, that "[n]o well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland. The Office of Oil and Gas grants the request for a waiver for Wetland 1A and Wetland 1B from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit applications identified as API#s 47-077-00623, 47-077-00637, 47-077-00638, 47-077-00640 and 47-077-00641. The Office of Oil and Gas hereby **ORDERS** that Arsenal Resources, LLC shall meet the following site construction and operational requirements for the Darwin well pad:

- a. A berm shall be constructed around the perimeter of the pad to contain any potential spills and storm water runoff. Berm is to be at least twenty-four inches (24") in height;
- b. Erosion control blankets shall be installed on all slopes and down gradient locations of the pad as erosion and sediment controlling BMPs;
- c. Wetland 1A shall have a compost sock sediment trap (three socks stacked in pyramidal form) that will prevent any sediment from reaching the wetland or stream from the well pad and adjacent tank pad;
- d. Wetland 1B will be mostly covered by the construction of the well pad and tank pad. The remaining portion of the wetland shall have a compost sock sediment trap (three socks stacked in pyramidal form) that will prevent any sediment from reaching the wetland or stream from the well pad and adjacent tank pad;
- e. Disturbed areas not used for operations shall be seeded and mulched per the seeding tables in the WVDEP-OOG Erosion and Sediment Control Manual;
- f. Drill cuttings and associated drilling mud shall be disposed of in a permitted landfill;
- g. Waste generated by the flowback treatment systems shall be sent to offsite disposal at a permitted landfill;
- h. Weekly site inspections shall be conducted to monitor and maintain the integrity of the BMP storm water controls;
- i. Weekly storm water and spill prevention inspections shall be conducted focusing on storm water and spill prevention BMPs and maintenance of these BMPs;
- j. Inspections of the storm water and spill prevention measures shall be conducted after any major storm event defined as a half inch (½") rain within any twenty-four (24) hour period;
- k. Pad inspections shall be conducted no less than once a week to identify and mitigate potential deficiencies;
- 1. All records from inspections shall be maintained on site for the life of the project and be available upon request.


Thus ORDERED, the 8th day of December, 2017.

IN THE NAME OF THE STATE OF WEST VIRGINIA:

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

JAMES A. MARTIN, CHIEF

Darwin Wetland Waiver - Attachment 1



API	NO. 47- 077	00623		
	OPERATOR WEL	LNO.	Darwin 214	
	Well Pad Name	Darwin	1	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Arsenal Res	sources	494519412	Preston	Reno	Fellowsville 7.5
San Anguard Water Agus		Operator ID	County	District	Quadrangle
2) Operator's Well Number: Da	rwin 214	Well P	ad Name: Dat	rwin	
3) Farm Name/Surface Owner:	Darwin and Kare	n Wolfe Public Re	oad Access: R	tt. 92	
4) Elevation, current ground:	1442.80' F	Elevation, propose	d post-constru	ction: 1440	.20'
5) Well Type (a) Gas X Other	Oil _	Un	derground Sto	rage	
	llow X	Deep			
Hor	izontal X		MI	DK 1/4/	1201P
6) Existing Pad: Yes or No No			_ //	9 1/4/	2.019
 Proposed Target Formation(s) Marcellus Shale, target top 760), Depth(s), Anti	icipated Thickness 7699', 93 ft. thick,	and Expected .50 psi/ft.	Pressure(s):	
8) Proposed Total Vertical Depth					
9) Formation at Total Vertical D		ville Chert (Pilot)	Marcellus Sh	nale (Lateral)
10) Proposed Total Measured Do		ft.			
11) Proposed Horizontal Leg Le		15 ft.			
12) Approximate Fresh Water St		940'			
13) Method to Determine Fresh		Offsetting wells reported	water depths (077-003	391, 077-00392, 07	7-00393, 077-00193, 07700545
14) Approximate Saltwater Dept					
15) Approximate Coal Seam De		Brush Creek 142', Upper Freeport	188', Lower Freeport 248',	Uper Kittaning 344', Mi	ddle Kittaning 398', Lower Kittaning 420
16) Approximate Depth to Possi					
17) Does Proposed well location directly overlying or adjacent to	an active mine?	eams Yes	1	No X	
(a) If Yes, provide Mine Info:	Name:				
4, 104, 4, 11, 11, 11, 11, 11, 11, 11, 11, 11	Depth:				
	Seam:				
	Owner:				


ΔDI	NO.	47-	077	00623
46 1	1110	7/-		

OPERATOR WELL NO. Darwin 214
Well Pad Name: Darwin

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (Ib/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	24"	New	H-40	94#	80'	80'	CTS
Fresh Water	13.375°	New	J-55	54.5#	1000'	1000'	CTS
Coal							
Intermediate	9.625"	New	J-55	40#	1900'	1900'	CTS
Production	5.5"	New	P-110	20#	19,036'	19,036'	TOC @ 1,750' MD
Tubing							
Liners							



TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	24"	36"			0	None	None
Fresh Water	13.375"	17.5"	0.38"	2730 psi	0	Class A 3% CeCt2	1,20
Coal					0		
Intermediate	9.625"	12.25"	0.395"	3950 psi	0	Class A 5% CaGIZ	
Production	5.5"	8.5-8.75"	0.361"	12,640 psi	9500 psi	Type 1	1.29
Tubing					5000 psi		1.64/1.32
Liners							

PACKERS

Kind:			
Sizes:			
Depths Set:			

WW-6B
(10/14)

API NO. 47-077	- 00823
	VELL NO. Danwin 214
Well Pad Na	me: Darwin

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

The well will be started with a conductor rig drilling a 36" hole to Conductor programmed depth then running 24"casing and grout cement back to surface. The conductor rig will move out and the drilling rig will move in and rig up. The drilling rig will then spud a 17 1/2" hole and drill to fresh water casing (Surface) to the programmed depth, Run 13 3/8" casing and cement to surface. The rig will continue drilling a 12 1/4" intermediate hole at the programmed depth, run 9 5/8" casing and cement to surface. The rig will then continue to drill a 8 3/4" hole to a designated Pilot Hole Depth, log the well, and then set a cement kick-off plug from Pilot hole TD to designated kick-off point. Once the plug has cured, the plan is to then start drilling the curve and lateral section to the programmed total measured depth, run 5 1/2" casing and cement according to the program

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

The well will be completed using a plug and perforation method and stimulated with a slickwater and sand slurry. The anticipated maximum rate will be 90 bpm and the maximum pressure will be 9,500 psi.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 21.65 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 6.62 acres
- 23) Describe centralizer placement for each casing string:

24" - No centralizer 13/38" - one bow spring centralizer on every joint 9 5/8" - one bow spring centralizer every third joint from TD to surface 5 1/2" - one semi rigid centralizer on every joint from TD of casing to end of curve. Then every other joint KOP. Every third joint from KOP to 2,050'; there will be no centralizers from 2,050' to surface.


24) Describe all cement additives associated with each cement type:

24" will be grouted from surface. The 13 3/8" casing will be cemented to surface with Class A cament and no greater than 3% CeCl (calcium chloride). The 9 5/8" casing will be cemented to surface with Type 1 cement, & no greater than 3% calcium chloride. The 5 1/2" production string will be cemented back to 1,350' (+/- 200' above the casing shoe for the 9 5/8") with Type 1 or Class A cement retarder (to extend pumpability) cellophane flaked for fluid loss, Bentonite get as an extender (Increased pumpability and fluid loss), a defoaming agent to decrease cement foaming during mixing to insure the cement is of proper weight to placement and possibly gypsum gas blocking additive to aid in blocking/ gas migration (in combination with other additive mentioned here, helps cement achieve a "right angle" set) during the plastic phase of the cement set-up.

25) Proposed borehole conditioning procedures:

Top holes will be drilled with fresh water KOP. At KOP, the wellbore will be loaded with synthetic oil based mud, barite-weighted mud system with such properties as to build a filter-cake on the face to the bore-hole. This will provide lubricity as well as stabilizing the well bore. We will begin rotating the drill string and mud will be circulated upon reaching TD until no further cuttings are observed coming across the shaker screens. Once clean mud is circulated back to surface, we will pull three stands of drill pipe, load the hole, pull three strands and load the hole. The weight indicator on the rig will be monitored for any occurrences of drag and if any are noticed, we will re-run the previous stand of pipe pulled across and circulate 2x bottoms up while watching shakers for signs of cuttings. Once at the base curve, the string will be continuously rotated while pumping 2x bottoms up. We will pull three stands and fill the hole until we reach the vertical section of the well.

*Note: Attach additional sheets as needed.



RECEIVED Office of Oil and Gas

JUL 1 8 2017

WV Department of Environmental Protection



Office RECEIVED

JUL 18 2017

Environmental prost of

Purpose

The purpose of this pad-specific Hydraulic Fracturing Monitoring Plan is to identify and notify conventional well operators near Arsenal Resources hydraulic fracturing in Preston County, WV prior to hydraulic fracturing at the Darwin 214 pad.

Due to the apparent presence of unique geological conditions, the potential for communication between deep geologic zones exists in this area. This potential communication, via natural gas, water, or both, may occur between hydraulically fractured wells in the Marcellus formation (approximately 7,606' TVD) and existing conventional natural gas wells in the partially-depleted, relatively high permeability Elk Sand formations (approximately 5,490' TVD).

The plan is being implemented as an additional safety measure to be utilized in conjunction with best management practices and emergency action plans for this site. These additional measures include pre-notification of conventional well operators of the timing and location of the hydraulic fracturing, establishment of measures conventional well operators should implement, and assurance that the Division of Oil and Gas is notified of the timeline, as well as any issues that may arise during fracturing.

1. Communications with Conventional Operators.

Arsenal Resources, using available data (WV Geological Survey, WVDEP Website, and IHS data service), has identified all known conventional wells and well operators within 500 feet of this pad and the lateral sections. A map showing these wells along with a list of the wells and operators is included in Attachment A.

Upon approval of this plan, Arsenal Resources will notify these operators, via letter, of the hydraulic fracturing schedule for these wells. A copy of this letter is included in Attachment B.

The letter provides recommendations to these conventional operators to 1) increase their monitoring of their wells during that time period, 2) ensure that their well head equipment is sound, and 3) provide immediate notification to Arsenal Resources and the OOG in the event of any changes in their well conditions.

Specifically, the letter recommends that conventional well operators conduct the following activities during and after fracturing operations:

- Inspect their surface equipment prior to fracturing to establish integrity and establish prefrac well conditions.
- Observe wells closely during and after fracturing and monitor for abnormal increases in water, gas or pressure.
- 3. Inspect or install master valves rated to 3,000 psi or other necessary equipment for wellhead integrity.
- 4. Notify the OOG and ARSENAL RESOURCES if any changes in water, gas production, pressure or other anomalies are identified.



2. Reporting

Arsenal Resources will provide information relating to the hydraulic fracturing schedule, communication with conventional operators, and ongoing monitoring of the work upon request of OOG or immediately after any event of any noted abnormalities.



Area of Review Report -	Darwin Wolfe	Pad,	214	_ Lateral, _	Preston	County, WV
-------------------------	--------------	------	-----	--------------	---------	------------

Well Name	API Number	Operator Name / Address	Well Type	Latitude	Longitude	Total Depth	Perforated Formation(s)	Producing Zones not Perforated
Clarkson 6	077-00436	Diversified Resources	Vertical/Existing/Unknown	39.319705	-79.883014	5699	Riley Stray, Benson, 1st Elk, 2nd Elk A, 3rd Elk	NA
Clarkson 8	077-00438	Diversified Resources	Vertical/Existing/Unknown	39.315726	-79.881514	5797	Lower Riley, Alexander, 2nd Elk, 3rd Elk, 5th Elk	NA
Clarkson 14	077-00428	Diversified Resources	Vertical/Existing/Unknown	39.311646	-79.879074	5472	Upper Riley, benson, Alexander, 3rd Elk, 5th Elk	NA
Hamilton 7	077-00397	Diversified Resources	Vertical/Existing/Unknown	39.308106	-79.878454	5719	Upper Riley, Alexander, 2nd Elk, 3rd Elk, 5th Elk	NA
Clarkson 17	077-00424	Diversified Resources	Vertical/Existing/Unknown	39.306976	-79.873794	5671	Fifth Sand, Speechley A, Alexander, 2nd Elk, 3rd Elk, 5th Elk	NA
Clarkson 12	077-00384	Diversified Resources	Vertical/Existing/Unknown	39.304863	-79.841338	5664	Alexander, 2nd Elk, 3rd Elk, 4th Elk, 5th Elk	NA
Hamilton 9	077-00399	Diversified Resources	Vertical/Existing/Unknown	39.300317	-79.871764	5538	Balltown B, Benson, Alexander, 2nd Elk A, 3rd Elk	NA
WSB 2	077-00545	Diversified Resources	Vertical/Existing/Unknown	39.29461	-79.868034	5544	2nd Elk, 3rd Elk	NA

Office of Oil and Gas

JUL 1 8 2017

Environmental Protection

API Number 47 -	077	-	00623
Operatoric	Wall Ma	-	and of

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

Operator Name Arsenal Resources	OP Code 494519412
Watershed (HUC 10) Sandy Creek	Quadrangle Fellowsville 7,5'
Do you anticipate using more than 5,000 bbls of water to c Will a pit be used? Yes No If so, please describe anticipated pit waste: Pro-	omplete the proposed well work? Yes Vo No
Will a synthetic liner be used in the pit? Yes	_
Proposed Disposal Method For Treated Pit Waste	
Land Application	
Underground Injection (UIC P	ermit Number)
■ Reuse (at API Number Various)
Off Site Disposal (Supply form Other (Explain	WW-9 for disposal location)
Will closed loop system be used? If so, describe: Yes, the clo	sed loop syssem will contain all of the drilling medium and drill cuttings on location to then be taken to a landfill
Drilling medium anticipated for this well (vertical and hori	zontal)? Air, freshwater, oil based, etc. Vertical: freshwater. Horizontal: oil based mud
-If oil based, what type? Synthetic, petroleum, etc.	. Synthetic
Additives to be used in drilling medium? Bentonite, Soap & P	olymer sticks, Soda Ash, Sodium Bicarbonate, Defoamer, Base Oil, Emulsifiers, Lime, Barite
Drill cuttings disposal method? Leave in pit, landfill, remo	oved offsite, etc. Landfill
-If left in pit and plan to solidify what medium wi	A CONTROL OF THE CONT
-Landfill or offsite name/permit number? Advance	
	and Gas of any load of drill cuttings or associated waste rejected at any ided within 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the We provisions of the permit are enforceable by law. Violatio law or regulation can lead to enforcement action. I certify under penalty of law that I have perso application form and all attachments thereto and that,	and conditions of the GENERAL WATER POLLUTION PERMIT issued st Virginia Department of Environmental Protection. I understand that the ns of any term or condition of the general permit and/or other applicable mally examined and am familiar with the information submitted on this based on my inquiry of those individuals immediately responsible for is true, ascurate, and complete. I am aware that there are significant assibility of fine or imprisonment. RECEIVED Office of Oil and Gas
	JUL 1 8 2017
Company Official (Typed Name) William Veigel	was Percetment Of
Company Official Title Designated Agent	Environmental Protecti
Subscribed and sworn before me this 17 TH day of	of JULY . 20 /7
Carolind : Disse	mmmmmm
Manufacture (4/15/2021)	Notary Public State of West Virginia

Operator's Well No. Darwin 214

Proposed Revegetation Treatn	nent: Acres Disturbed 2	1.65 Prevegetation pH	unknown
Lime 2.67	Tons/acre or to correct	ct to pH 6.5	
Fertilizer type 10-2	0-20		
Fertilizer amount_60	00	lbs/acre	
Mulch 3-4		_Tons/acre	
		Seed Mixtures	
Ten	nporary	Perma	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Orchard Grass	129	Orchard Grass	129
Ryegrass	93	Ryegrass	93
Clover	24	Clover	24
Timothy	45	Timothy	45
provided). If water from the piacreage, of the land application	it will be land applied, inc n area.	d application (unless engineered plans include lude dimensions (L x W x D) of the pit, and	
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve	it will be land applied, inc n area.	clude dimensions (L x W x D) of the pit, and	
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by:	it will be land applied, inc n area. ed 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	dimensions (L x W), and area
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by: Comments: Pre-seed/m	it will be land applied, inc n area. ed 7.5' topographic sheet. nulch all disturbed	d areas as reasonably possib	dimensions (L x W), and area
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by: Comments: Pre-seed/m	it will be land applied, inc n area. ed 7.5' topographic sheet. nulch all disturbed	clude dimensions (L x W x D) of the pit, and	dimensions (L x W), and area
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Comments: Pre-seed/m	it will be land applied, inc n area. ed 7.5' topographic sheet. nulch all disturbed	d areas as reasonably possib	dimensions (L x W), and area
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by: Comments: Pre-seed/m	it will be land applied, inc n area. ed 7.5' topographic sheet. nulch all disturbed	d areas as reasonably possib	dimensions (L x W), and area
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by: Comments: Pre-seed/m	it will be land applied, inc n area. ed 7.5' topographic sheet. nulch all disturbed	d areas as reasonably possib	dimensions (L x W), and area
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Comments: Pre-seed/m	it will be land applied, inc n area. ed 7.5' topographic sheet. nulch all disturbed	d areas as reasonably possib	dimensions (L x W), and area
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by: Comments: Pre-seed/m	it will be land applied, inc n area. ed 7.5' topographic sheet. nulch all disturbed	d areas as reasonably possib	le per regulation. Necessary RECEIVED Office of Oil and
Maps(s) of road, location, pit a provided). If water from the pit acreage, of the land application Photocopied section of involve Plan Approved by: Comments: Pre-seed/m	it will be land applied, incon area. ed 7.5' topographic sheet. nulch all disturbed nere needed per	d areas as reasonably possib	le per regulation. necessary RECEIVED Office of Oil and




SITE SAFETY PLAN

DARWIN #214 WELL PAD

911 Address:

78 S. MOUNTAINEER HIGHWAY THORNTON, WV 26440





PROFESSIONAL ENERGY CONSULTANTS

A DIVISION OF SMITH LAND SURVEYING, INC.

Possible Water Purveyors within 1500' of Darwin 214

22-7 22-8

Darwin & Karen Wolfe 316 S Mountaineer HWY Thornton, WV 26440

22-7.1 22-8.1

Andrew Neptune (Teresa Neptune-Life) 6405 Cut Glass CT Wendell, NC 27591

22-8.2

Lorn & Shannon Wolfe 635 Sunrise Drive Thornton, WV 26440

22-9

Steven & Becky Bolyard 568 Sunrise Drive Thornton, WV 26440

22-10 22-11

Marchetta Huffman 313 Simpson Ave. Clarksburg, WV 26301

23-22 23-23

Willard Bolyard 123 Sunrise Drive Thornton, WV 26440

3-1 Mary Lindley 727 NE 364 Ave.

Old Town, FL 32680

3-2


Harriett Matlick C/O Ramona Scarton 8926 Virginia Ave. Manassas, VA 22110

3-4

Ralph & Glenda Sigley 798 Sandy Creek Road Moatsville, WV 26405 Office of Oil and Gas

JUL 1 8 2017

WV Department of Environmental Protection



WW-6A	1
(5/13)	

Operator's Well	No.	Darwin 214
Operator's Well	No.	Darwin 214

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page

See Attached

RECEIVED Office of Oil and Gas

JUL 18 2017

WV Department of Environmental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- · WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- · U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Arsenal Resources
By: William Veigel
Its: Designated Agent

Page 1 of 9

Attachment to WW-6A1, Darwin 214

Letter Designation/Number		hment to WW-6A1, Darwin 214	Т Т		ī
Designation on Plat	Grantor, Lessor, Assignor, etc.	Grantee, Lessee, Assignee, etc.	Royalty	Book/Page	Acreage
	Lawson L. Schooley and Marlene R.				
Lease No. 00000073	Schooley, husband and wife	Falcon Partners	12.50%	686/483	65.8
	Falcon Partners	Mar Key, L.L.C.		739/973	
	Shirley S. White and Willard C.				
Lease No. 00000102	White, wife and husband	Falcon Partners	12.50%	686/491	65.8
	Falcon Partners	Mar Key, L.L.C.		739/973	
	Willard H. Bolyard and Charlotte S,				
Lease No. 00000117	Bolyard, husband and wife	Falcon Partners	12.50%	681/589	65.8
	Falcon Partners	Mar Key, L.L.C.		739/973	
Lease No. 00001865	Marchetta Huffman	R.P. Land Company, L.L.C.	18.00%	774/314	47.5
	R.P. Land Company, L.L.C.	Mar Key, L.L.C.		758/387	
Lease No. 00002288	Marchetta Huffman, widow	Mar Key, LLC.	15.00%	763/975	0.8171875
	L. Darwin Wolfe and Karen L. Wolfe,				
Lease No. 00000188	husband and wife	Falcon Partners	12.50%	680/986	68.64
	Falcon Partners	Mar Key, L.L.C.		739/973	
	Elizabeth W. Rector, by Judy K. Neve				
Lease No. 00000189	& Susan E. Rector as AIF's	Falcon Partners	12.50%	695/805	68.64
111111111111111111111111111111111111111	Falcon Partners	Mar Key, L.L.C.	12.30%	739/973	00.04
Lease No. 00000190	Linda K. Hamstead	Falcon Partners	12.50%	705/482	68.64
	Falcon Partners	Mar Key, L.L.C.	12:30/0	739/973	00.04
Lease No. 00000191	Claudia A. Price	Falcon Partners	12.50%	705/478	68.64
	Falcon Partners	Mar Key, L.L.C.		739/973	
	Terry Hamilton and Betty Hamilton,	···			
	husband and wife, and Gladys Marie				
Lease No. 00000108	Hamilton, Life Estate	Falcon Partners	12.50%	680/313	224.836
	Falcon Partners	Mar Key, L.L.C.		739/973	
Lease No. 00000087	Robert F. Clarkson	Falcon Partners	12.50%	736/915	167.635
	Falcon Partners	Mar Key, L.L.C.		739/973	
	John B. Clarkson and Loretta				
Lease No. 00000046	Clarkson, husband and wife	Falcon Partners	12.50%	679/713	454.16
	Falcon Partners	Mar Key, L.L.C.		739/973	
	Terry Hamilton and Betty Hamilton,				
	husband and wife, and Gladys Marie] [
Lease No. 00000108	Hamilton, Life Estate	Falcon Partners	12.50%	680/313	224.836
	Falcon Partners	Mar Key, L.L.C.		739/973	
	Edward C. Myers and Dorothy J.				
Lease No. 00002296	Myers, husband and wife	Mar Key, L.L.C.	15.00%	763/170	1.5
·	John B. Clarkson and Loretta				
Lease No. 00000046	Clarkson, husband and wife	Falcon Partners	12.50%	679/713	454.16
20000110.0000010	Falcon Partners	Mar Key, L.L.C.	12.30%	739/973	434.10
	Roberta Austin AKA Roberta Ann	mu ney, the	 -	133 313	
Lease No. 00000639	Knotts	P. P. Land Company 1.1.C	1,000	762/000	
Lease 110. 0000033	R.P. Land Company, L.L.C.	R.P. Land Company, L.L.C.	18.00%	763/998	80.1
	T		 	740/1	
	John B. Clarkson and Loretta		i l		
Lease No. 00000046	Clarkson, husband and wife	Falcon Partners	12.50%	679/713	454.16
	Falcon Partners	Mar Key, L.L.C.		739/973	
	1		[]		
	West Virginia Department of				
Lease No. 00006657	Transportation, Division of Highways	Mar Key, L.L.C.	20.00%	790/666	77.12



West Virginia Secretary of State — Online Data Services

Business and Licensing

Online Data Services Help

Business Organization Detail

NOTICE: The West Virginia Secretary of State's Office makes every reasonable effort to ensure the accuracy of information. However, we make no representation or warranty as to the correctness or completeness of the information. If information is missing from this page, it is not in the The West Virginia Secretary of State's database.

MAR KEY LLC

Organization Information								
Org Type	Effective Date	Established Date	Filing Date	Charter	Class	Sec Type	Termination Date	Termination Reason
LLC Limited Liability Company	7/11/2011		7/11/2011	Domestic	Profit			

Business Purpose	2111 - Mining, Quarrying, Oil & Gas Extraction - Oil and Gas Extraction - Crude Oil and Natural Gas Extraction	Capital Stock		Office of Oil and JUL 1 8 20 WV Department Environment at Pro
Charter County		Control Number	99Q1F	, 10
Charter State	w	Excess Acres		
At Will Term	Α	Member Managed	MBR	
At Will Term Years		Par Value		

Authorized Shares	

Addresses	•	
Туре	Address	
Designated Office Address	65 PROFESSIONAL PLACE SUITE 200 BRIDGEPORT, WV, 26330	
Mailing Address	6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090 USA	
Notice of Process Address	CORPORATION SERVICE COMPANY 209 WEST WASHINGTON STREET CHARLESTON, WV, 25302	
Principal Office Address	6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090 USA	
ype	Address	

Officers		
Туре	Name/Address	
Member	MOUNTAINEER KEYSTONE ENERGY LLC 6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090	RECEIVED Office of Oil and
Organizer	PAUL M HERZING 560 EPSILON DR. PITTSBURGH, PA, 15238 USA	JUL 182) WV Department Environmenta: Prot
уре	Name/Address	

Annual Reports	
Date filed	
	March

Date filed	
5/8/2012	
6/28/2013	
4/28/2014	
6/30/2015	
6/20/2016	

For more information, please contact the Secretary of State's Office at 304-558-8000.

Thursday, February 23, 2017 — 9:08 AM

© 2017 State of West Virginia

Agreement to Drill, Complete and Operate Oil & Gas Wells

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Arsenal Resources LLC, a West Virginia limited liability company ("Arsenal"), River Ridge Energy, LLC, a Delaware limited liability company ("River Ridge Holdings"), and River Ridge Energy, Holdings, LLC, a Delaware limited liability company ("River Ridge Holdings"), is effective as of March 1, 2017. (the "Effective Date") and sets forth the terms pursuant to which Arsenal will drill, complete and operate the Wells (as defined below) on behalf of River Ridge and River Ridge Holdings. Arsenal, River Ridge, and River Ridge Holdings are each a "Party" and are collectively the "Parties". In consideration of the foregoing and the respective agreements hereinafter set forth and the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

- 1. Term: This Agreement is effective from the Effective Date until terminated by Arsenal on the one hand or River Ridge and River Ridge Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
- Authorization to Operate: River Ridge and River Holdings authorize Arsenal to undertake and perform, on River Ridge and River Ridge Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other hydrocarbons therefrom with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by River Ridge or River Ridge Holdings. River Ridge, River Ridge Holdings and Arsenal are affiliates with a common parent. Arsenal was formed to operate oil and gas leasehold acreage held by River Ridge, River Ridge Holdings and certain other affiliates. Arsenal agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold acreage owned by River Ridge or River Ridge Holdings from time to time as directed by River Ridge or River Ridge Holdings (collectively, the "Wells").
- 3. No Third Party Beneficiary: This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
- 4. Counterparts: This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]

IN WITNESS WHEREOF, Arsenal, River Ridge, and River Ridge Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

ARSENAL RESOURCES LLC

Name: Joel E. Symonds

Title: Vice President - Land

RIVER RIDGE ENERGY, LLC

Name: Joel E. Symonds

Title: Vice President - Land

RIVER RIDGE HOLDINGS, LLC

Name: Joel E. Symonds

Title: Vice President - Land

Agreement to Drill, Complete and Operate Oil & Gas Wells

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Mountaineer Keystone LLC, a West Virginia limited liability company ("Mountaineer Keystone"), PDC Mountaineer, LLC, a Delaware limited liability company ("PDC"), and PDC Mountaineer Holdings, LLC, a Delaware limited liability company ("PDC Holdings"), is effective as of October 15, 2014. (the "Effective Date") and sets forth the terms pursuant to which Mountaineer Keystone will drill, complete and operate the Wells (as defined below) on behalf of PDC and PDC Holdings. Mountaineer Keystone, PDC, and PDC Holdings are each a "Party" and are collectively the "Parties". In consideration of the foregoing and the respective agreements hereinafter set forth and the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

- 1. Term: This Agreement is effective from the Effective Date until terminated by Mountaineer Keystone on the one hand or PDC and PDC Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
- 2. Authorization to Operate: PDC and PDC Holdings authorize Mountaineer Keystone to undertake and perform, on PDC and PDC Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other hydrocarbons therefrom with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by PDC or PDC Holdings. PDC, PDC Holdings and Mountaineer Keystone are affiliates with a common parent. Mountaineer Keystone was formed to operate oil and gas leasehold acreage held by PDC, PDC Holdings and certain other affiliates. Mountaineer Keystone agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold acreage owned by PDC or PDC Holdings from time to time as directed by PDC or PDC Holdings (collectively, the "Wells").
- 3. No Third Party Beneficiary: This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
- 4. Counterparts: This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]

IN WITNESS WHEREOF, Mountaineer Keystone, PDC, and PDC Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

MOUNTAINEER KEYSTONE LLC

Name:

Title: CEO

PDC MOUNTAINEER, LLC

Name!


Title: Caro

PDC MOUNTAINEER HOLDINGS, LLC

Name:

Title: Coo

Office of Oil and Gas JUL 18 2017 Environmental Protection





People Powered, Asset Strong,

June 26, 2017

Mr. James Martin, Chief of Oil and Gas West Virginia Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

RE: Ownership of Roadways; Darwin 214

Dear Mr. Martin:

In preparation of filing a permit application for the above referenced well, the Title Department of Arsenal Resources has conducted a thorough title examination in order to determine the ownership of the oil and gas underlying all roadways crossed by the proposed well. The findings of the title examination show that some of the roadways crossed by the proposed well are owned in fee by the West Virginia Department of Transportation, Division of Highways and that some are only right of ways. If owned in fee by the West Virginia Department of Transportation, Division of Highways, a lease covering its interest in the roadway or roadways has been properly obtained and provided in the application materials. If a right of way only, the oil and gas underlying such roadway or roadways is owned by the adjoining landowners and is also covered by the leaseholds provided in the application materials.

If you have any questions, concerns or need further information, please do not hesitate to contact me at the address listed below.

Sincerely.

Ryan Brode Title Attorney

Office of Oil and Gas

JUL 18 2017

Environmental Protection

6031 Wallace Road Ext, Suite 300 Wexford, PA 15090 P: 724-940-1100 F: 800-428-0981 www.arsenalresources.com

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notic	ce Cermication: 00/30/2010	API No. 47- 0/7 - 00023					
		O	Operator's Well No. Darwin 214				
		W	Well Pad Name: Darwin				
	ne provisions in West Virginia Code § 22-	-6A, the Operator has provid	ed the req	uired parties w	vith the Notice Forms listed		
	tract of land as follows:	_					
State:	West Virginia		asting:	597,429.4			
County:	Preston	N	orthing:	4,350,175.6			
District:	Reno	Public Road Access	-	Rt. 92			
Quadrangle:	Fellowsville 7.5	Generally used farn	Generally used farm name:		Darwin Wolfe		
Watershed:	Sandy Creek						
it has provide information re of giving the requirements Virginia Code	the secretary, shall be verified and shall ed the owners of the surface described is equired by subsections (b) and (c), section surface owner notice of entry to survey of subsection (b), section sixteen of this e § 22-6A-11(b), the applicant shall tende have been completed by the applicant.	in subdivisions (1), (2) and in sixteen of this article; (ii) to pursuant to subsection (a), is article were waived in w	(4), subs hat the red , section t riting by	ection (b), sec quirement was en of this artic the surface ow	tion ten of this article, the deemed satisfied as a result cle six-a; or (iii) the notice yner; and Pursuant to West		
that the Ope	West Virginia Code § 22-6A, the Operator has properly served the required parack ALL THAT APPLY		Notice C	ertification	OOG OFFICE USE ONLY		
1. NO1	TICE OF SEISMIC ACTIVITY or SE	NOTICE NOT REQUIRE			☐ RECEIVED/ NOT REQUIRED		
■ 2. NO	TICE OF ENTRY FOR PLAT SURVEY	or NO PLAT SURVEY	WAS CO	ONDUCTED	☐ RECEIVED		
■ 3. NO	NC	NOTICE NOT REQUIRE OTICE OF ENTRY FOR PL AS CONDUCTED or			☐ RECEIVED/ NOT REQUIRED		
		WRITTEN WAIVER BY (PLEASE ATTACH)	SURFAC	CE OWNER			
■ 4. NO	TICE OF PLANNED OPERATION	•	RECE!	VED I and Gas	☐ RECEIVED		
■ 5. PUE	BLIC NOTICE		JUL 1		□ RECEIVED		
■ 6. NO	TICE OF APPLICATION			artment of tal Protection	□ RECEIVED		

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

WW-6AC (1/12)

Certification of Notice is hereby given:

THEREFORE, I William Veigel have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fire and imprisonment.

Well Operator: Arsenal Resources By:

William Veigel

Its: Designated Agent

Telephone: 724-940-1224 Address: 6031 Wallace Road Extension, Suite 300

Wexford, PA 15090

Facsimile: 304-848-9134

Email: cflanagan@arsenalresources.com

CAROLINDA FLANAGAN PO Box ens Lumbarroot WV 26366 My Commission Expires September 15, 2021

NOTARY PUBLIC STATE OF WEST VIRGINIA

NOTARY SEATHOW SEAL

Subscribed and sworn before me this / 7

Notary Public

day of July

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Office of Oil and Gas

WV Department of Environmental Protection

WW-6A (9-13) API NO. 47- 077 - 00623

OPERATOR WELL NO. Darwin 214

Well Pad Name: Darwin

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Noti	ce Time Requiren	nent: notice shall be prov	ided no later that	n the filing date of permit application.		
	e of Notice: 6/30/201 ce of:	6 Date Permit Applica	ation Filed: 6/30/2	2016		
Ø	PERMIT FOR AN			ROVAL FOR THE IN IMPOUNDMENT OR PIT		
Deli	very method purs	uant to West Virginia C	ode § 22-6A-10	(b)		
	PERSONAL	☐ REGISTERED	✓ METHO	OD OF DELIVERY THAT REQUIRES A		
	SERVICE	MAIL	RECEI	PT OR SIGNATURE CONFIRMATION		
sedin the so oil and descoper more well important proves proves the control of th	ment control plan re urface of the tract of and gas leasehold being ribed in the erosion ator or lessee, in the ecoal seams; (4) The work, if the surface bundment or pit as do a water well, spring ide water for consult osed well work active ection (b) of this sect de R. § 35-8-5.7.a re	quired by section seven of n which the well is or is pro- ing developed by the propo- and sediment control plan e event the tract of land on the e owners of record of the se- tract is to be used for the pro- lescribed in section nine of g or water supply source loo- mption by humans or dome- vity is to take place. (c)(1) ction hold interests in the la- quired to be maintained pur- to the contrary, notice to a quires, in part, that the ope	this article, and the oposed to be locally be locally sed well work, if submitted pursually which the well producement, construction of this article; (5) A cated within one the stic animals; and all former than three ands, the applicant is used to section elien holder is not the article and also present all also present and the cated within article.	r signature confirmation, copies of the application, ne well plat to each of the following persons: (1) The ted; (2) The owners of record of the surface tract of the surface tract is to be used for roads or other land in to subsection (c), section seven of this article; (3) apposed to be drilled is located [sic] is known to be considered to be drilled is located [sic] is known to be cutton, enlargement, alteration, repair, removal or any surface owner or water purveyor who is known thousand five hundred feet of the center of the well (6) The operator of any natural gas storage field we tenants in common or other co-owners of interests that may serve the documents required upon the person ight, article one, chapter eleven-a of this code. (2) notice to a landowner, unless the lien holder is the ovide the Well Site Safety Plan ("WSSP") to the supposition of this rule.	ne owners of record overlying the didisturbance as The coal owner, underlain by one or oped by the proposed abandonment of any to the applicant to pad which is used to ithin which the secribed in on described in the Notwithstanding any landowner. W. Va.	
⊘ A	pplication Notice	☑ WSSP Notice ☑ E&	&S Plan Notice	☑ Well Plat Notice is hereby provided to:		
_	JRFACE OWNER	(s)		☐ COAL OWNER OR LESSEE Name: ACIN, LLC - Attn: George Angus	RECEIVED	
	ress: 313 Simpson Ave	nuo	_	Address: 5260 Irwin Road	Office of Oil and Gas	
	sburg, WV 26301	1100	_	Huntington, WV 25705		
Nam			_	COAL OPERATOR	— JUL 1 8 2017	
			_	Name:	140.0	
Auu	1033.		_	Address:	WV Department of Environmental Protection	
[2] SI	IREACE OWNER	(s) (Road and/or Other Di	— isturbance)	71dd1055.		
	e: L. Darwin and Karen		istar burice)	SURFACE OWNER OF WATER WELL		
	ress: 316 S. Mountaine		_	AND/OR WATER PURVEYOR(s)		
Thomton, WV 26440			Name: See Attached			
	e: Marchetta Huffman		_	Address:		
	ress: 313 Simpson Ave	nue	_			
	sburg, WV 26301		_	OPERATOR OF ANY NATURAL GAS STO	ORAGE FIELD	
SURFACE OWNER(s) (Impoundments or Pits)			<u>-</u> s)	Name:		
Nam	e: L. Darwin and Karen	K. Wolfe	•	Address:	_	
	ress: 316 S. Mountaine		_		_	
	ton, WV 26440			*Please attach additional forms if necessary		

WW-6A (8-13)

RECEIVED Office of Oil and Gas

JUL 1 8 2017

API NO. 47- 077 - 00623

OPERATOR WELL NO. Darwin 214 Well Pad Name: Darwin

Notice is hereby given:

WV Department of Notice is hereby given:

Environmental Protection

Environmental Protection

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments: (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va, Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

API NO. 47- 077 - 00623

OPERATOR WELL NO. Darwin 214

Well Pad Name: Darwin

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

RECEIVED
Office of Oil and Gas

JUL 1 8 2017

(304) 926-0450

WW Department of Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons request test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13) API NO. 47- 077 - 00623

OPERATOR WELL NO. Darwin 214

Well Pad Name: Darwin

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.



WW-6A (8-13)

API NO. 47- 077 - 00623 OPERATOR WELL NO. Darwin 214

Well Pad Name: Darwin

Notice is hereby given by:

Well Operator: Arsenal Resources

Telephone: 724-940-1224 Email: cflanagan@arsenalresources.com Address: 6031 Wallace Road Extension, Suite 300 Wexford, PA 15090

Facsimile: 304-848-9134

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA CAROLINDA FLANAGAN PO Box 803 Lumberport WV 26386 My Commission Expires September 15, 2021

WW 211.

Subscribed and sworn before me this 17 day of JULY 2017.

Notary Public

My Commission Expires

Office of Oil and Gas JUL 1 8 2017 WV Department of Environmental Protection



PROFESSIONAL ENERGY CONSULTANTS

A DIVISION OF SMITH LAND SURVEYING, INC.

Possible Water Purveyors within 1500' of Darwin 214

22-7 22-8

Darwin & Karen Wolfe 316 S Mountaineer HWY Thornton, WV 26440

22-7.1

22-8.1

Andrew Neptune (Teresa Neptune-Life) 6405 Cut Glass CT Wendell, NC 27591

22-8.2

Lorn & Shannon Wolfe 635 Sunrise Drive Thornton, WV 26440

22-9 Steven & Becky Bolyard 568 Sunrise Drive Thornton, WV 26440

22-10

22-11

Marchetta Huffman 313 Simpson Ave. Clarksburg, WV 26301

23-22

23-23

Willard Bolyard 123 Sunrise Drive Thomton, WV 26440

3-1

Mary Lindley 727 NE 364 Ave. Old Town, FL 32680

3-2


Harriett Matlick C/O Ramona Scarton 8926 Virginia Ave. Manassas, VA 22110

Ralph & Glenda Sigley 798 Sandy Creek Road Moatsville, WV 26405

RECEIVED Office of Oil and Gas

JUL 18 2017

WV Department of Environmental Protection



WW-6A3 (1/12)

Operator Well No. Darwin 214

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

entry Date of Notice			nned Entry: 9/22/2015	00.000.000.0000.0000	FORTY-FIVE (45) days prior to		
				_	RECEIVED Office of Oil and Gas		
Delivery mei	noa pursuant	to West Virginia C	ode § 22-0A-10a		JUL 1 8 2017		
☐ PERSO	NAL 🗆	REGISTERED	■ METHOD OF DEL	IVERY THAT REC	OUIRES A		
SERVIC	E	MAIL	RECEIPT OR SIGN		The state of the s		
on to the surf but no more t beneath such owner of min and Sediment Secretary, wh enable the sur	ace tract to con han forty-five of tract that has fi- erals underlying Control Manu- tich statement surface owner to of	duct any plat survey lays prior to such en led a declaration pur g such tract in the co al and the statutes ar hall include contact obtain copies from the	is required pursuant to this ar- try to: (1) The surface owner rsuant to section thirty-six, ar- ounty tax records. The notice and rules related to oil and gas information, including the ac-	ticle. Such notice she of such tract; (2) to ticle six, chapter two shall include a state exploration and pro-	hall provide notice of planned entry all be provided at least seven days any owner or lessee of coal seams enty-two of this code; and (3) any ement that copies of the state Erosion eduction may be obtained from the ge on the Secretary's web site, to		
	eby provided t						
■ SURFACE OWNER(s)			OWNER OR LES	SEE			
Name: Marche			Name: ACI				
Address: 313				Address: 5260 Irwin Road			
Clarksburg, WV 2	in & Karen K. Wolfe		Huntington, W	Huntington, WV 25705			
	S. Mountaineer Hwy.		■ MINE	RAL OWNER(s)			
Thornton, WV 264				Name: Marchetta Huffman			
Name:				Address: 313 Simpson Avenue			
Address:				Address: 313 Simpson Avenue Clarksburg, WV 26301			
.,,000,000				additional forms if nece	essary		
Pursuant to V		ode § 22-6A-10(a), i land as follows:		ude & Longitude:	operator is planning entry to conduct 39.2958; -79.8729 Rt. 92		
District:	Reno		Watershed:	2.2362.00	Sandy Creek		
Quadrangle:	Fellowsville 7.5		Generally use		Darwin Wolfe		
may be obtain Charleston, V	ned from the Se VV 25304 (304	ecretary, at the WV I 4-926-0450). Copies	Department of Environmenta	l Protection headqua onal information rel	and gas exploration and production arters, located at 601 57 th Street, SE, lated to horizontal drilling may be		
Nation is be	roby aivan b						
Well Operato	reby given by		Address:	6031 Wallace Road Exter	seion Suite 300		
Telephone:	724-940-1224	662	71001035,	Wexford, PA 15090	ision, done soo		
	124-540-1224						
Email:	offenens (Reserve	enalresources.com	Facsimile:	304-848-9134			

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deepprivacyofficer@wv.gov.



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Date of Notic		provided at least TEN (10) days prior to f Date Permit Application Filed: 06/30/20	
Delivery met	thod pursuant to West Virgin	nia Code § 22-6A-16(b)	
☐ HAND	■ CERTIFIED	MAII	
DELIVE		CEIPT REQUESTED	
receipt reques drilling a hor of this subsection manager	sted or hand delivery, give the izontal well: <i>Provided</i> , That I stion as of the date the notice vay be waived in writing by the	surface owner notice of its intent to enter to otice given pursuant to subsection (a), sectors provided to the surface owner: <i>Provide</i>	A country of the state of the s
Notice is he	reby provided to the SUR	FACE OWNER(s):	RECEIVED Office of Oil and Gas
Name: Marchet	ta A. Huffman	Name: L. Darwin and	
Address: 313 : Clarksburg, WV 2		Address: 316 S. Mo Thomton, WV 26440	untaineer Highway JUL 1 8 2017
Notice is he		S(h) notice is becally given that the undersa	WV Department of Environmental Protection
		drilling a horizontal well on the tract of lan	signed well operator has an intent to enter upon d as follows:
		drilling a horizontal well on the tract of lan	d as follows:
the surface ov State: County:	wner's land for the purpose of	drilling a horizontal well on the tract of lan Eastin North	d as follows: ng: 597,429.4
the surface ov State: County: District:	wner's land for the purpose of West Virginia Preston Reno	drilling a horizontal well on the tract of lan UTM NAD 83 Eastii North Public Road Access:	d as follows: ng: 597,429.4 ning: 4,350,175.6 Rt. 92
the surface ov State: County: District: Quadrangle:	wner's land for the purpose of West Virginia Preston Reno Fellowsville 7.5'	drilling a horizontal well on the tract of lan Eastin North	d as follows: ng: 597,429.4 ning: 4,350,175.6 Rt. 92
the surface ov State: County: District: Quadrangle: Watershed:	wner's land for the purpose of West Virginia Preston Reno Fellowsville 7.5' Sandy Creek	drilling a horizontal well on the tract of lan UTM NAD 83 Eastii North Public Road Access:	d as follows: ng: 597,429.4 ning: 4,350,175.6 Rt. 92
the surface ov State: County: District: Quadrangle: Watershed: This Notice Pursuant to V facsimile nur	West Virginia Preston Reno Fellowsville 7.5' Sandy Creek Shall Include: West Virginia Code § 22-6A- mber and electronic mail addrizontal drilling may be obtain	UTM NAD 83 Eastin North Public Road Access: Generally used farm na Ploys of the operator and the operator's au ed from the Secretary, at the WV Departr	d as follows: ng: 597,429.4 ning: 4,350,175.6 Rt. 92
the surface ov State: County: District: Quadrangle: Watershed: This Notice Pursuant to v facsimile nun related to hor located at 601	West Virginia Preston Reno Fellowsville 7.5' Sandy Creek Shall Include: West Virginia Code § 22-6A- mber and electronic mail addr- rizontal drilling may be obtain 1 57 th Street, SE, Charleston, Wereby given by:	UTM NAD 83 Eastin North Public Road Access: Generally used farm na 16(b), this notice shall include the name ess of the operator and the operator's au ed from the Secretary, at the WV Departr V 25304 (304-926-0450) or by visiting w	d as follows: ng: 597,429.4 ning: 4,350,175.6 Rt. 92 me: Darwin Wolfe e, address, telephone number, and if available, thorized representative. Additional information ment of Environmental Protection headquarters, www.dep.wv.gov/oil-and-gas/pages/default.aspx.
the surface ov State: County: District: Quadrangle: Watershed: This Notice Pursuant to V facsimile nur related to hor located at 601 Notice is he Well Operato	West Virginia Preston Reno Fellowsville 7.5' Sandy Creek Shall Include: West Virginia Code § 22-6A- mber and electronic mail addr- rizontal drilling may be obtain 1 57 th Street, SE, Charleston, Wereby given by:	drilling a horizontal well on the tract of lan UTM NAD 83 Eastin North Public Road Access: Generally used farm na 16(b), this notice shall include the name ess of the operator and the operator's au ed from the Secretary, at the WV Departr V 25304 (304-926-0450) or by visiting w Authorized Represen	d as follows: ng: 597,429.4 ning: 4,350,175.6 Rt. 92 me: Darwin Wolfe e, address, telephone number, and if available, thorized representative. Additional information ment of Environmental Protection headquarters, www.dep.wv.gov/oil-and-gas/pages/default.aspx.
the surface ov State: County: District: Quadrangle: Watershed: This Notice Pursuant to v facsimile nun related to hor located at 601	West Virginia Preston Reno Fellowsville 7.5' Sandy Creek Shall Include: West Virginia Code § 22-6A- mber and electronic mail addr- rizontal drilling may be obtain 1 57 th Street, SE, Charleston, Wereby given by:	UTM NAD 83 Eastin North Public Road Access: Generally used farm na 16(b), this notice shall include the name ess of the operator and the operator's au ed from the Secretary, at the WV Departr V 25304 (304-926-0450) or by visiting way. Authorized Represen	d as follows: ng: 597,429.4 ning: 4,350,175.6 Rt. 92 me: Darwin Wolfe e, address, telephone number, and if available, thorized representative. Additional information ment of Environmental Protection headquarters, www.dep.wv.gov/oil-and-gas/pages/default.aspx.
the surface ov State: County: District: Quadrangle: Watershed: This Notice Pursuant to V facsimile nun related to hor located at 601 Notice is he Well Operato Address: Wexford, PA 150	West Virginia Preston Reno Fellowsville 7.5' Sandy Creek Shall Include: West Virginia Code § 22-6A- mber and electronic mail addrizontal drilling may be obtain 1 57 th Street, SE, Charleston, West Virginia Resources 6031 Wallace Road Extension, Su	drilling a horizontal well on the tract of lan UTM NAD 83 Eastin North Public Road Access: Generally used farm na 16(b), this notice shall include the name ess of the operator and the operator's au ed from the Secretary, at the WV Departr V 25304 (304-926-0450) or by visiting was a considered Representation Address: Bridgeport, WV 26330	d as follows: ng: 597,429.4 ning: 4.350,175.6 Rt. 92 me: Darwin Wolfe e, address, telephone number, and if available, thorized representative. Additional information ment of Environmental Protection headquarters, www.dep.wv.gov/oil-and-gas/pages/default.aspx. tative: William Veigel, Arsenal Resources
the surface ov State: County: District: Quadrangle: Watershed: This Notice Pursuant to v facsimile nun related to hor located at 601 Notice is he Well Operato Address: Wexford, PA 150 Telephone:	West Virginia Preston Reno Fellowsville 7.5' Sandy Creek Shall Include: West Virginia Code § 22-6A- mber and electronic mail addrizontal drilling may be obtain 1 57 th Street, SE, Charleston, West Virginia Resources 6031 Wallace Road Extension, Su	drilling a horizontal well on the tract of lan UTM NAD 83 Public Road Access: Generally used farm na Place of the operator and the operator's au ed from the Secretary, at the WV Department of the period of the secretary of the WV Department of the Secretary of the Se	d as follows: ng: 597,429.4 ning: 4.350,175.6 Rt. 92 me: Darwin Wolfe e, address, telephone number, and if available, thorized representative. Additional information ment of Environmental Protection headquarters, www.dep.wv.gov/oil-and-gas/pages/default.aspx. tative: William Veigel, Arsenal Resources
the surface ov State: County: District: Quadrangle: Watershed: This Notice Pursuant to V facsimile nun related to hor located at 601 Notice is he Well Operato Address: Wexford, PA 150	West Virginia Preston Reno Fellowsville 7.5' Sandy Creek Shall Include: West Virginia Code § 22-6A- mber and electronic mail addr- rizontal drilling may be obtain 1 57 th Street, SE, Charleston, West Virginia Resources 6031 Wallace Road Extension, Su	drilling a horizontal well on the tract of lan UTM NAD 83 Eastin North Public Road Access: Generally used farm na 16(b), this notice shall include the name ess of the operator and the operator's au ed from the Secretary, at the WV Departr V 25304 (304-926-0450) or by visiting was a considered Representation Address: Bridgeport, WV 26330	d as follows: ng: 597,429.4 ning: 4,350,175.6 Rt. 92 Darwin Wolfe e, address, telephone number, and if available, thorized representative. Additional information ment of Environmental Protection headquarters, www.dep.wv.gov/oil-and-gas/pages/default.aspx. tative: William Veigel, Arsenal Resources 65 Professional Place, Suite 200

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

WW-6A5 (1/12) 77-066 23 Operator Well No. Darwin 214

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Notic	Requirement: notice shall be provided ee: 06/30/2016 Date Permit	no later than the filing Application Filed: 06/3		application. RECEIVED Office of Oil and Gas
Delivery met	hod pursuant to West Virginia Code	§ 22-6A-16(c)		JUL 1 8 2017
	FIED MAIL RN RECEIPT REQUESTED	HAND DELIVERY		WV Department of Environmental Protecti
return receipt the planned of required to be drilling of a damages to th (d) The notice of notice.	requested or hand delivery, give the sur- pperation. The notice required by this provided by subsection (b), section ten horizontal well; and (3) A proposed su- ble surface affected by oil and gas operation	rface owner whose land subsection shall include of this article to a surfa- rface use and compens- ions to the extent the da- n to the surface owner a	will be used for de: (1) A copy ace owner whos ation agreemen mages are comp	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information is land will be used in conjunction with the it containing an offer of compensation for pensable under article six-b of this chapter, sted in the records of the sheriff at the time
(at the addres	s listed in the records of the sheriff at th	e time of notice):		
Name: Marchett			. Darwin and Karen k	
Address: 313 5 Clarksburg, WV 2			; 316 S. Mountainee WV 26440	r Highway
State: County: District:	West Virginia Preston Reno	UTM NAD 8 Public Road	Northing:	597,429.4 4,350,175.6 Rt. 92
Quadrangle:	Fellowsville 7.5'		d farm name:	Darwin Wolfe
Watershed:	Sandy Creek			1
Pursuant to V to be provide horizontal we surface affect information r	ed by W. Va. Code § 22-6A-10(b) to a cell; and (3) A proposed surface use and ted by oil and gas operations to the extended to horizontal drilling may be oblocated at 601 57th Street, SE, Characteristics.	a surface owner whose compensation agreement the damages are contained from the Secret	land will be un nt containing ar empensable und ary, at the WV	code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the ler article six-b of this chapter. Additional Department of Environmental Protection or by visiting

needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact

DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

01/12/2018

API NO. 47-	77.	0	0623
OPERATOR			
Well Pad Nan	e: Danvin		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

I Marchalta & Unifferen

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

State:	West Virginia	UTM NAD 83 Easting:	597429.40	
County:	Preston	Northing		
District:	Reno	Public Road Access:	Rt. 92	
Quadrangle:	Fellowsville	Generally used farm name:	Darwin Wolfe	
Vatershed:	Little Sandy Creek		43	
			TION BY A NATURAL PERSON	
S TOLOGRAP & S		1		
	CE OWNER	Signature:	aufatta Thellow	
	CE OWNER CE OWNER (Road and/or Other Dist	urbance) Print Name:	Jarchetta Huffman	
SURFAC		Print Name:	Jackotta Huffman G-7-/6 TION BY A CORPORATION, ETC.	
SURFAC	CE OWNER (Road and/or Other Dist	Print Name: Date: Gas FOR EXECUTION 11 1 8 2 Company:	FION BY A CORPORATION, ETC.	
SURFAC	CE OWNER (Road and/or Other Dist CE OWNER (Impoundments/Pits)	Print Name:	Jackotta Huffman G-7-/6 TION BY A CORPORATION, ETC.	
SURFAC SURFAC COAL C	CE OWNER (Road and/or Other Dist CE OWNER (Impoundments/Pits) OWNER OR LESSEE	Print Name: Date: Gas FOR EXECUTION 11 1 8 2 Company:	FION BY A CORPORATION, ETC.	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

API NO. 47-	077	- 0062	3
OPERATOR	WELL	NO.	Darwin 214
Well Pad Nar	ne: Darv	vin	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

State:	West Virginia	UTM NAD 83	Easting:	597,429 4	
County:	Preston		Northing:		
District:	0.900	Public Road Access: Generally used farm name:		Rt 92	
Quadrangle: Watershed:	Fellowsville 7.5' Sendy Creek	Generally used i	arm name:	Darwin Wolfe	
1 Touse officer	me con man appriso				
Please check	the box that applies	FO	R EXECUT	ION BY A NATURAL PERSON	
□ SURFACE OWNER		Sign	nature:		
	CE OWNER CE OWNER (Road and/or Other Disturbance)	Prin	t Name:		
□ SURFAC		Prin Date	t Name:		
□ SURFAC	CE OWNER (Road and/or Other Disturbance)	Prin Date	t Name: e: R EXECUT	ION BY A CORPORATION, ETC	
□ SURFAC □ SURFAC ■ COAL C	CE OWNER (Road and/or Other Disturbance) CE OWNER (Impoundments/Pits) OWNER OR LESSEE	Prin Date FOI Con By:	t Name:	ION BY A CORPORATION, ETC	
□ SURFAC □ SURFAC ■ COAL C □ COAL C	CE OWNER (Road and/or Other Disturbance) CE OWNER (Impoundments/Pits) OWNER OR LESSEE	Prin Date FOI Con By: Its:	t Name:	ION BY A CORPORATION, ETC	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, present the DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

JUL 1 8 2017

API NO. 47- 77 .	00053
OPERATOR WELL NO.	Darwin 214
Well Pad Name: Darwin	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

C	West Virginia	UTM NAD 83 Eastin	
County: District:	Preston Reno	Public Road Access:	ng: 4350175.65 Rt. 92
Quadrangle:	Fellowsville	Generally used farm nan	
Watershed:	Little Sandy Creek		
			^
E CTIDEA	OF OUNIER		0.5
	CE OWNER	Signature:	
	CE OWNER CE OWNER (Road and/or Other Disturban	Daint Manag	L. Darwin Wolfe and Karen K. Wolfe
SURFAC		Print Name: Date:	L. Darwin Wolfe and Karen K. Wolfe
SURFAC	CE OWNER (Road and/or Other Disturbated)	Print Name: Date: FOR EXEC	L Darwin Wolfe and Karen K. Wolfe 6/3/6 CUTION BY A CORPORATION, ETC.
SURFAC	CE OWNER (Road and/or Other Disturbation CE OWNER (Impoundments/Pits)	Print Name: Date: FOR EXEC	L Darwin Wolfe and Karen K. Wolfe 6/3/6 CUTION BY A CORPORATION, ETC.
SURFACE SURFACE COAL COAL COAL COAL COAL COAL COAL COAL	CE OWNER (Road and/or Other Disturbat CE OWNER (Impoundments/Pits) OWNER OR LESSEE	Print Name: Date: FOR EXECT Company: By:-	L Danwin Wolfe and Karen K. Wolfe 6/3/6 CUTION BY A CORPORATION, ETC.

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements; including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@ww.kov.

Office of Oil and Gas

JUL 1 8 2017



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

June 30, 2016

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Darwin Pad, Preston County
Darwin # 214 Well Site

RECEIVED Office of Oil and Gas

JUL 1 8 2017

WV Department of Environmental Protection

Dear Mr. Martin,

The West Virginia Division of Highways has issued Permit # 04 -2016-0001 to Mountaineer Keystone, LLC for access to the well site located off of WV 92 in Preston County.

The operator has signed an OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Amy L. Miller

Mountaineer Keystone, LLC

CH, OM, D-4

Office of Opin Tas

	Darwin 214							
	FRACTURING	ADDITIVES						
	PURPOSE	TRADE NAME	CAS#					
Additive #1:	Friction Reducer	WFRA-405	Proprietary					
Additive #2:	Scale Inhibitor	SI-1000	7440-21-3					
Additive #3:	Biocide	BIOCLEAR 2000	25314-61-8					
Additive #4:	Gelling Agent	LGC-15	9000-30-0					
Additive #5:	Corrosion Inhibitor	AI-300	111-76-2					
Additive #6:	Gel Breaker	AP-One	7727-54-0					
Additive #7:	Acid	HCI - 7.5%	7647-01-0					

RECEIVED Office of Oil and Gas

JUL 1 8 2017

WV Department of Environmental Protection

PROJECT INFORMATION

PROJECT NAME: DARWIN TAX PARCEL:

RENO DISTRICT

MAF 22 PARCELS 8, 11

SURFACE DWNER:

DARWIN & KAREN WOLFE TM 22 PAR 8

TOTAL PROPERTY AREA: 62,35 AC TOTAL DISTURBED AREA: 11.75 AC

MARCHETTA HUFFMAN TM 22 PAR 11 TOTAL PROPERTY AREA: 47.50 AC TOTAL DISTURBED AREA: 9.73 AC

STATE OF WEST VIRGINIA DE 204 PG 327 TOTAL PROPERTY AREA: 0.79 AC TOTAL DISTURBED AREA: 0.17 AC



SHEET INDEX

COVER SHEET

2-3 GENERAL NOTES

OVERALL PLAN SHEET INDEX

5-6 LROSION AND SEDIMENT CONTROL PLAN

ACCESS ROAD PROFILE

8-10 ACCESS ROAD CROSS SECTIONS

WELL PAD + TANK PAD CROSS SECTIONS 11-13

14-15 COMPLETION PIT CROSS SECTIONS

16 WASTE STOCKPILE ! CROSS SECTIONS

17-18 RECLAMATION PLAN

19-31 DETAILS

RESTRICTIONS NOTES: I. THERE ARE WETLAND IMPACTS TOTALING 0.07 ACRES WITHIN 100 FEET OF THE WELL PAD LOD.

2.THERE ARE NO PERENNIAL STREAMS, LAKES, PONDS, OR RESERVOIRS WITHIN 100 FEFT OF THE WELL PAD LOD

3. THERE ARE NO NATURALLY PRODUCING IROUT STREAMS WITHIN 300 FEET OF THE WELL PAD AND LOD.

APPROVED

WVDEP OOG

OPERATOR

SUITE 200

SUITE 300 WEXFORD, PA 15090

ENGINEER

SURVEYOR

12 VANHORN DR VE

GLENVILLE, WV 26351

PHONE: (304) 462-5634

ARSENAL RESOURCES

55 PROFESSIONAL PLACE

BRIDGEPORT, WV 26330

PHONE: (304) 842 3597

6031 WALLACE ROAD EXT

PHONE: (724) 924-1202

LARSON DESIGN GROJP

2502 CRANBERRY SQUARE

MORGANTOWN, WV 25508

PHONE: (304) 777-2940

SMITH LAND SURVEYING INC.

A 3 1 11/13/2017

4. THERE ARE NO GROUNDWATER INTAKE OR FUBLIC WATER SUPPLY FACILITIES WITHIN 1000 FEET OF THE WELL PAD AND LCD.

5. THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FEET OF THE WELL(S) BEING DRILLED.


6. THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.

7. THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 2,500 SQUARE FEET WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.

DARWIN WELL SITE PLAN ARSENAL RESOURCES

(PROPOSED WELL NO. 201, 202, 203, 204, 205, 211, 212, 213, 214, 215)

SITUATE ON THE WATERS OF SANDY CREEK IN RENO DISTRICT, PRESTON COUNTY, WEST VIRGINIA



SCALE: 1" - 2000"

FELLOWSVILLE AND THORNTON QUADRANGLES WEST VIRGINIA

MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia. IT'S THE LAW.!

LOCATION COORDINATES

ACCESS ROAD ENTRANCE

LATITUDE: 39.295159 LONGITUDE: -79.876767 (NAO 83)

CENTER OF WELL PAD

LATITUDE: 39.295160 LONGITUDE: -79.869983 (NAD 83)

CENTER OF TANK PAD

LATITUDE: 39.295980 LONGITUDE: -79.870969 (NAD 83)

CENTER OF ASSOCIATED COMPLETION PIT

LATITUDE: 39 295797 LONGITUDE: -79.873189 (NAD 83)

GENERAL DESCRIPTION

THE WELL PADS, ASSOCIATED P.T. AND ABOVEGROUND STORAGE TANK ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS.

SITE DISTURBANCE COMPUTATIONS

WELL PAD	=	6 62 AC
MANIFOLD PAD,		
IANK PAD,		
STOCKPILES,		
ACCESS ROADS	-	15.03 AC
TOTAL SITE DISTURBANCE	-	21.65 AC
TIMBER CLEARING AREA	-	3.21 AC

ACCESS TO THE SITE HAS BEEN APPROVED AND PERMITTED BY THE WEST MRG NIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS THROUGH AN MM-109 ENCROACHMENT PERMIT.

MISS UTILITY STATEMENT

MISS UTILITY OF WEST VIRGINIA WAS NOTED FOR THE LOCATING OF UTILITIES PRIOR TO THIS PROJECT DESIGN; TICKET #1528182548. IN ADDITION, MISS UTILITY WILL BE CONTACTED PRIOR TO START OF THE PROJECT

A 0.41 ACRE PORTION OF THE PROPOSED LIMITS OF DISTURBANCE FOR THIS PROJECT IS LOCATED WITHIN THE EXISTING FEMA 100-YEAR FLOCDPLAIN, PER FEMA MAPS #54077C0375D AND #54077C0400D.

ENVIRONMENTAL NOTES

WETLAND DELINEATIONS WERE PERFORMED ON OCTOBER 13, 2015, AND NOVEMBER 2, 2015 BY APEX TO REVIEW THE SITE FOR WATERS AND WETLANDS THAT ARE MOST LIKELY WITHIN THE REQULATORY PURVIEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WVDEP). IT IS STRONGLY RECOMMENDED THAT THE AFOREMENTIONED AGENCIES BE CONSULTED IN AN EFFORT TO GAIN WRITTEN CONFIRMATION OF THE DELINEATION SHOWN ON THIS EXHIBIT PRIOR TO ENGAGING CONSTRUCTION ON THE FROPERTY DESCRIBED HERRIN. THE DEVELOPER SHALL OBTAIN THE APPROPRIATE PERMITS FROM THE FEDERAL AND/OR STATE REGULATORY AGENCIES PRIOR TO ANY PROPOSED IMPACTS TO WATERS OF THE U.S., INCLUDING WETLAND FILLS AND STREAM CROSSINGS.

GEOTECHNICAL NOTE

A GEOTECHNICAL INVESTIGATION OF THE PROPOSED SITE WAS CONDUCTED BY LARSON DESIGN GROUP ON NOVEMBER 16 THROUGH NOVEMBER 17, 2015, THE REPORT PREPARED BY LARSON DES GN GROUP, DATED JANUARY 2016 REFLECTS THE RESULTS OF THE SUBSURFACE INVESTIGATION. NFORMATION AND RECOMMENDATIONS CONTAINED IN THIS REPORT WAS USED IN THE PREPARATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACT INVESTIGATION REPORT BY LARSON DESIGN GROUP FOR ADDITIONAL INFORMATION



VAY SAY

	CUM	GW	CALL	20	
RSENAL RESOURCES POESSIGNAL PLACE. 200 DCEPCRI, NV 26330 IOME 354,842,1597	PILLAL DESIGN BENSONS	FINAL DESIGN REVISIONS	FINAL DESIGN	SINWWOO	CENTER A DEWENDAND
PROFESSI PROFESSI IT: 200 DCEPCRT, TONE 304,	11/6/3	9/22/16	2/19/16	DATE	

4 5 5 4 4 6 5 A 4 6 5

Es dno COVER ARWIN Larson 2502 Cro Morganta



OF 31

IGUECT NO 10793-013

