


7/11/69



Drill Deeper.....
 Abandonment.....

Issued 7-11-69

Company SCABOT CORPORATION
GODFREY L. CABOT, INC.
 Address 900 UNION BLDG CHARLESTON WVA
 Farm THE PUTNAM Co.
 Tract _____ Acres PT of 22000 Lease No. 3-464
 Well (Farm) No. 24 Serial No. 996
 Elevation (Spirit Level) 966.70 Rig Floor
 Quadrangle KENNA W.C.
 County Putnam District Union
 Engineer Charles Sturm
 Engineer's Registration No. 275.
 File No. _____ Drawing No. _____
 Date Sept. 5, 1961 Scale 1" = 1320

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. PUT-142-P

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
WELL RECORD

Permit No. Put-142

Company	Godfrey L. Cabot, Inc.	Gas Well		
Address	Charleston, W. Va.	CASING & TUBING		
Farm	Putnam Company	10 1/2	939	939 Cas. Sh.
Location	Acres ---	8 5/8	2196	--
Well No	24-Ser. 996	7	5070	5070
District	Union Putnam County	2 3/8	5200	5200 Bot.
Surface	---			Welded
Mineral	---	PACKER:		
Commenced	Sept. 8, 1941	1- 8 5/8" x 10 x 16 B.H.		
Completed	Jan. 8, 1942	25 sacks aquagol		
Shot	1-8-1942	1-7" Sp. Oriskany Packer; 40		
Volume	84 M B.S. 40 Min A.S. 919 MCF	Sacks aquagol and		
Rock Pressure	1200 lbs. 69 hrs-Oriskany -Test. Cas.	4 sacks fibertex.		
	1700 lbs. 18 days	5133	5141	
Water	1710' Hole Full, Water Level 300'	5198	5203	
		Tubed and shut in 2-4-42		

Surface	0	10	-Oriskany	5130	5201
Sand Gr	10	60	-Black Lime	5201	5205 S.L.
Red Rock	60	70	TOTAL DEPTH		5205 S.L.

Slate & Shells	70	115	GAUGES IN ORISKANY B.S.		
Red Rock	115	130	12-28-41	5134-36	Shut in 321M
Slate & Shells	130	160	1-1-42	5136	Before drilling 119 M
Lime Shells	160	280	1-4-42	5140	231 M
Red Rock	280	320		5143	189 M
Lime	320	350		5146	327 M
Slate & Shells	350	380		5152	377 M
Red Rock	380	410		5154-5182	253 M
Shale	410	430		5189	158 M
Slate & Shells	430	455		5201	119 M
Red Rock	455	475		5205	103 M
Slate & Shells	475	650	GAUGES IN ORISKANY A.S.		
Red Rock	650	680	B.S.	84 M	1-8-42
Gritty Shale	680	720	10 Min	A.S.	1,087 M
Shale	720	730	15 "	"	978 M
Lime	730	775	20 "	"	919 M
Slate	775	790	40 "	"	919 M
Lime	790	810			
Shale	810	848			
Shale	848	870			
Red Rock	870	890			
Lime	890	893			
Slate & Shells	893	935			
Shale	935	990			
Sand	990	1089			
Slate	1089	1139			
Lime	1139	1249			
Sand	1249	1383			
Lime	1383	1393			
Shale	1393	1425			
Lime	1425	1538			
Slate	1538	1631			
Sand	1631	1950			
Lime	1950	2090			
Slate	2090	2095			
Lime Shell	2095	2117			
Sand	2117	2160			
Slate & Shell	2160	2195			
Lime	2195	2210	S.L.	2196	
Slate & Shells	2210	2588			
Sand	2588	2610	- Berea		
Slate & Shells	2610	2800			
Shale & Shells	2800	3685			
Shale	3685	3750			
Brown Shale	3750-L.H.	3940	3760?		
Slate	3940	4100	Gas 2760	Not enough to gauge	Show
Brown Shale	4100	4672			
White Slate	4672	4800			
Shale	4800	5050	S.L.		
Corniferous L	5050	5130			

5050
 967

 4083

5201
 967

 4234