



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 6

Quadrangle Winfield

WELL RECORD

Permit No. PUT.-662


Oil or Gas Well Gas
(KIND)

Company Teavee Oil & Gas, Inc.
Address 1901 Kanawha Valley Bldg., Chas., W. Va.
Farm Dana Harbour Acres 175
Location (waters) Tucker's Branch
Well No. 1 Elev. 841
District Scott County Putnam
The surface of tract is owned in fee by Dana Harbour
Address St. Albans, W. Va.
Mineral rights are owned by Dana Harbour
Address St. Albans, W. Va.
Drilling commenced 1-3-59
Drilling completed 4-2-59
Date Shot Not Shot From _____ To _____
With _____
Open Flow 5/10ths Water in 2 Inch
_____ /10ths Merc. in _____ Inch
Volume 110,400 Cu. Ft.
Rock Pressure Not Taken lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water 170 feet _____ feet
Salt water 825 feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>Anchor</u>
13		<u>20'</u>	Size of <u>7"</u>
10	<u>740'</u>		Depth set <u>4488'</u>
8 1/4	<u>1633'</u>		Perf. top <u>4490'</u>
6 3/4		<u>1944'</u>	Perf. bottom <u>4520'</u>
5 3/16			Perf. top _____
3		<u>30' 8"</u>	Perf. bottom _____
2		<u>4489' 2"</u>	
Liners Used			

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 342 FEET _____ INCHES
717 FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			0	20			
Grey Rock			20	30			
Red Rock			30	70			
Blue Rock			70	150			
Red Rock			130	158			
Blue Rock			158	230			
Sand Stone			230	260			
Red Rock			260	305			
Sand Stone			305	338			
Slate			338	346			
Broken Sand			346	400			
Red Rock			400	420			
Slate			420	442			
Red Rock			442	452			
Limey Sand			452	490			
Red Rock			490	515			
Sand			515	534			
Slate			534	612			
Red Rock			612	635			
Slate			635	672			
Limey Sand			672	700			
Slate			700	820			
Sand			820	1035			
Black Slate			1035	1095			
Limey Sand			1095	1150			
Black Slate			1150	1172			
Sand			1172	1225			
Black Slate			1225	1270			
Sand			1270	1310			
Black Slate			1310	1325			
Salt Sand			1325	1417			
Slate			1417	1427			
Limey Sand			1427	1608			
Little Lime			1608	1628			
Pencil Cave			1628	1630			
Big Lime			1630	1803			
Injun Sand			1803	1903			
Weir Shells			1903	2140			



Formation	Color	Hard or Soft	Top 6	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & Shells			2140	2330			
Coffee Shale			2330	2345			
Berea Grit			2345	2373			
Slate & Shells			2373	3482			
Brown Shale			3482	3492			
White Slate			3492	3532			
Brown Shale			3532	3620			
Slate & Shells			3620	3710			
Brown Shale			3710	3790			
Slate & Shells			3790	3816			
Brown Shale			3816	3910			
Slate & Shells			3910	4235			
Brown Shale			4235	4435			
Corniferous Lime			4435	4533			
Oriskany Sand			4533	4556	Total Depth		

Date May 1, _____, 1959

APPROVED Teavee Oil & Gas, Inc., Owner

By John Galpin
(Title) R.W.