

OIL & GAS DIVISION DEPT. OF MINES



State of Mest Nirginia

Bepartment of Mines Gil und Gas Division

Date	7/1/85
Operato Well No	
Farm	W. W. Wick
API No.	. 47 - 079 - 846

WELL OPERATOR'S REPORT

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

LOCATION: Elevation:	917.1	Watershed	Poplar Fo	ork		
District:	Scott	County Pu	tnam	Quadrang1	e St. All	Depot 7.5'
COMPANY Teavee 0il & 1901 Kanawha Charleston,	& Gas, Inc.	de.	1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2			
DESIGNATED AGENT	D. K. Bo	wers	Casing	Used in Drilling		Cement fill up Cu. ft.
ADDRESS Same as abo	o v e	E Company	Size		TI WELL	cu. It.
SURFACE OWNER W.	W. Wick		20-16			
ADDRESS Winfield, W	w		Cond.			
MINERAL RIGHTS OWNER_	W. W. W	liek	13-10"	140	140	65
ADDRESS Winfield,	V W		9 5/8			
OIL AND GAS INSPECTOR		ORK ****	8 5/8			
C. Hively ADDRESS			7	2100	2100	Packer
PERMIT ISSUED Augus			5 1/2			
DRILLING COMMENCED NO	v 2 1077	Se February	4 1/2			
DRILLING COMPLETED No.	v. 2, 1911		" J 3"			
F APPLICABLE: PLUGGI		The latest transfer and the second se	2		4622	bottom he packer
CONTINUOUS PROGRESSION REWORKING. VERBAL PERM ON	FROM DRIT	TITNG OR	Liners used			h [
EDOLOGICAL TARGET FORM	ATION	Oriskany san	d .	Dept	h 458	2 feet
Depth of completed	d well 4	622 feet	Rotary x	/ Cable	Tmle	
	h: Fresh	150 feet:	Salt 87	6 feet	10015	
Water strata depth					d :	
Water strata depth	. N/.	A	Ts mal 1			NTO
Water strata depth Coal seam depths:	· N/.	A	_ Is coal !	being mine	a mi die	area? No
Water strata depth Coal seam depths:_ OPEN FLOW DATA	. N/.					
Water strata depth Coal seam depths:_ OPEN FLOW DATA Producing formation	on Orisi	kany sand	Pay	zone depti	h	feet
Water strata depth Coal seam depths: PEN FLOW DATA Producing formation Gas: Initial open	on Orisi	kany sand 78 Mcf/d	Pay Oil: Ini	zone dept	h flow N	feet
Water strata depth Coal seam depths: PEN FLOW DATA Producing formation Gas: Initial open Final open f	on Orisin flow	kany sand 78 Mcf/d 78 Mcf/d	Pay Oil: Init	zone depti tial open :	h flow N, ow N/A	feet /A Bbl/d Bbl/d
Water strata depth Coal seam depths: PEN FLOW DATA Producing formation Gas: Initial open Final open f Time of	on Orisin flow flow for open flow	kany sand 78 Mcf/d 78 Mcf/d w between init	Pay Oil: Init Fina	zone depti tial open : al open flo nal tests	h	feet /A Bbl/d Bbl/d
Water strata depth Coal seam depths: PEN FLOW DATA Producing formation Gas: Initial open Final open f Time of Static rock pressu	on orisin flow flow fopen flow re 700	kany sand 78 Mcf/d 78 Mcf/d w between init psig(surfac	Pay Oil: Init Finatial and firm the measurement	zone depti tial open : al open flo nal tests	h	feet /A Bbl/dBbl/d
Water strata depth Coal seam depths: PEN FLOW DATA Producing formation Gas: Initial open Final open f	on orisin flow flow fopen flow re 700	kany sand 78 Mcf/d 78 Mcf/d w between init psig(surfac	Pay Oil: Init Finatial and firm the measurement	zone depti tial open : al open flo nal tests	h	feet /A Bbl/d Bbl/d
Water strata depth Coal seam depths: PEN FLOW DATA Producing formation Gas: Initial open Final open f Time of Static rock pressur (If applicable due	on Orisin flow flow for to multip	kany sand 78 Mcf/d 78 Mcf/d w between init psig(surface)	Pay Oil: Init Finatial and firms the measurement	zone depti tial open al open flo nal tests_ ent) after	flow N, ow N/A hou	feet /A Bbl/d _Bbl/d _Bbl/d rs s shut in
Water strata depth Coal seam depths: PEN FLOW DATA Producing formatic Gas: Initial open Final open f Time of Static rock pressur (If applicable due Second producing f	on Orisin flow flow formation	Kany sand 78 Mcf/d 78 Mcf/d W between init psig(surfactors ole completion N/A	Pay Oil: Init Finatial and finate measurement () Pay	zone depticial open floral tests_ent) after_zone depti	flow N, ow N/A hou 10 hour 1 09	feet A Bbl/d Bbl/d Bbl/d rs s shut in
Water strata depth Coal seam depths: PEN FLOW DATA Producing formation Gas: Initial open Final open f Time of Static rock pressu (If applicable due Second producing f Gas: Initial open	on Orisin flow flow formation flow flow	Kany sand 78 Mcf/d 78 Mcf/d W between init psig(surfactors ple completion N/A Mcf/d	Pay Oil: Init Finatial and fir te measurement) Pay Oil: Init	zone deptitial open floral tests_ent) after zone deptitial open f	flow N/A ow N/A hou 10 hour 1 09 Flow	feet A Bbl/d Bbl/d rs s shut in
Water strata depth Coal seam depths: PEN FLOW DATA Producing formation Gas: Initial open Final open f Time of Static rock pressu (If applicable due Second producing f Gas: Initial open Final open f	n flow flow to multiple formation flow flow flow flow flow flow flow flow	Kany sand 78 Mcf/d 78 Mcf/d W between init psig(surfactors ole completion N/A	Pay Oil: Init Fina cial and fir ce measureme) Pay Oil: Init Oil: Fina	zone depticial open floral tests_ent) after_cone depticial open floral open fl	flow N/A hou 10 hour 1 09 Flow	feet A Bbl/d Bbl/d Ts s shut in /29/2023 feet Bbl/d Bbl/d



FORM IV-35 (REVERSE)

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Well producing on natural open flow

Cage perforation @ 4590 - 4600

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Red rock & shale Sand Shale Sand Shale Slate Slate Sand Slate & shells Sand Slate Sand Slate Sand Slate Salt sand Slate Big Lime Big Lime Big injun Sand & slate *Coffee shale *Bera sar 1 Shale *Brown shale White slate *Marcellus *Cormiferous lime *Oriskany sand Lime	0 300 315 330 400 580 595 615 645 690 805 1311 1335 1750 1755 1775 1995 2151 2398 2418 2445 3605 3978 4316 4501 4582 4593	300 315 330 400 580 595 615 645 690 805 1311 1335 1750 1755 1775 1945 2151 239 8 2418 2445 3605 3978 4316 4501 4582 4593 4666	Fresh water 150' Salt water 876' Gas Total depth

*Indicates electric log depths

(Attach separate sheets as necessary)

Teavee Oi	l & Gas, Inc.	
Well Op	erator	
Ву:	2. Bowers	0 9 /29/2023
Date:	7/1/85	03/23/2020

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including coal, encountered in the drilling of a well."





DEPARTMENT OF MINES



DEFT. OF MINES

Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,	
Charleston, W. Va.	DATE August 25, 1977
Surface Owner W.W. Wick	Company Teavee Oil and Gas Inc.
Windiald W Wa	Address 1901 Kanawha Valley Bldg. Chas
Mineral Owner W. W. Wick	
Man Canada Maria	Location (waters) Poplar Fork
T.T. T.T. T.T. T.	
	Well No. TV-92 Elevation 917.1
Address Winfield W.Va.	004117
	Quadrangle St. Albans 15
PERMIT MUST BE POSTED AT THE WELL SITE	2070:
PERMIT MUST BE POSTED TO	
rovisions being in accordance with Chapter 22,	
rovisions being in accordance with Chapter approved e W. Va. Code, the location is hereby approved This permit shall expire if	INSPECTOR
drilling . This permit shall expire if	TO BE NOTIFIED Martin Nichols
drilling . This permit state over ations have not commenced by 12-31-77 .	P.O. Box 554, Clendenin, W.Va.
ations have not communications have not communications.	ADDRESS 1.0. Box 334, Cleridentin, w.va.
	PHONE 548-6993
Deputy Director - Oil & Gas Division	THORE
GENTLEMEN:	
The undersigned well operator is entitled to drill	upon the above named farm or tract of land for oil and gas, having fe
19/0, in Putnam County, Book 58	nd Gas Inc and recorded on the 30 th day of June B Page 819
NEW WELL	PER REDRILL FRACTURE OR STIMULATE DRILLED BEFORE JUNE 5, 1969. engineer or licensed land surveyor and all coal owners and/or operators the hereby notified that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. * mailed by registered mail, or delivered to the above named coal operators
NEW WELL	PER REDRILL FRACTURE OR STIMULATE DRILLED BEFORE JUNE 5, 1969. engineer or licensed land surveyor and all coal owners and/or operators the hereby notified that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. * mailed by registered mail, or delivered to the above named coal operators
NEW WELL	PERREDRILLFRACTURE OR STIMULATE DRILLED BEFORE JUNE 5, 1969. engineer or licensed land surveyor and all coal owners and/or operators the hereby notified that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. * mailed by registered mail, or delivered to the above named coal operators are seen and the day before, or on the coal of the Department of Mines at Charleston, West, Virginia.
NEW WELL	PER
NEW WELL	PERREDRILLFRACTURE OR STIMULATE DRILLED BEFORE JUNE 5, 1969. engineer or licensed land surveyor and all coal owners and/or operators the hereby notified that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. * mailed by registered mail, or delivered to the above named coal operators are seen and the day before, or on the coal of the Department of Mines at Charleston, West, Virginia.
NEW WELL	PER
NEW WELL	PER
NEW WELL	PERREDRILLFRACTURE OR STIMULATE DRILLED BEFORE JUNE 5, 1969. The hereby notified that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. * mailed by registered mail, or delivered to the above named coal operators the period of the Department of Mines at Charleston, West Virginia. Very truly yours, (Sign Name) for Teavee Oil and Gas Inc. Well Operator 1901 Kanawha Valley Building Address of
NEW WELL	PERREDRILLFRACTURE OR STIMULATE DRILLED BEFORE JUNE 5, 1969. engineer or licensed land surveyor and all coal owners and/or operators the hereby notified that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. * mailed by registered mail, or delivered to the above named coal operators ress day before, or on the coal operators ress day before, or on the coal operators Very truly yours, (Sign Name) for Teavee Oil and Gas Inc. Well Operator 1901 Kanawha Valley Building Address Street
NEW WELL	Page 819 Page REDRILL FRACTURE OR STIMULATE DRILLED BEFORE JUNE 5, 1969. Per required that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. * mailed by registered mail, or delivered to the above named coal operators are seen and the Department of Mines at Charleston, West Virginia. Very truly yours, (Sign Name) for Teavee Oil and Gas Inc. Well Operator Address of Well Operator Charleston City or Town
NEW WELL	PERREDRILLFRACTURE OR STIMULATE DRILLED BEFORE JUNE 5, 1969. engineer or licensed land surveyor and all coal owners and/or operators e hereby notified that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. * mailed by registered mail, or delivered to the above named coal operators ress day before, or on the to the Department of Mines at Charleston, West Virginia. Very truly yours, (Sign Name) for Teavee Oil and Gas Inc. Well Operator Address of Well Operator Charleston Charleston
NEW WELL	Page 819 Page REDRILL FRACTURE OR STIMULATE DRILLED BEFORE JUNE 5, 1969. Per required that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. * mailed by registered mail, or delivered to the above named coal operators of the Department of Mines at Charleston, West Virginia. Very truly yours, (Sign Name) for Teavee Oil and Gas Inc. Well Operator Address of Well Operator Charleston City or Town
NEW WELL County, Book 58 X	Page 819 Page 819 PER REDRILL FRACTURE OR STIMULATE DRILLED BEFORE JUNE 5, 1969. Pengineer or licensed land surveyor and all coal owners and/or operators of laby, or filed with the Department of Mines within ten (10) days. * mailed by registered mail, or delivered to the above named coal operators ress day before, or on the coal operators of Mines at Charleston, West, Virginia. Very truly yours, (Sign Name) for Teavee 0il and Gas Inc. Well Operator Address of Well Operator City or Town West Virginia 25302 State O9/29/2023 d by the Department of mines, within said period of ten days from the receipt of docation, the department shall forthwith issue to the well operator a permit reciting the coal operators or found thereto by the department and that the same is approved.
NEW WELL County, Book 58 NEW WELL DRILL DEER OIL AND GAS WELL ORIGINALLY The enclosed plat was prepared by a registered enhance been notified as of the above date. The above named coal owners and/or operator are to make by Section 3 of the Code, must be received. Copies of this notice and the enclosed plat were ror coal owners at their above shown respective add same day with the mailing or delivery of this copy to the same day with the mailing or delivery of this copy to the same day with the mailing or delivery of the copy to the same day with the mailing or delivery of the copy to the same day with the mailing or delivery of the copy to the same day with the mailing or delivery of the copy to the same day with the mailing or delivery of the copy to the same day with the mailing or delivery of the copy to the same day with the mailing or delivery of the copy to the copy to the same day with the mailing or delivery of the copy to the copy to the copy to the same day with the mailing or delivery of this copy to the c	PER

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	X DRILL	DEEPENFRACTURE-STIMULATE				
DRILLING CONTRACTOR: (If NAME FWA Drilling In		RESPONSIBLE AGENT:				
ADDRESS Elkview		_	Corbett Va			
TELEPHONE 965-3379		ADDRESS Winfield W.Va. TELEPHONE 755- 5202				
ESTIMATED DEPTH OF COMPLE	ETED WELL: 4674		_ CABLE TOOLS			
PROPOSED GEOLOGICAL FORM		ItOTAILT	_ CABLE TOOLS			
		COMB. STORAC	GE DISPOSAL			
			LOOD OTHER			
TENTATIVE CASING PROGRAM	and the second		oid,			
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN WELL	OR SACKS - CUBIC FT.			
20 - 16 13 - 10 10 3/4	1001	4001				
9 - 5/8	1201	120'	To Surface			
	R 1 4.1					
7	2070'	2070'	Packer			
5 1/2			2001502			
4 ½			Comp. Comp.			
3		4614'	Perf. Top			
Liners		FT 73 P	Perf. Bottom Perf. Top			
			Perf. Bottom			
OF PLAT. TO DRILL DEEPER OR REDRILL SUBMIT FIVE (5) COPIES OF WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTE TO FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OF ING ORIGINAL PERMIT NUMBER ON DEEP OR STATE OF THE PRIOR OF THE PLAT OF THE	OF OG - 1, \$100.00 PERM L: OF OG - 1, SHOWING ORIGO O 1929, A PERMANENT OD. RIGINALLY DRILLED BEFO AND ORIGINAL WELL RE RIGINALLY DRILLED ON A MBER, AND PERFORMANCE Within ninety (90) days of	IT FEE, PERFORMANCE INAL PERMIT NUMBER A COPY OF THE PLAT AND ORE JUNE 5, 1929, FIVE (5 CORD. ND/OR AFTER JUNE 5, 1929, BOND.	AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW- e. Inspector to be notified twenty-			
		perator if the permit is to be	e issued within ten days of receipt			
thereof.	ompleted by the coal op	oravor ir the permit is to D	c issued within ten days of receipt			
	nt fored and place on our mine n		ner or Operator of the coal under			
We the	Coal Company	have no objections to said	well being drilled 19/19/19/19/19/19/19			
			d 7, Chapter 22 of the West Virginia			
168-11	:vLucius S					
Tariff Co.	34 TÚ4		For Coal Company			
	77-17	<u> </u>	Official Title			

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION

RECEIVED
NOV 7 - 1977

INSPECTOR'S WELL REPORT

OIL & GAS DIVISION DEPT. OF MINES

Permit No. Put -846

Oil or Gas Well Fas

Company Tequee	Oiland Gasine	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
0//	eston, wva	Size	and the second s		Tilling Marwall T
Farm WW	wick	16		en e	Kind of Packer
Well No. TV-9	2	10 2/	142	142	Size of
District SCOTT	county Patnam				
Drilling commenced		6%		ndge, quasertinya birat si alin sistes tipi njegolasi dali puninak diskolasi siste	Depth set
		5 3/16			
Drilling completed	Total depth.	3			Perf. top
Date shot	Depth of shot	2			Perf. bottom
Initial open flow	/10ths Water inInch	Liners Used			Perf. top
					Perf. bottom
Volume		NAME OF SER	RVICE COMPA	ANY WE	2 No. FT//-2-77 Date
Oil	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED) AT	FEETINCHES
Fresh water	feetfeet	FEET	INCI	HES	FEETINCHES
Salt water	feetfeet	FEET	INC	HES	FEETINCHES
Drillers' Names					- 18.728.30.
Remarks: Cementu	d with 65 B	aks Ce	monto		

11-3-77

Morter B. Nichols
DISTRICT WELL INSPECTOR
09/29/2023

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.	the specimens of the second of			We	II No.	
COMPANY	angle in the discount of the contract of the c	12	ADDRESS	5 × 1 × 0 × 10 × 10 × 10		454
FARM.	and the second section of the second properties of the second section of the second section of the second section sect		CC			
Filling Material Used						
						And the second s
Liner Lo	cation	Amount	Packer	Location	1	The state of the s
ALUGS USED A	AND DEPTH PLACED		BRIDGES	CASIN	IG AND T	UBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
Accounts quiry match consistence and a side of the discount of quiry consistence and which relativistics for the constraints of	and the particular comments are not an experience or distinct comments as the contract of the		and the second s			
And the second s						
and the second s	and the second of the second o					
The second secon						1
The second secon					The grant of S	
	X 8					
				. 19.3		e production in the
rillers' Names						
	the transfer of the property of					
emarks:			The second secon		1000	130 32 31.
						ar e said
					(*)	
	horoby westign T					
DAYE	hereby certify I vis	ited the above	well on this date.			
6, 14 14/				a war was a little	Arra L	

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS E-VISION DEPT. OF MINES

INSPECTOR'S WELL REPORT

Parmie No. Put -846

Oil or Gas Well La S

Company Teavee Oily Gas Inc	CASING AND	USED IN DRILLING	LEFT IN	PACKERS
Address Charleston, ava	Size			Las I farestall goodle.
Farm W. W. wick	16	antigation and global plant representation or a sound general section of grant planting conserva-	20115	Kind of Packer
Well No. 70-92	13	and the second s	The managed agency	A CONTRACTOR CONTRACTOR CONTRACTOR
District 500tt county Kenauka	81/4			Size of
Drilling commenced	6%			Depth set
	5 3/16			
Drilling completedTotal depth	3			Perf. top
Date shotDepth of shot	2	2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top.
Open flow after tubing/10ths Merc. in Inch	Magazine and an analysis of the state of the			Perf. bottom
VolumeCu. Ft.	CASING CEMEN	NTED	SIZE	No. FTDate
lock pressurelbshrs.	NAME OF SER	VICE COMPA	ANY	
Dilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEETINCHES
resh water feet feet	FEET	INCE	ies	FEETINCHES
alt waterfeetfeet	FEET	INCH	IES	FEETINCHES
Fillers' Names				
			nde specialistication and the control adjustments and an execution of the control	
emarks:				
movina on Location				

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.				STANDARD CONTRACTOR OF	*** **********	
COMPANY			ADDRESS			
FARM		_DISTRICT	ГСС	UNTY		
						50.54 .6 5.5
Filling Material Used		gerday the division may be wreath the forest year of the contract of the contr				
Liner Loc	cation	Amount	Packer	Location		
ALUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TI	IBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOST
to the same of the						
the second section of the second second section is the second section of the section of the second section of the section of the second section of the section of t			again tao ing pamarangang allanga sa mara danar na malanga ng malangan an ang bandarang manasaran na bib			
And the same of th						
and the state of t						ary and the
		- Printer provide the printer of the			esterna di	
And the state of t						
						-
					2	
				8- en 19- 19- 19- 19- 19- 19- 19- 19- 19- 19-	r ,	
The state of the s			and the second s			The state of the
		CONCERNING AND ADDRESS OF THE PARTY OF THE P	the state of the s			
Drillers' Names	And the second s					
The second secon	the state of the s	and the same of th		and where the same designation is not to the same and the		***
Remarks:						
	The handles T	wisited the a	have well on this date			
DATE	I hereby certify I	visited the a	bove well on this date.		09/29/	0000





OIL & GAS DIVISION DELT. OF MINES

STATE OF WEST VIRGINIA OIL AND GAS CONSERVATION COMMISSION **CHARLESTON 25305**

ARCH A. MOORE, Jr. Governor

December 9, 1976

THOMAS E. HUZZEY Commissioner 3

Mr. Robert L. Dodd Deputy Director Oil and Gas Division Department of Mines

COMPANY: Teavee Oil and Gas Inc.	
FARM: W. W. Wick	
COUNTY: Putnam DISTRICT: Scott	
The application of the above company is approved - Oriskany only (APPROVED-DISAPPROVED)	
Applicant has complied with the provisions of chapter	

APPLICATION FOR PERMIT #47_079 _ 0837 TO DRILL DEEP WELL

Provided a certified copy of duly acknowledged and recorded consent and easement from all surface owners;

twenty-two, article four-a (\$22-4A) of the Code of West Virginia, nineteen hundred and thirty-one (1931), as amended, Oil and Gas Con-

(HAS-HAS NOT)

- Provided a tabulation of all deep wells within one mile of the proposed location, including the API number of the deep well, well name, and the name and address of the operator, and;
- 3. Provided a plat showing that the proposed location is a distance of 463 feet from the nearest unit boundary and showing the following wells drilling to or capable of producing from the objective formation within 3000 feet of the proposed location:

47-079-0705 3000'

servation, as follows:

47-079-0709 4100'

47-070-0718 5200 '

47-079-0719 3100' 47-079-0720 4400'

Very truly yours

Thomas E. Huzzey Commissioner

CERTIFICATE OF CONSENT AND EASEMENT

We, the undersigned, and in consideration of One Dollar, the receipt and sufficiency of which is hereby acknowledged, being all of the owners of the surface of that certain lot, tract or parcel of land located in Scott District, Putnam County, State of West Virginia, shown on the attached plat or survey, do hereby consent and grant an easement, pursuant to West Virginia Code, Section 22-4A-7 (6) (4) and operating Rule 3.04 of Rules and Regulations of the West Virginia Oil and Gas Conservation Commission to Teavee Oil and Gas, its successors or assigns, for the drilling and operation of a deep well for the production of oil or gas at the location shown on the attached plat of survey.

Executed this 24 th day of August 1976

This Instrument prepared by William W. Schaefer.

State of West Virginia, County of Putnam, to-Wit; I, William W. Schaefer, a Notary Public of said county of Putnam do certify that W. W. Wick and Frances Wick his wife, whose names are signed to the within writing, bearing date the 24th day of thread, 1976, have this day acknowledge the same before me in my said county.

> My commission expires the 12th day of December, 1983. Given Under my hand this 37th day of Charges 4, 1976.

> > William White

"DECLARATION OF CONSIDERATION OF VALUE"

Under the penalties of fine and imprisonment as provided by law the undersigned (grantor-s) (grantee-s) hereby declare the total consideration of the property transferred by the document to which this declaration is appended is (\$ / c c). Given under my hand this 24th day of August , 197

Form approved by State Tax Commissioner

CASTO & HARPIS INC., SPENCER, W. VA. RE-ORDER NO. 2728-4-A

REGET

DEC 7 1976



TEAVEE OIL & GAS, INC.

KANAWHA VALLEY BUILDING CHARLESTON, WEST VIRGINIA 25301

November 18, 1976

West Virginia Oil & Gas Conservation Commission 1204 Kanawha Boulevard, East Charleston, West Virginia 25301

Dear Sirs:

Below is a tabulation of all deep well (s) within a one mile raduis of the proposed location:

W. W. Wick, Number TV-92-1

PERMIT NUMBER	WELL NAME	NAME & ADDRESS OF OPERATION	
Put709	Hubert Sowers - TV-77	Teavee Oil & Gas, Inc. 1901 Kanawha Valley Bldg. Charleston, W. V.	4100
Put705	Homer West - TV-75	Teavee Oil & Gas, Inc. 1901 Kanawha Valley Bldg. Charleston, W.V.	3000
Put718	Mary Carroll, Heirs TV-80	Teavee Oil & Gas, Inc. 1901 Kanawha Valley Bldg. Charleston, W.V.	5200
Put719	L.M. & Clara Handley TV-81	Teavee Oil & Gas, Inc. 1901 Kanawha Valley Bldg. Charleston, W.V.	3/00
Put720-P	K. L. Carroll, TV-82	Teavee Oil & Gas, Inc. 1901 Kanawha Valley Bldg. Charleston, W.V.	4400

Very truly yours,

William W. Schaefer

WWS/iw

TEAVEE OIL & GAS, INC.

HAVAWILA VALLEY BUILDING

CHARLESTON, WEST VIRGINIA 25801

November 18, 1976



West Virginia Oil & Cas Conservation Commission 1204 Kanswha Boulevard, East Charletton, West Virginia 25301

Doar Strs:

Below is a tabulation of all deep well (s) within a one mile radwis of the proposed location:

W. W. Wick, Number TV-92-1

	OF OPERATION	WELL NAME	PERMIT NUMBER
	Teavee Oil & Gas, Inc. 1901 Kanawha Valley Bldg. Charleston, W. V.	Hubert Sowers - TV-77	Put709
3000	Teavee Oil & Gas, Inc. 1901 Kanawha Valley Bldg. Charleston, W.V.	Homer West - TV-75	Put705
5200	Teavee Oil & Gas, Inc. 1901 Kanawha Valley Bldg. Charleston, W.V.	Mary Carroll, Heirs TV-80	Put718
	Teavee 011 & Gas, Inc. 1901 Kanawaa Valley Bldg. Charleston, W.V.	L.M. & Clara Handley TV-81	Put719
4400	Teavee Oil & Gas, Inc. 1901 Kanawha Valley Eldg. Charleston, W.V.	K. L. Carroll, TV-82	Put720-P

Very truly yours,

William W. Schacfer

WE/SMM

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS DIVISION
CHARLESTON 25305
FINAL INSPECTION REPORT
INSPECTORS COMPLIANCE REPORT



8 1986

JAN

٤,	ompany:	TEAUEE	OTI	& CAC.	TMC
21	181101101	ILMALL	MIL	a unur	THE

Description

23.06 Notification prior to starting work
25.04 Prepred before drilling to prevent waste

Farm: WICK, W W

Rule

Well: #TV-92

Permit No. 47- 79-0846 (8-30777)

Counts: PUTNAM

In Compliance
Yes No

23.02 Maintained Access Roads

15.05 Cement Type

15.02 Adequate Coal Casins 15.01 Adequate Production Casins 15.04 Adequate Cement Strength

25.03 Hish pressure drillins 16.01 Required permits at wellsite 15.03 Adequate Fresh Water Casins

25.01 Necessary Equipment to Prevent Waste

23.04 Reclaimed Drilling Pits

23.05 No Surface or Underground Pollution

23.07 Requirements for Production & Gatherins Pipelines _____

16.01 Well Records on Site Well Records Filed

7.05 Identification Markinss

I HAVE INSPECTED THE ABOVE CAPTIONED WELL AND RECOMMEND THAT IT BE RELEASED:

SIGNED Castors Hissely

Your well record was received and reclamation requirements approved. In accordance with Chapter 22B, Article 1, Section 26, the above well will remain under bond coverage for the life of the well.

Director-Oil and Gas Division

January 17, 1986

Date

17-Jul-85

STATE OF WEST VIRBINIA DEPARTMENT OF EMERGY OIL AND GAS DIVISION CHARLESTON 25305 FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT

DEPARTMENT OF ENERGY OIL AND GAS

Permit No. 47- 79-0846 Concenut TEAVEE DIL & DAS: INC. Well: #TV-92 Farm: WICK: W W In Compliance 23.06 Notification prior to starting work 25.04 Presend before drilling to snevent waste 25.03 High pressure drilling 15.01 Required sermits at wellsite 15,03 Adequate Fresh Water Casing 15.02 Adequate Cosl Casins 15.01 Adequate Production Casins 15.04 Adequate Cement Strength 15,05 Cement Ture 23.02 Maintained Access Roads 25.01 Necessary Equipment to Prevent Waste 23.04 Reclaimed Drilling Pite 23,05 No Surface or Underground Pollution 23.07 Requirements for Production & Gathering Firelines 16.01 Well Records on Site Well Records Filed I HAVE INSPECTED THE ABOVE CAPTIONED WELL AND RECONHEND THAT IT BE RELEASED! Your well record was received and reclamation requirements arroved. In accordance


with Charter 22B; Article is Section 26; the above well will remain under bond

Director-Oil and Gas Division

Date

coversee for the life of the well-

ALLEN BLUEPRINT & SUPPLY CO. 4674 Oriskany



Teavee Oil and Gas Inc.

Farm

W. W. Wick

County

Putnam -846

District Scott

> The access road will leave Poplar Fork Road and cross Poplar Fork Creek, which has a shale bed at this point. Aroad has been cut above the hollow into the side of the hill. The road is fairly steep but siltation won't be a problem because the road bed is rock. Drainage for the road is down the hollow. The road then goes along the top of the ridge until the location is reached. The pit is to the north of the location, the ground is very clayey and will hold the pit fluids suitably.
> After drilling is complete the pit will be filled in and the area will be seeded as necessary.

I certify that all requirements of Chapter 22, Article 4, Section 12b, of the W. Va. Code of 1931, as amended will be carried out.

Signed By:

Title:

Geologist

Date: August 26, 1977

AUG 3 0 1977

OIL & GAS DIVISION DEFT. OF MINES

09/29/2023