



West Virginia Department of Environmental Protection
Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47-079-0969F WELL NO.: 961

FARM NAME: Russell Kessell now James Bowling

RESPONSIBLE PARTY NAME: Mountain Gas Services

COUNTY: Pulaski DISTRICT: Union

QUADRANGLE: _____

SURFACE OWNER: James Bowling

ROYALTY OWNER: James Bowling

UTM GPS NORTHING: 56730 4278215

UTM GPS EASTING: 56730 GPS ELEVATION: 1043'

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) - meters.
2. Accuracy to Datum - 3.05 meters
3. Data Collection Method:

Survey grade GPS _____; Post Processed Differential _____

Real-Time Differential _____

Mapping Grade GPS _____; Post Processed Differential _____

Real-Time Differential _____

4. Letter size copy of the topography map showing the well location.

I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

Steve Duckworth
Signature

Title

Date

12-13-11

Date 2-12 19 81 79-00969P
 Well No. 961
 API No. 47 - 079 - 0969-Ren
 State County Permit

STATE OF WEST VIRGINIA
OFFICE OF OIL AND GAS

Company Name DEVON CORPORATION Designated Agent Gene Workman
 Address Box 1433, Charleston, W. Va. Address Box 366, Ripley, W. Va.
 Telephone 304-342-3171 Telephone 304-372-4411
 Landowner Russell Kessell Heirs Soil Cons. District Western SCD

Revegetation to be carried out by Gene Workman (Agent)

This plan has been received by Western SCD. All corrections and additions become a part of this plan. 2/13/81 James W. Hughes (Date) (SCD Agent)

Access Road
 Structure Cross Ditches (A)
 Spacing 60' to 90'
 Page Ref. Manual 1.5
 Structure 16" Drain (B)
 Spacing
 Page Ref. Manual 1.7
 Structure (C)
 Spacing
 Page Ref. Manual

Location
 Structure
 Material
 Page Ref. Manual
 Structure
 Material
 Page Ref. Manual
 Structure
 Material
 Page Ref. Manual

RECEIVED
 FEB 17 1981
 OIL & GAS DIVISION
 DEPT OF MINES

All structures should be inspected regularly and repaired if necessary.
 All commercial timber is to be cut and stacked. All brush and small timber to be cut and removed from site before dirt work begins.

Revegetation

Treatment Area I
 Lime 2 to 4 Tons/acre
 or correct to pH
 Fertilizer 800# 12-12-12 lbs/acre
 (10-20-20 or equivalent)
 Mulch 1 Tons/Acre
 Seed* Ky Fescue 20 lbs/acre
Annual Rye Grass 20 lbs/acre
Ladino 2 lbs/acre

Treatment Area II
 Lime 2 to 4 Tons/Acre
 or correct to pH
 Fertilizer 800# 12-12-12 lbs/acre
 (10-20-20 or equivalent)
 Mulch 1 Tons/Acre
 Seed* Ky Fescue 20 lbs/acre
Annual Rye Grass 20 lbs/acre
Ladino 2 lbs/acre

*Inoculate all legumes such as vetch, trefoil and clovers with the proper bacterium. Inoculate with 3X recommended amount.

Attach or photocopy section of involved Topographic map. Quadrangle ELMWOOD

Legend:  Well Site

 Access Road

