

WR-38
Rev (5-08)
DATE: 11/18/2019

API # 47- 079- 01167-P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPlicate, one copy mailed to the DEPARTMENT, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: **Nora Sutherland**

Operator Well No. **F-24**

LOCATION: Elevation **741 ft.** Quadrangle: **Saint Albans, West Virginia**
District: **Scott District** County: **Putnam, West Virginia**
Latitude: **925 Feet South of 38 Deg. 27 Min. 30 Sec.**
Longitude: **11550 Feet West of 81 Deg. 50 Min. 00 Sec.**

Oil and Gas

FEB 27 2020

WV Department of Environmental Protection

Well Type OIL GAS **XX**

Company: **Teavee Oil and Gas Inc.**
112 Brooks Street
Charleston West Virginia 25301

Coal Operator NONE

Agent: **Duane Bowers**
Permit Issued Date: **08/21/2019**

AFFIDAVIT

STATE OF WEST VIRGINIA
County of Putnam ss:

Ricky Duckworth and **Robert Stewart** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the named well operator, and participated in the work of plugging and filling the above say that said work was commenced on the **15th** day of **November, 2019** and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2220	2145	Bottom Hole Plug	Gel Spacer between all plugs
Gel	2145	1800	2200 feet 3-1/2" tubing	
Cement	1800	1700		
Gel	1700	1605		
Cement	1605	1505	casing shoe plug	
Gel	1505	750	750 feet 6-5/8 inch casing	786 feet 6-5/8 inch casing
Cement	750	650		
Gel	650	400		
Cement	400	300		
Gel	300	100		
Cement	100	0		10-3/4-inch casing 20 feet


DESCRIPTION OF MONUMENT: **7 "set 30" above ground API # and Date Plugged, plate welded on the side of pipe.** And that the work of plugging and filling said well was completed on the **15th** day of **November 2019**.

And further deponents saith not. *Ricky Duckworth*
Robert A. Stewart

Sworn and subscribed before me this 18th day of November, 2019

My commission expires: 03/04/2023 *Duane K. Bowers* Notary Public

Affidavit reviewed by the Office of Oil and Gas: *[Signature]* Title: *Oil Gas Inspector*



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the DEPARTMENT, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: **Nora Sutherland**

Operator Well No. **F-24**

LOCATION: Elevation **741 ft.** Quadrangle: **Saint Albans, West Virginia**
District: **Scott District** County: **Putnam, West Virginia**
Latitude: **925 Feet** South of 38 Deg. 27 Min. 30 Sec.
Longitude: **11550 Feet** West of 81 Deg. 50 Min. 00 Sec.

RECEIVED
Office of Oil and Gas

FEB 27 2020

WV Department of
Environmental Protection

Well Type OIL GAS **XX**

Company: **Teavee Oil and Gas Inc.**
112 Brooks Street
Charleston West Virginia 25301

Coal Operator NONE

Agent: **Duane Bowers**
Permit Issued Date: **08/21/2019**

AFFIDAVIT

STATE OF WEST VIRGINIA
County of Putnam ss:

Ricky Duckworth and **Robert Stewart** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the named well operator, and participated in the work of plugging and filling the above say that said work was commenced on the **15th** day of **November, 2019** and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2220	2145	Bottom Hole Plug	Gel Spacer between all plugs
Gel	2145	1800	2200 feet 3-1/2" tubing	
Cement	1800	1700		
Gel	1700	1605		
Cement	1605	1505	casing shoe plug	
Gel	1505	750	750 feet 6-5/8 inch casing	786 feet 6-5/8 inch casing
Cement	750	650		
Gel	650	400		
Cement	400	300		
Gel	300	100		
Cement	100	0		10-3/4-inch casing 20 feet

DESCRIPTION OF MONUMENT: **7 "set 30" above ground API # and Date Plugged, plate welded on the side of pipe.** And that the work of plugging and filling said well was completed on the **15th** day of **November 2019**.

And further deponents saith not.

Ricky Duckworth
Robert A. Stewart

Sworn and subscribed before me this 18th day of November, 2019

My commission expires: 03/04/2023 *Duane K. Bowers* Notary Public

Affidavit reviewed by the Office of Oil and Gas: *Jeffrey Smith* Title: O. & G. Inspector



WR-38
Rev (5-08)
DATE: 11/18/2019

API # 47- 079- 01167-P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPlicate, one copy mailed to the DEPARTMENT, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: **Nora Sutherland**

Operator Well No. **F-24**

LOCATION: Elevation **741 ft.** Quadrangle: **Saint Albans, West Virginia**
District: **Scott District** County: **Putnam, West Virginia**
Latitude: **925 Feet** South of 38 Deg. 27 Min. 30 Sec.
Longitude: **11550 Feet** West of 81 Deg. 50 Min. 00 Sec.

RECEIVED
Office of Oil and Gas

FEB 27 2020

WV Department of
Environmental Protection

Well Type OIL GAS **XX**

Company: **Teavee Oil and Gas Inc.**
112 Brooks Street
Charleston West Virginia 25301

Coal Operator NONE

Agent: **Duane Bowers**
Permit Issued Date: **08/21/2019**

AFFIDAVIT

STATE OF WEST VIRGINIA
County of Putnam ss:

Ricky Duckworth and **Robert Stewart** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the named well operator, and participated in the work of plugging and filling the above say that said work was commenced on the **15th** day of **November, 2019** and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2220	2145	Bottom Hole Plug	Gel Spacer between all plugs
Gel	2145	1800	2200 feet 3-1/2" tubing	
Cement	1800	1700		
Gel	1700	1605		
Cement	1605	1505	casing shoe plug	
Gel	1505	750	750 feet 6-5/8 inch casing	786 feet 6-5/8 inch casing
Cement	750	650		
Gel	650	400		
Cement	400	300		
Gel	300	100		
Cement	100	0		10-3/4-inch casing 20 feet

DESCRIPTION OF MONUMENT: **7 "set 30" above ground API # and Date Plugged, plate welded on the side of pipe.** And that the work of plugging and filling said well was completed on the **15th** day of **November 2019**.

And further deponents saith not.

Ricky Duckworth
Robert A. Stewart

Sworn and subscribed before me this 18th day of November, 2019

My commission expires: 03/04/2023 *Duane K Bowers* Notary Public

Affidavit reviewed by the Office of Oil and Gas: *Jeffery Smith* Title: Oil & Gas Inspector

