


Latitude 38 20

Longitude 82 00



2.1 W
3.03

New Location

Drill Deeper

Abandonment

✓ ✓

JUN 1946

Company	UNITED FUEL GAS CO.
Address	CHARLESTON W.VA.
Farm	R.M. THOMPSON
Tract	Acres 106 Lease No. 44253
Well (Farm) No.	1 Serial No. 5180
Elevation (Spirit Level)	777 Bar.
Quadrangle	MILTON (SE)
County	PUTNAM District CURRY
Engineer	Wm. Moore
Engineer's Registration No.	662
File No.	38-40-55 Drawing No.
Date	MAY 17, 1946 Scale 1"=660'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. PUT-69-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

R. M. THOMPSON No. 1 (5180) - UNITED FUEL GAS CO. - PUT-69-A



138

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. 69-A

ABANDONMENT

Oil or Gas Well Gas
(KIND)

Company UNITED FUEL GAS COMPANY
Address Charleston, West Virginia
Farm R. N. Thompson Acres 106
Location (waters) Big Creek
Well No. 5180 Elev. 777' B
District Curry County Putnam
The surface of tract is owned in fee by R. N. Thompson
Address R.F.D. Hamlin, W. Va.
Mineral rights are owned by Do
Address _____
Drilling commenced 8-10-18 D.D. 9-14-29
Drilling completed 8-26-18 10-29-29
Date Shot _____ From _____ To _____
With _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18			
10		14'	Size of
8 1/4			
6 5/8		14 2/4'	Depth set
5 3/16		1718'	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume 500,000 Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water 135' feet feet
Salt water _____ feet feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 130 FEET 60 INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Located & Drilled by Sovereign Gas Company							
Surface			0	14			hr.
Sand			14	80	Water		1 Bailer per/
Slate			80	130			
Coal			130	135	Water	135'	
Slate			135	175			
Sand			175	250			
Slate			250	400			
Sand			400	525			
Slate			525	650			
Sand			650	675			
Slate			675	800			
Sand			800	825			
Slate			825	865			
Sand			865	887			
Slate			887	891			
Sand			891	905	Gas	891-900	
Total Depth			905				
Orig. Total Depth				905			
Salt Sand			905	1275			
Slate & Lime Shells			1275	1325			
Maxon Sand			1325	1381			
Little Lime			1381	1411			
Pencil Cave			1411	1416			
Big Lime			1416	1601	Some Gas	135'-140'	in Lime
Slate			1601	1606			
Keener Sand			1606	1615			
Big Injun			1615	1675			
Slate			1675	1680			
Squaw Sand			1680	1692			
Slate & Lime Shells			1692	1840			
Big Shells			1840	1890			
Slate & Shells			1890	2103			
Brown Shale			2103	2118			
Berea Sand			2118	2140			
Total Depth				2144			

