

70016

Curry District, Putnam County, W. Va.
Holley Oil and Development Co. (No. 1).
Turkey Creek field.
Elevation, 665'.
Completed, February 13, 1905.
Contractor, McElroy & Evans.
12' conductor; 10" casing, 155' (pulled); 8", 685' (pulled);
6-5/8", 1318' (pulled); 5-3/16", 1800'.
Packer set at 2036'. Tubing, 2038'; rock pressure, 430 lbs.
Tubing, 5-3/16".
1 lead packer in casing.
1 rubber packer in casing.
5-3/16" stuffing box.
2" gate valves.
100' lead line to tank, 250-bbl. tank.
Packers are the Callanan make by Parkersburg Machine Co.
Well was in bad shape; recently pulled and packed in Big Injun;
volume, 225,000 cu. ft.

	Top.	Bottom.
Sand and slate	12	- 146
Slate	146	- 156
Sand	156	- 180
Slate	180	- 195
Black sand	195	- 320
Slate	320	- 325
Sand	325	- 355
Pink slate	355	- 357
Sand (with water)	357	- 400
Slate	400	- 405
Sand	405	- 473
Slate	473	- 478
Black lime	478	- 530
Sand (with water)	530	- 560
Slate	560	- 570
Sand	570	- 625
Black lime (with water)	625	- 690
Sand	690	- 710
Slate	710	- 735
Shell and lime	735	- 785
Sand shell (with gas)	785	- 795
Slate	795	- 805
Salt Sand (with water)	805	- 890
Slate	890	- 955
Salt Sand	955	- 1312
Lime	1312	- 1514
Pencil slate	1514	- 1519
Red rock	1519	- 1524
Gas in Big Injun	1524	- 1542
Big Injun Sand	1542	- 1572
Lime	1572	- 1822
Slate	1822	- 1970
Sand (with oil)	1970	- 1980
Slate	1980	- 2000
Berea Grit (gas, 2027-2030'; oil, 2030-2033')	2000	- 2027
Unrecorded, to bottom	2033	- 2036

Curry District, Putnam County, W. Va.
 Holley Oil & Dev. Co.
 Drilling completed Feb. 13, 1905. On Turkey Creek
 Contractors: McElroy & Evans.
 Conductor, 12"; 10" casing, 155'; 8", 685'; 6-5/8", 1318'.
 Packer set at 2036'; tubing, 2038'.
 Rock pressure, 430 lbs.
 Elevation, 665'.
 225,000 cu. ft. gas.

	Top.	Bottom.
Sand and slate	18	146
Slate	146	156
Sand	156	180
Slate	180	195
Black sand	195	320
Slate	320	325
Sand	325	355
Pink slate	355	357
Sand (water)	357	400
Slate	400	405
Sand	405	473
Slate	473	478
Black lime	478	530
Sand (water)	530	560
Slate	560	570
Sand	570	625
Black lime (water)	625	690
Sand	690	710
Slate	710	735
Shell and lime	735	785
Sand shell (gas)	785	795
Slate	795	805
Salt Sand (water)	805	890
Slate	890	955
Salt Sand	955	1312
Lime	1312	1514
Pencil slate	1514	1519
Red rock	1519	1524
Big Injun Sand (gas, 1542')	1524	1572
Lime	1572	1822
Slate	1822	1970
Sand (oil)	1970	1980
Slate	1980	2000
Berea Sand (gas, 2027-2030'; oil, 2030-3')	2000	2027
Total depth		2036