



---

west virginia department of environmental protection

---

Office of Oil and Gas  
601 57<sup>th</sup> Street, S.E.  
Charleston, WV 25304  
(304) 926-0450  
fax: (304) 926-0452

Earl Ray Tomblin , Governor  
Randy C. Huffman , Cabinet Secretary  
www.dep.wv.gov

Thursday, October 27, 2016  
WELL WORK PERMIT  
Coal Bed Methane Well / Plugging

ARP MOUNTAINEER PRODUCTION, LLC  
PARK PLACE CORPORATE CENTER ONE  
1000 COMMERCE DRIVE 4TH FLOOR  
PITTSBURGH, PA 15275

Re: Permit approval for WW-2  
47-081-01147-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.

James A. Martin  
Chief

Operator's Well Number: WW-2  
Farm Name: W. POCAHONTAS PROPERTIES  
U.S. WELL NUMBER: 47-081-01147-00-00  
Coal Bed Methane Well / Plugging  
Date Issued: 10/27/2016

Promoting a healthy environment.

10/28/2016

# PERMIT CONDITIONS

## COALBED METHANE WELLS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

### CONDITIONS

---

1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
3. Well work activities shall not constitute a hazard to the safety of persons.
4. If this well is associated with a mine through by a coal operator, then the plugging methodology (work order) must have Mine Safety and Health Administration (MSHA) approval.

WW-4B  
Rev. 2/01

1) Date July 12th, 2016  
2) Operator's Well No. WW-2  
3) API Well No. 47-81 - 01147

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4) Well Type: Oil \_\_\_/ Gas X \_\_\_/ Liquid injection \_\_\_/ Waste disposal \_\_\_/  
(If "Gas, Production \_\_\_ or Underground storage \_\_\_) Deep \_\_\_/ Shallow \_\_\_

5) Location: Elevation 2,054.30 Watershed Paint Creek  
District Town County Raleigh Quadrangle Eccles

6) Well Operator ARP Mountaineer Production, LLC 7) Designated Agent CT Corporation System  
Address Park Place Corporate Centre One Address 5400 D Big Tyler Road  
1000 Commerce Drive 4th Floor, Pittsburg, PA 15275 Charleston, West Virginia 25313

8) Oil and Gas Inspector to be notified Name Gary Kennedy  
Address 252 Circle Avenue Rainelle WV 25962  
9) Plugging Contractor Name C&J Energy Services  
Address 580 Hawthorne Norton, VA 24273

10) Work Order: The work order for the manner of plugging this well is as follows: *check Rock Pressure*  
Move in rig up work-over rig, Lower tubing and tag bottom, TD 1078' Loggers Depth.  
If fill is encountered, clean to as deep as reasonably achievable below lowermost coal.  
RIH with 2-3/8" tubing set off of bottom + or - two feet. Spot balanced plug using 25% excess in cement, totaling 50cu.ft of expanding cement.  
*SEE EXPANDING CEMENT ADDENDUM*  
TOOH w/tubing to be above cement plug, WOC for 4hrs minimum  
RIH w/tubing, tag cement at or near 678', finish circulating cement to the surface w/25% excess, using 80cu.ft of expanding cement  
Install permanent marker and reclaim location to WVDEP specifications

RECEIVED  
Office of Oil and Gas  
SEP 14 2016  
WV Department of  
Environmental Protection

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector *Gary Kennedy* Date 9/7/16

## EXPANDING CEMENT ADDENDUM

## C&amp;J Energy Services, LTD.

1650 Hackers Creek  
Jane Lew, WV 26378  
Oil Field Solutions and Services

## Well Data

Pilot

JWW16-096

Date:	October 13, 2016	BHST:	60 [F]
Client:	Atlas	BHCT:	60 [F]
Well Name:	Generic P&A		
Field:	0		
Service Point:	Black Lick, PA		
Job Type:	Plug		
Depth:	[ft]		
TVD:	[ft]		
Prepared By:	Neal Johnson		

## Slurry Contents 50:50 CJ010-74:CJ920 + 10% CJ111 (BWOW) + 2% CJ020 + 5 LB/SK CJ611

Cement/Blend/Salt	Lot Number	Concentration	Volume	Mass
CJ920		47 LB/SK		351.31 [grams]
CJ010-74		37 LB/SK		276.57 [grams]
CJ111		10 %BWOW		31.19 [grams]
Additives	Lot Number	Concentration	Volume	Mass
CJ020		2 %BWOB		12.558 [grams]
CJ611		5 LB/SK		37.374 [grams]
Total Dry Blend =				709.002105 [grams]
Liquids	Location	Concentration	Volume	Mass
Water			312.87 [mL]	311.92 [grams]

## Slurry Properties


Density:	14.2 [PPG]	Porosity:	55 [%]
Yield:	1.29 [cuft/sk]	Mix Water:	5.02 [gal/sk]

## Expansion Test

Time Elapsed	Diameter (in.)
0 hrs	0.44355
72 hrs	0.45770
96 hrs	0.45820
120 hrs	0.45825
Percent Circumferential Expansion	
0.134 %	



**WW-2**  
**Plug and Abandon Schematic**  
**API # 47-081-01147**



*JK*

RECEIVED  
Office of Oil and Gas  
SEP 14 2016  
WV Department of  
Environmental Protection  
10/28/2016

WR-35  
Rev (5-01)

DATE: August 10, 2004  
API #: 47-81-01147 C

State of West Virginia  
Department of Environmental Protection  
Office of Oil and Gas

Well Operator's Report of Well Work

Farm name: Western Pocahontas Operator Well No.: WW-2  
LOCATION: Elevation: 2047.0 Quadrangle: Eccles  
District: Town County: Raleigh  
Latitude: 8167 Feet South of 37 Deg. 50 Min. 00 Sec.  
Longitude: 2767 Feet West of 81 Deg. 17 Min. 30 Sec.

Company:	Casing & Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.
Address: <u>One Boer's Head Pointe</u>	<u>8.625</u>	<u>502</u>	<u>502</u>	<u>319-DNC</u>
<u>Charlottesville, VA 22903</u>	<u>4.5</u>	<u>1087</u>	<u>1087</u>	<u>224-CTS</u>
Agent: <u>Allen Mueller</u>				
Inspector: <u>Rodney Dillon</u>				
Date Permit Issued: <u>March 24, 2000</u>				
Date Well Work Commenced: <u>April 10, 2000</u>				
Date Well Work Completed: <u>May 31, 2000</u>				
Verbal Plugging:				
Date Permission granted on:				
Rotary <u>X</u> Cable <u>Rig Horn</u>				
Total Depth (feet): <u>1100'</u>				
Fresh Water Depth (ft.): <u>40' - 50'</u>				
Salt Water Depth (ft.): <u>N.A.</u>				
Is coal being mined in area (N/A)? <u>Yes</u>				
Coal Depths (ft.): <u>246-253, 287-302, 524-528, 647-648, 720-721, 871-874</u>				

RECEIVED  
Office of Oil and Gas

SEP 14 2016

WV Department of  
Environmental Protection

OPEN FLOW DATA

Producing formation Poca 2,3,6,9 & Beckley coals Pay zone depth (ft) 524-874  
Gas: Initial open flow N.A. MCF/d Oil: Initial open flow N.A. Bbl/d  
Final open flow 0 MCF/d Final open flow 0 Bbl/d  
Time of open flow between initial and final tests N.A. Hours  
Static rock Pressure 0 psig (surface pressure) after N.A. Hours

Second producing formation \_\_\_\_\_ Pay zone depth (ft) \_\_\_\_\_  
Gas: Initial open flow \_\_\_\_\_ MCF/d Oil: Initial open flow \_\_\_\_\_ Bbl/d  
Final open flow \_\_\_\_\_ MCF/d Final open flow \_\_\_\_\_ Bbl/d  
Time of open flow between initial and final tests \_\_\_\_\_ Hours  
Static rock Pressure \_\_\_\_\_ psig (surface pressure) after \_\_\_\_\_ Hours

RECEIVED  
Office of Oil & Gas  
AUG 11 2004  
WV Department of  
Environmental Protec

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

Signed: [Signature]  
By: John F. Sinclair VP-Exploration  
Date: 8/10/04

[Signature]


Eccles 3

Well: WW-2 Permit No: 47-81-1147C  
 District: Town County: Raleigh

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

11/12/98 Ran 4-1/2" casing w/ frac baffles @ 561, 693, & 760  
 12/03/98 Perforated coal 871.5-884 w/ 23 - 2-1/8 charges  
 Did not frac

Formation	Top	Bottom	Remarks
Shale	0	40	
Sand	40	50	Water 1/2"
Sand and Shale	50	68	
Sand	68	78	
Shale	78	85	
Sand	85	190	
Shale	190	246	
Coal	246	253	Mined
Sand and Shale	253	272	
Sand	272	297	
Coal	297	302	
Sand and Shale	302	325	
Sand	325	428	
Shale	428	435	
Sand	435	492	
Shale	492	524	
Coal	524	528	
Sand and Shale	528	570	
Sand	570	610	
Sand and Shale	610	647	
Coal	647	648	
Shale	648	653	
Sand	653	666	
Sand and Shale	666	683	
Sand	683	694	
Sand and Shale	694	710	
Sand	710	720	
Coal	720	721	
Sand and Shale	721	871	
Coal	871	884	
Sand and Shale	884	904	
Sand	904	912	
Sand and Shale	912	942	
Shale	942	1031	
Sand	1031	1085	
Shale	1085	1100	
TD		1100	



RECEIVED  
 Office of Oil and Gas  
 SEP 14 2016  
 WV Department of Environmental Protection 10/28/2016

*Handwritten signature*

### WELL WW-2 AS-DRILLED CONFIGURATION DIAGRAM


Latitude: 8,167' S of 37°50'00"  
 Longitude: 2,767' W of 81°15'00"  
 Elevations: Ground - 2,047.0'  
 KB - 2,052.0'

#### STIMULATION TREATMENT PLANS


TRTMT. NO.	STIM TYPE	VOLUME (US gal.)	PROPPANT (pounds)
#4	WATER/SAND	20,000	20,000
#3	WATER/SAND	15,000	15,000
#2	WATER/SAND	10,000	10,000
#1	WATER/SAND	35,000	35,000
<b>TOTAL</b>		<b>80,000</b>	<b>80,000</b>

#### COAL SEAM

SEAM NAME	DEPTH (feet)	NET THICK (feet)
Sewell	246'-253'	4.8'
Beckley	524'-528'	3.7'
Poc. 9	648'-650'	3.0'
Poc. 8	720'-721'	1.3'
Poc. 3	871'-875'	3.9'
Poc. 1&2	878'-884'	3.2'
<b>Total Completed Coal</b>		<b>15.1'</b>
<b>(Total Coal for Well)</b>		<b>19.9'</b>



8-5/8" (LS, 20 ppf) & 12-3/8" Hole  
 4-1/2" (M-65, 9.5 ppf) & 7-7/8" Hole



All depths from GL

RECEIVED  
 Office of Oil and Gas

SEP 14 2016



WW-4A  
Revised 6-07

1) Date: 7-28-2016  
2) Operator's Well Number  
WW-2  
3) API Well No.: 47 - 81 - 01147

**STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS  
NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL**

4) Surface Owner(s) to be served:	✓	5) (a) Coal Operator	✓
(a) Name	<u>Western Pocahontas Properties</u>	Name	<u>ICG Beckley LLC</u>
Address	<u>6260 Irwin Road</u> <u>Hunting West Virginia 25705</u>	Address	<u>2221 Old Eccles Road</u> <u>Eccles WV 25836</u>
(b) Name	_____	(b) Coal Owner(s) with Declaration	✓
Address	_____	Name	<u>Western Pocahontas Properties</u>
(c) Name	_____	Address	<u>6260 Irwin Road</u> <u>Hunting West Virginia 25705</u>
Address	_____	Name	_____
Address	_____	Address	_____
6) Inspector	<u>Gary Kennedy</u>	(c) Coal Lessee with Declaration	✓
Address	<u>252 Circle Avenue</u> <u>Rainelle WV 25962</u>	Name	<u>ICG Beckley LLC</u>
Telephone	<u>304-382-8402</u>	Address	<u>2221 Old Eccles Road</u> <u>Eccles WV 25836</u>

**TO THE PERSONS NAMED ABOVE:** You should have received this Form and the following documents:


- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverse side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator ARP Mountaineer Production, LLC  
 By: Douglas S Byers **DOUGLAS S BYERS**  
 Its: Manager Environmental Regulatory Affairs  
 Address Atlas Resource Partners, LP Park Place Corporate Center One  
1000 Commerce Drive 4th Floor Pittsburgh PA 15275  
 Telephone 412-489-0311

Subscribed and sworn before me this 23<sup>rd</sup> day of July 2016  
Tammy L Rapp Notary Public  
My Commission Expires 12-27-18



**Oil and Gas Privacy Notice**

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at [depprivacyofficer@wv.gov](mailto:depprivacyofficer@wv.gov).

RECEIVED  
Office of Oil and Gas

SEP 14 2016

WV Department of  
Environmental Protection  
7/28/2016

RECEIVED  
Office of Oil and Gas

SEP 14 2016

WW-9  
(2/15)

API Number 47 - 81 - 01147  
Operator's Well No. ww-2

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

WV Department of  
Environmental Protection

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name ARP Mountaineer Production, LLC OP Code \_\_\_\_\_

Watershed (HUC 10) Paint Creek Quadrangle Eccles

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes  No

Will a pit be used? Yes  No  *D.S.*

If so, please describe anticipated pit waste: Water and Cement to be collected into a skidded 80 bbl open top tank

Will a synthetic liner be used in the pit? Yes  No  If so, what ml? \_\_\_\_\_

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection ( UIC Permit Number \_\_\_\_\_ )
- Reuse (at API Number \_\_\_\_\_ )
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain \_\_\_\_\_ )

Will closed loop system be used? If so, describe: \_\_\_\_\_

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. \_\_\_\_\_

-If oil based, what type? Synthetic, petroleum, etc. \_\_\_\_\_

Additives to be used in drilling medium? \_\_\_\_\_

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. \_\_\_\_\_

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) \_\_\_\_\_

-Landfill or offsite name/permit number? \_\_\_\_\_

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature *D.S. Byers*

Company Official (Typed Name) DOUGLAS S. BYERS


Company Official Title Manages ENVIRONMENTAL & REGULATORY AFFAIRS

Subscribed and sworn before me this 28<sup>th</sup> day of July, 2016

*Tammy L. Rapp*

Notary **COMMONWEALTH OF PENNSYLVANIA**

My commission expires 12-27-18



Form WW-9

Operator's Well No. WW-2

**ARP Mountaineer Production, LLC**

Proposed Revegetation Treatment: Acres Disturbed 0.5 Prevegetation pH 5-6.5

Lime 2 Tons/acre or to correct to pH 6

Fertilizer type 10-20-20 or equivalent

Fertilizer amount 500 lbs/acre

Mulch Hay/Straw Tons/acre

**Seed Mixtures**

**Temporary**

**Permanent**

Seed Type	lbs/acre	Seed Type	lbs/acre
Tall Fescue or Orchard Grass	40		
Annual Rye Grass	5		

**Attach:**

Drawing(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided)

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: *Wing Kennedy*

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Title: *Inspector* Date: *9/7/16*

Field Reviewed?  Yes  No

RECEIVED  
Office of Oil and Gas  
SEP 14 2016  
WV Department of Environmental Protection  
*10/28/2016*

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS  
GROUNDWATER PROTECTION PLAN

Operator Name: ARP Mountaineer Production, LLC  
Watershed (HUC 10): Paint Creek Quad: Eccles  
Farm Name: WESTERN POCAHONTAS PROPERTIES

- 1. List the procedures used for the treatment and discharge of fluids. Include a list of all operations that could contaminate the groundwater.

Waste water that is collected into the portable tank will be treated and ground disbursed using a 2" portable gasoline powered trash pump.

- 2. Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources above.

While in operation, the portable 2" gasoline powered trash pump will be placed inside containment eliminating chances for potential spillage of gasoline onto the surface.

- 3. List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to the discharge area.

Closest water body 640' +/- South to Paint Creek.

WELL HEAD PROTECTION AREA NOT APPLICABLE.

RECEIVED  
Office of Oil and Gas

SEP 14 2016

WV Department of  
Environmental Protection

- 4. Summarize all activities at your facility that are already regulated for groundwater protection.

Not applicable.

- 5. Discuss any existing groundwater quality data for your facility or an adjacent property.

10/28/2016

Not Applicable

6. Provide a statement that no waste material will be used for deicing or fill material on the property.

No wastes will be used for deicing, ice control, structural fills, road base or other uses.

7. Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall provide direction on how to prevent groundwater contamination.

All employees will be trained on their responsibility to ensure groundwater protection. Current job procedures provide direction on how to prevent ground water contamination through proper work practices.

8. Provide provisions and frequency for inspections of all GPP elements and equipment.

During the plugging activity the site will be inspected to ensure that all elements and equipment of the sites ground water protection program are in place, properly functioning, and appropriately managed.

Signature: Jeff Cooper

Date: 8-30-2016

RECEIVED  
Office of Oil and Gas

SEP 14 2016

WV Department of  
Environmental Protection  
10/28/2016



8101147 P

47-81-01147

RECEIVED  
Office of Oil and Gas

SEP 14 2016


WV Department of  
Environmental Protection



*Handwritten signature*

10/28/2016





RECEIVED  
Office of Oil and Gas

SEP 14 2016

WV Department of  
Environmental Protection

WW 2 API 81 01147



8101147P

RECEIVED  
Office of Oil and Gas

WW-7  
8-30-06

SEP 14 2016



WV Department of  
Environmental Protection

West Virginia Department of Environmental Protection  
Office of Oil and Gas

**WELL LOCATION FORM: GPS**

API: 81-01147 WELL NO.: WW 2

FARM NAME: Western Pocahontas Properties

RESPONSIBLE PARTY NAME: ARP Mountaineer Production, LLC

COUNTY: Raleigh DISTRICT: Town

QUADRANGLE: Eccles

SURFACE OWNER: Western Pocahontas Properties, L.P.

ROYALTY OWNER: Western Pocahontas Properties, L.P.

UTM GPS NORTHING: 4184853.58

UTM GPS EASTING: 477158.83 GPS ELEVATION: 2052.03

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

- Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.
- Accuracy to Datum – 3.05 meters
- Data Collection Method:

Survey grade GPS  : Post Processed Differential

Real-Time Differential

Mapping Grade GPS  : Post Processed Differential

Real-Time Differential

4. Letter size copy of the topography map showing the well location.  
I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

*Rocky Atchell*  
Signature

Regulatory Compliance Specialist  
Title

7-12-2016  
Date