

All provisions being in accordance with Chapter 22,

STATE OF WEST VIRGINIA

or drilling . This permit shall expire if DEPARTMENT OF MINES

			_		
				commenced	L
DDG	rations	have	not	commenced	DY

of the W. Va. Code, the location is hereby approved 9-14-81

Oil and Gas Division

OIL & GAS DIVISION

Director - DI COLDINAND GAS WELL PERMIT APPLICATION MINES

TO THE DEPARTMENT OF MINES, Charleston, W. Va.

COAL OWNER: Mrs. Neva McMullan, Exec., Trustee U/W of Harry McMullan, Jr.

P. O. Box 8 Washington, North Carolina 27889

Westvaco 203 Randolph Avenue Elkins, West Virginia 26241

COAL LESSEE:

AMAX Coal Company 105 South Heridan Street Indianapolis, Indiana 46225

International Coal Company Greenbrier Valley Building 119 Washington Street, East Lewisburg, West Virginia 24901

Royalty-

Ernest Hutton 501 Ellison Land

OIL & GAS ROYALTY
AND SURFACE OWNERS:

UW of Harry McMullan, Exec.
VI W of Harry McMullan, Jr.
P. 0. 80X 8
Washington, North Carolina 27889

Westvaco 203 Randolph Avenue Elkins, West Virginia 26241

DATE	December 16, 19	980
	ALLEGHENY LAND & N	MINERAL COMPANY
Company	P. O. Drawer 1740.	
Address	Clarksburg, West \	/irginia 26301
Farm E	rnest Hutton	Acres 1326
Location	(waters) Lost Run	
Well No.	A-985	Elevation 2480'
District_	Middle Fork	County Randolph
Quadran	gle Cassity 7.5'	

INSPECTOR TO BE NOTIFIED	Robert S.	Stewart	
ADDRESS P.O. Box	345, Jane	Lew, W. Va. 26378	

884-7782 PHONE

GENTLEMEN:

title thereto, (or as the case may	y be) under grant or lease dated	Sept. 18	1951 hw	Ernest Hutton
et.ux. made to _	County, Book 188	Page 404		The Market Landson
OIL AND GAS WE	DRILL DEEPER	REDRILL	FRACTURE	OR STIMULATE

The enclosed plat was prepared by a registered engineer or licensed land surveyor and all coal owners and/or operators have been notified as of the above clate.

The above named coal owners and/or operator are hereby notified that any objection they wish to make, or are required to make by Section 3 of the Code, must be received by, or filed with the Department of Mines within ten (10) days.

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address. day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO: Very truly yours,

(Sign Name) ALLEGHENY LAND & MINERAL COMPANY

OFFICE OF OIL AND GAS 1615 Washington Street, East Charleston, West Virginia Area: Code 304 -348-3092 348-3096

Address of Well Operator

Daniel L. Wheeler, Vice President

P. O. Drawer 1740

Clarksburg, West Virginia 26301

*SECTION 3 If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

47-083-0408

PERMIT NUMBER

"I have read and understand the reclamation requirements as set forth in Chapter 22, Article 4, Section 12-b and will carry out the specified requirements."

Signed by

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	XXX DRILL	DEEPEN	FRACTURE-STIMULATE
DRILLING CONTRACTOR: (If		RESPONSIBLE AC	
NAME. Union Drilling (Company		LEGHENY LAND & MINERAL COMPANY
ADDRESS P. O. Drawer 40			. O. Drawer 1740 Larksburg, West Virginia 26301
TELEPHONE Buckhannon, West	t Virginia 26201		23-6671
ESTIMATED DEPTH OF COMPLI	ETED WELL: 4900'		CABLE TOOLS
PROPOSED GEOLOGICAL FORM	MATION: Elk		
TYPE OF WELL: OIL_	GAS XXX	COMBSTO	RAGEDISPOSAL
			R FLOOD OTHER
A STATE OF THE STA			
TENTATIVE CASING PROGRAM	:,		
4			Charles and the control of the contr
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN WELL	OR SACKS - CUBIC FT.
20 - 16	20'	20'	Cement to surface
13 - 10			
9 - 5/8			
8 - 5/8	20'	20'	Cement to surface
7			Cement to 300'above
5 ½	4900'	4900	producing horizon of to
4 1/2			regula of rule 15,0
3			Perf. Top Perf. Bottom
2			Perf. Top
Liners			Perf. Bottom
WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED TO FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLATOIL AND/OR GAS WELL OF ING ORIGINAL PERMIT NU	OF OG - 1, SHOWING ORIGIO 1929, A PERMANENT ED. RIGINALLY DRILLED BEF AND ORIGINAL WELL R. RIGINALLY DRILLED ON IMBER, AND PERFORMANO	COPY OF THE PLAT ORE JUNE 5, 1929, FIVECORD. AND/OR AFTER JUNE DE BOND.	ER AND PERFORMANCE BOND. ON AND THE ORIGINAL WELL RECORD VE (5) COPIES OG - 1, PERFORMANCE 5, 1929, FIVE COPIES OG - 1, SHOW- release. Inspector to be notified twenty-
four (24) hours in advance.			
The following waiver must thereof.	be completed by the coal o	operator if the permit is	to be issued within ten days of receipt
WAIVER: I the undersigned, Age	ent for	Coal Company,	Owner or Operator of the coal under
this lease have examin	ed and place on our mine	maps this proposed we	Il location.
We the	Coal Compan	y have no objections to	said well being drilled at this location,
providing operator has Code.	complied with all rules and r	regulations in Articles 4,	5, and 7, Chapter 22 of the West Virginia
			For Coal Company

Orficial Title

280-A Well Site Plan

Tydart Vailey

DERT DE MI

Oc. . 30

Diversion

Spring O

Wet Spot O

Building D

Drain Pipe O

Waterway C

Waterway C

Sketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with first part of this plan. Include all natural drainage.

Orainade Oftch

arthen
1-10

Orainage Ditch Rarthen

Culverts.
12% Min. 1.D.-where needed

Morosen
Acess RD

Aces RD

Aces

Comments: Slope of access road 15% -- Cuts to be on a 2:1 slope or less -- Access road subject to change by company or landowner -- All ditches and culverts will be maintained after construction is completed -- Reclamation to be performed by Halls Reclamation, Inc.

Signature: Rouard Culler P.O. Box 1740, Clarksburg, W.Va. 623-6671
Address Pn03/15/2024

Please request landowners cooperation to protect new seeding for one growing season.

31/19/	
10	
FORM IV-9 RECEIVED	Date Dec. 30 19 80
JAN 5 1981	Well No
/Vand.	API No. 47 - 083 - 0408
Conservation District	State County Permit
STATE OF WEST	VIRGINIA
OFFICE OF OI	L AND GAS
Company Name Allegheny Land & Mineral Co	ODesignated Agent J. Ronald Cullen
Address P.O. Box 1740, Clarksburg, W	.V. Address P.O. Box 1740, Clarksburg, W.V.
Telephone 623-6671	Telephone 623-6671
Landowner Westvaco	Soil Cons. District Tygart Valley
	ls Reclamation, Inc. (Agent)
있다. 1981년 N. H.	
This plan has been reveiwed by TygAR	
and additions become a part of this plan	(Date) (SCD Agent)
	Stan Freeman
Access Road	Location
Structure <u>Drainage Ditch</u> (A)	Structure Drainage Ditch (1)
	Material Earthen
Page Ref. Manual 1-10	Page Ref. Manual 1-10
Structure Culverts (B)	Structure(2)
Spacing 12" Min. I.DWhere needed	
Page Ref. Manual 1-8	Page Ref. Manual
Structure Riprap (C)	Structure(3) Material
Spacing Rock Page Ref. Manual N/A	Page Ref. Manual
All structures should be inspected regul	
to be cut and removed from site befo	nd stacked. All brush and small timber
Revegeta	ition
Treatment Area I	Treatment Area II
Lime 2.5 3 Tons/acre	Lime 2.5 3 Tons/Acre
or correct to pH 6.5	or correct to pH 6.5
Fertilizer 600 lbs/acre	Fertilizer 600 lbs/acre
(10-20-20 or equivalent)	(10-20-20 or equivalent)
Mulch Straw 2 Tons/Acre	Mulch_Straw 2 Tons/Acre
Seed Kent. 31 Fescue 40 lbs/acre	Seed* Kent. 31 40 lbs/acre
Birdsfoot Trefoil 10 lbs/acre Domestic Ryegrass 10 lbs/acre	Birdsfoot Tre. 10 lbs/acre
Dames Lic Ayegrass 10	10/15 (5/15/1 \V 5 1) \
*Inoculate all legumes such as vetch, tre	foil and clovers with the property
bacterium. Inoculate with 3X recommended	and the second
	JAN 1 4 1981
	OIL & GAS DIVISION
	DEPT OF MINES
Attach or photocopy section of involved	DEPT OF MINES
Attach or photocopy section of involved	DEPT OF MINES
	DEPT OF MINES
Legend:	DEPT OF MINES
	DEPT OF MINES
Legend:	DEPT OF MINES
Legend:	Topographic map. Quadrangle Cassity F7. MINES
Legend: Well Site Access Road Welle Welle	Topographic map. Quadrangle Cassity F7. MINES
Legend:	Topographic map. Quadrangle Cassity F7. MINES
Legend:	Topographic map. Quadrangle Cassity F7. MINES
Legend: Well Site Access Road Gas Well Well Strip Mine Long	Topographic map. Quadrangle Cassity F7. MINES
Legend:	Topographic map. Quadrangle Cassity F7. MINES

5 4 898

Hierr

Cubana


Bear

Formation Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water *Remarks
Elk Sand Sand & Shale	10	4615 4650	4650 4900 TD	
ary XX 011				Musicangle Cossity 7.31
verion demage veriond Storage spassi				ormit to. 17-083-0409
Well was Fractured A Perforations:	2364' - 2379 4623' - 4628	16 holes 16 holes		
quilli tnome)	48381 - 4842	16 holes	niceO	Company Allegheny Land & Mineral Co.
(.e)(3)(e.)			26301 Tut	ddross P. O. Box 1740, Clarksburg, V.Va.
		-	1326	arm Hutton Acres
			\$12e 20-15	ocation (water) Leat Run
	Letting 1	11 3/4 21	.tno? dql	The second secon
			13-10 ¹	he surface is owned in fac ! Harry Mc !!
	Tire.em in	8.018	9 5/8	2.0. Pox 6, Washington, NC 3 Wastvaco deccs 203 Pob tolph Avo., Elkins, W. Va-
				ineral rights are owner by Same as ab
			PALS	Address.
		0.1	1	rilling Completed 3-20-31 rilling Completed 3-20-81
			S Laidd	nitial open flow 950 cu.ft.
		boeli	nois. Liners	inal production 2768M cu.ft.par day
			. 151	all spen 2 hrs before feet 950
		copy of cent		all treatment details:
		24 58/02 %0.0		st FIL sand treated w/ to get 15%, 784 b
		-08/95 N000	bls water, 50, bbls water, 70	rd ETS sand treated w/ 90 gal 155, 762 b alltown sand treated w/900 gal 155, 659
		The second secon		
		-	ten3	and was encount red at 166-169,344-345
			tel	
				0
		Feet Off,	Feet Bottom	ormation Color Hard or Soit Top
		1/20	16	n de la companya de l
	on 13011 00.		428 91	
			75 75	
		11 0	931 981	
		n in	169 340	lend A Shalo
		n n	346 346	
		/	183 1010	
3006		" 1	0101	only.
			1017 1028	
		1	1028 1 165	
			2011	03/15/202
			Date:	5/5

APPROVED Vice President Oil & Gas Productions

0G-10 9-71








O". & GAS DIVISION DEPT. OF MINES

OIL and GAS DIVISION WELL RECORD

Quadrangle	Cassity	7.51
Permit No.	47-083-0	0408

Rotary	XX	011
Cable_		Gas
Recycli	ng	Comb.
WaterFlood		Storage
Disposa	1	
		(Kind)

Company Allegheny Land & Mineral Co. Address P. O. Box 1740, Clarksburg, V	W.Va. 26301		Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Farm Hutton A	cres 1326				
Location (water) Lost Run		Size			
Well No. A-985 Ele	ev. 24801	20-16			
District Middle Fork County F	Randolph	Cond. 11 3/4	211	Pulled	
The surface is owned in fee by Harry		13-10"			T
P.O. Box 8, Washington, NC & Westva		9 5/8			
Address 203 Randolph Ave., Elkins, W		8 5/8	819.511	819.511	w/280 sks.to surfac
Mineral rights are owned by Same a		7			
Address	-	5 1/2			
Drilling Commenced 3-20-81		4 1/2	4870.031	4870.03	w/445 sks. 1500'
Drilling Completed 3-28-81		3			
Initial open flow 950 cu.ft.	bble				
Final production 2768M cu.ft.per d					1
		. Lillers osed			1.
Well open 2 hrs before test	950 RP.				
Balltown sand treated w/500 gal 15%,	ODD DDIS W	arer, 00,000#	20/40		
Coal was encountered at 166-169,344-	3/10	Feet		Inche	S
Fresh water 150'		1001	Sa		Fee
Producing Sand Balltown, 1st Elk, &				Depth	
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas	or Water	*Remarks
FILL	0	16	1/2" stre	am H ₂ O @	150'
Sand & Shale	16	27	Gas ck. @	-	
Sand	27	57		1856' go	
Sand & Shale	57	166		Contract of the Contract of th	or no reading
Coal	166	169		23281 go	
Sand & Shale	169	344	1	3174' sm	
	344	349		33311 29	
Coal	349	488		3803' go	
Sand & Shale			A. P. V.	-	
RR Sand & Shale	488	1010	1	4590' 2,	
L. Lime	1010	1017		4684 5,	
Sand & Shale	1017	1028		4900' TD	
B. Lime	1028	1165	" " "	DC 95	50CF
Sand & Shale	1165	1192			02/45/2024
B. Injun	1192	1286	and to 1		03/15/2024
RR Sand & Shale	1286	3200			
Riley	3200	3215			
Sand & Shale	3215	3440			
Benson and touter ase a 110 mobil	3440	3485			
Sand & Shale	3485	4615			



MAR 2 3 1981

INSPECTOR'S WELL REPORT

OIL & GAS DIVISION

DEPT. OF MINES

Permit No. 083-0408 Loftin PACKERS Company Alle GHENY LAND & MIN Size FORK County RANDOLPH 5 3/16 Drilling completed _____Total depth_ Date shot_____ Depth of shot__ Liners Used __ In:tial open flow______/10ths Water in____Inch Open flow after tubing _____/10ths Merc. in ____ Inch CASING CEMENTED SIZE No FT Date NAME OF SERVICE COMPANY lbs ._ COAL WAS ENCOUNTERED AT_____FEET__ _bbls., 1st 21 has. _INCHES_____FEET____INCHES feet INCHES FEET INCHES FEET__ feet UNION DRIG RG-2 Move RiG SPUD Remarks

Robert Stem

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

			ADDRESS		
MPANY					
RM	and a completion of the state o	DISTRICT		OUNTY	
er i nyhaodhfelio dhelainin, saladigheilde ean ann a' sahedeann phraisis ann an amhan ann ains ann an amhangai	And Company Co				
ling Material Uard				ATT AGENTINA TO THE PROPERTY OF THE PARTY OF	
ner Loca	ation	Amount	Packer	Location	
			BRIDGES	CASING AND	TUBING
MEUGE USED AS	NO DEPTH PLACED		AND THE RESIDENCE OF THE PROPERTY OF THE PROPE		
CEMENT-THICKNESS	W000-812E	LEAD	CONSTRUCTION LUCATION	RECOVERED SIZE	LOST
Flanderstader (10 flandstade personne i 12 flanderstaderstade (10 flandstade 10 flands	CONTENTATION OF A STATE OF THE				1
			as any of 1800 (1807 Million and an analysis a	1	-
minimum or in charge manes accession for an water or course registers and the colds. The case in the equipment of districts in a course or course registers and the colds are considered as the colds and the colds are colds are colds and the colds are colds and the colds are colds and the colds are colds are colds and the colds are colds and the colds are colds are colds and the colds are colds are colds are colds and the colds are colds are colds are colds and the colds are colds are colds are colds are colds are colds and the colds are	Control of the Contro				
- The state of the	CONTRACTOR OF THE STATE OF THE			1	
and the control of th		-			
		1			
de en marco. La company provide de constitución de la constitución de	And the state of t	1			
and the state of t					
					-
Annual Michigal Supplement of the supplement of					
		-			
and the same of th	& are transmitted and a state of the state o				
	The second secon		· instance of the second		
A CONTRACTOR OF THE RESIDENCE OF THE RES					
rillers' Names		-			
			The second secon	200	
marks:					

03/15/2024

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

RECEIVED

NOV 18 1982

OIL AND GAS DIVISION WY DEPARTMENT OF MINES

INSPECTOR'S WELL REPORT

Permit No 083 - 0408

Oil or Gas Well Com

Company Alle 64e	NY LAND of	min	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACI	KERS
Address CAZ	EKSBUR	6	Size				
	T HUTT		16			Kind of Pac	eker
Well No. A-98			13			Cimer	
District MIDDLE F	ORK County RAM	VD8 IPH	81/4			Size of	
Drilling commenced			65/8			Depth set_	
Drining commenced			5 3/16				
Drilling completed	Total depth_		3		-	Perf. top	
Date shot	Depth of shot		2			Perf. bottor	n
Initial open flow	/10ths Water	inInch	Liners Used			Perf. top	
Open flow after tubing_	/10ths Merc. i	nInch				Perf. bottor	n
Volume		Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbs	hrs.	NAME OF SER	RVICE COMPA	NY		
Oil	bbls.	, 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh water	feet	feet	FEET_	INCH	IES	FEET	INCHES
Salt water	feet	feet	FEET_	INCH	IES	FEET	INCHES
Drillers' Names							
Remarks:	6 Rei	ens	'e -				1

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.		dientitien deutschaften van der Steinen der West eine eine West der		the same of the sa	II No	
COMPANY		eng Marie, mannyag seli paka sakan na pala mahar naggaragan na	ADDRESS			CONTRACTOR OF THE PARTY OF THE
FARM	DISTRICTCOUNTY					
Filling Material Used						
	ocation	Amount	Packer	Location		
PLUGS USED	AND DEPTH PLACED		BRIDGES		G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOS
		A DOMESTIC OF THE PARTY OF THE				
					~	
	V					
illers' Names		EPICE PARTY OF THE				

marks:						
·						
			The way is			
			10/01			
	I hereby certify I vi					

03/15/2024



State of Mest Airginia Department of Mines Gil and Gas Division

Charleston 25305

WALTER N. MILLER DIRECTOR

January 6, 1983

Allegheny Land & Mineral Company P. O. Box 1740 Clarksburg, W. Va. 26301

Dear Sir:

The required records and reports have been received in this office and the District Inspectors have submitted Final Inspections for the following wells listed below:

PERMIT NO.	FARM AND WELL NUMBER	DISTRICT
UPS-2428	Alice B. & Delmar Light, #A-1124	Washington
RAN-0378 RAN-0385 RAN-0404	Dorothy Lewis, #A-968 Caplinger (Amax), #A-971 Neva McMullan, #A-946	Roaring Creek Roaring Creek Middle Fork
RAN-0408 RAN-0413 RAN-0449 RAN-0459	Ernest Hutton, #A-985 Neva McMullan, #A-976 McMullan (Golf Arnold), #A-1027 Rebecca Arnold, #A-1021	Middle Fork Middle Fork Roaring Creek Middle Fork
RAN-0532	Agnes Poling Perry, #A-1028	Middle Fork
RAN-0535 RAN-0572	Harry McMullan, Jr./Westvaco, #A-1097 Goff-Arnold/Neva McMullan, #A-1144	Middle Fork
RAN-0586	John Ward, et al, #A-1051	Roaring Creek Roaring Creek
RAN-0592	Norman Denver Hanifan, #A-1126	Middle Fork

In accordance with Chapter 22, Article 4, Section 2, the bond coverage for above captioned wells will stay in force for life of well. Reclamation requirements have been approved.....

Very truly yours,

Theodore M. Streit

VEGE VE FERC-121 1.0 API well number: 47 - 083 - 0408 (If not available, leave blank, 14 digits.) 2.0 Type of determination being sought: 103 N/A (Use the codes found on the front Category Code S Divis Section of NGPA of this form.) 3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.) 4900 4.0 Name, address and code number of Allegheny Land & Mineral Co. 000333 applicant: (35 letters per line maximum. If code number not Name P.O. Drawer 1740 Seller Code available, leave blank.) Street Clarksburg, W W.Va. 26301 State Zip Code 5.0 Location of this well: [Complete (a) District or (b).1 (a) For onshore wells (35 letters maximum for field W.Va. name.) State (b) For OCS wells: N/A Area Name Block Number Date of Lease: Mo. Day OCS Lease Number (c) Name and identification number of this well: (35 letters and digits 985 maximum.) (d) If code 4 or 5 in 2.0 above, name Balltown - 1st Ell - 3rd Ell of the reservoir: (35 letters maximum.) 6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not Columbia Gas Transmission Corp. 004030 available, leave blank.) Buyer Code (b) Date of the contract: (c) Estimated annual production: not in MMcf (a) Base Price (b) Tax (c) All Other (d) Total of (a), (b) and (c) (S/MMBTU) Prices [Indicate (+) or (-).) 7.0 Contract price: (As of filing date. Complete to 3 2.444 0.244 1.244 2.932 decimal places.) 8.0 Maximum lawful rate: (As of filing date. Complete to 3 0.244 0.244 2.444 2.932 decimal places.) 9.0 Person responsible for this application: Vice-Pres.Land Dept. Daniel L. Wheeler Agency Use Only

-34'4

4.73

MAY I 1 1981

Date Received by FERC

Title

Name

5-8-81 Date Application is Completed

304-623-6671

Phone Number

FT7900206/2-2

as Determination Objected to ______ By Whom? ____

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES, OIL AND GAS DIVISION

Operator's A - 9 8 5

API Well No. 47
State County Permit

WELL CLASSIFICATION FORM NEW ONSHORE PRODUCTION WELL

MGPA Section 103

	DESIGNATED AGENT Allegheny Land & Mineral Co.					
	ADDRESS P.O. Drawer 1740					
	Clarksburg, W. Va. 26301					
WELL OPERATOR Allegheny Land & Miner	abocation 2480'					
ADDRESS P.O. Drawer 1740	Watershed Lost Run					
Clarksburg, W. Va. 26301	Dist Meddle Forkunty Kandolph Quad Cassity ?					
CAS PURCHASER Columbia Gas Transmiss	ion Corp.					
ADDRESS1700 MacCorkle Ave. S.E.	Contract No.					
Charleston, W.Va. 25314	Date of Contract A					
* * * * * * . * * *	* * * * * * *					
Date surface drilling was begun:3-20	1 - 8/					
Indicate the bottom hole pressure of the well as	and explain how this was calculated:					

950# PSIG at the surface.

AFFIDAVIT

I. James B. Gehr

, having been first sworn according to law state that surface drilling of the well for which this determination is sought was begun on or after February 19. 1977; the well satisfies applicable state or federal well spacing requirements and the well is not within a protation unit, in existence at the time surface drilling began, which was applicable to the reservoir from which gas is or will be produced and which applied to any other well producing has in commercial quantities or on which surface drilling began on or after February 19, 1977, and which was capable of producing gas in commercial quantities. I state, further, that I have concluded, to the best of my information, knowledge and belief, that the well for which this determination is sought is a new onshore production well and that I am not aware of any information not described in the application which is inconsistent with this conclusion.

President

Allegheny Land & Mineral Co.

STATE OF WEST VIRGINIA.

Rock Pressure was

COUNTY OF Harrison TO WIT:

[NOTARIAL SEAL]

Ethel Marie Crowley

Ethel Marie Crowley



03/15/2024