(Revised 3-81)



Well No. Farm James Phillips
API #47 -083 - 0565
Date 30 Nov. 81

STATE OF WEST VIRGINIA OFFICE OF OIL AND GAS - DEPARTMENT OF MINES

OIL AND GAS WELL P	ERMIT APPLICATION
WELL TYPE: 011 / Gas XX /	
(If "Gas", Production XX / Unde	rground storage / Deep / ShallowXX /
LOCATION: Elevation: 2281! Watershe District:Middle Fork County:	d: Middle Fork River Randolph Quadrangle: Cassity
WELL OPERATOR FMF OIL and Gas Properties Address 537 Springvale Road Inc. Great Falls, Va. 22066	DESIGNATED AGENT Charles Shaffer
OIL AND GAS ROYALTY OWNER James and Hattie Phillips Address % Don Phillips B Meade St., Buckhannon, w. Va. Acreage 178	COAL OPERATOR E
SURFACE OWNER James and Hattie Phillips	Address Same
Acreage 178	NAME
FIELD SALE (IF MADE) TO:	Address
Address	COAL LESSEE WITH DECLARATION ON RECORD:
	NAME F.D. & 3 Associates
OIL AND GAS INSPECTOR TO BE NOTIFIED:	Address Suite 3700 9 West 57th st.
NAME Robert Stewart	New York, NY 10019
Address PO Box 345	RECEIVED
Jane Lew, WV 26378 Telephone 304-884-7782	CHANGE CORNELL
	DEC 8 1981
	OIL AND GAS DIVISION WY DEPARTMENT OF MINES
The undersigned well operator is entitl above location under a deed / lease XX to the undersigned well operator from December 2000	ded to operate for oil or gas purposes at the other contract / dated 4/20, 198/, and others
(If said deed, lease, or other contract has	(List affected)
Recorded on 11/13, 19 <u>8/</u> , in the off	ice of the Clerk of County Commission of
requested as follows:	342 Book at page 159 A permit is
requested as follows:	/ Redrill / Fracture or stimulate / / Perforate new formation /
PROPOSED WORK: Drill XX / Drill Deeper Plug off old formation Other physical change in	/ Redrill / Fracture or stimulate / / Perforate new formation / well (specify)
PROPOSED WORK: Drill XX / Drill Deeper Plug off old formation Other physical change in of the ph	/ Redrill / Fracture or stimulate / / Perforate new formation / well (specify) work order on the reverse side hereof. , and coal lessee are hereby notified that any to make by Code §22-4-3 must be filed with the after receipt of this Application by the Dept. closed plat and reclamation plan have been not to the above named coal operator, coal ownof the mailing or delivery of this Application
PROPOSED WORK: Drill XX / Drill Deeper Plug off old formation Other physical change in planned as shown on the The above named coal operator, coal owner(s) objection they wish to make or are required Department of Mines within fifteen (15) days Copies of this Permit Application and the end mailed by registered mail or delivered by had er(s), and coal lessees on or before the day to the Department of Mines at Charleston, Wes	/ Redrill / Fracture or stimulate / / Perforate new formation / well (specify) work order on the reverse side hereof. , and coal lessee are hereby notified that any to make by Code §22-4-3 must be filed with the after receipt of this Application by the Dept. closed plat and reclamation plan have been not to the above named coal operator, coal ownof the mailing or delivery of this Application
PROPOSED WORK: Drill XX / Drill Deeper Plug off old formation Other physical change in planned as shown on the The above named coal operator, coal owner(s) objection they wish to make or are required Department of Mines within fifteen (15) days Copies of this Permit Application and the end mailed by registered mail or delivered by had er(s), and coal lessees on or before the day to the Department of Mines at Charleston, Wes PLEASE SUBMIT COPIES OF ALL	/ Redrill / Fracture or stimulate / / Perforate new formation / well (specify) work order on the reverse side hereof. , and coal lessee are hereby notified that any to make by Code \$22-4-3 must be filed with the after receipt of this Application by the Dept. closed plat and reclamation plan have been not to the above named coal operator, coal ownof the mailing or delivery of this Application of the mailing or delivery of this Application of Virginia. Properties, Inc.
PROPOSED WORK: Drill XX / Drill Deeper Plug off old formation Other physical change in planned as shown on the The above named coal operator, coal owner(s) objection they wish to make or are required Department of Mines within fifteen (15) days Copies of this Permit Application and the end mailed by registered mail or delivered by had er(s), and coal lessees on or before the day to the Department of Mines at Charleston, Wes PLEASE SUBMIT COPIES OF ALL	/ Redrill / Fracture or stimulate / Perforate new formation / well (specify) work order on the reverse side hereof. , and coal lessee are hereby notified that any to make by Code \$22-4-3 must be filed with the after receipt of this Application by the Dept. closed plat and reclamation plan have been and to the above named coal operator, coal ownor of the mailing or delivery of this Application st Virginia.
PROPOSED WORK: Drill XX / Drill Deeper Plug off old formation Other physical change in Other phy	/ Redrill / Fracture or stimulate / / Perforate new formation / well (specify) work order on the reverse side hereof. , and coal lessee are hereby notified that any to make by Code \$22-4-3 must be filed with the after receipt of this Application by the Dept. closed plat and reclamation plan have been not to the above named coal operator, coal ownof the mailing or delivery of this Application of the mailing or delivery of this Application of Virginia. Properties, Inc.
PROPOSED WORK: Drill XX / Drill Deeper Plug off old formation Other physical change in Other physical owner(s) objection they wish to make or are required Department of Mines within fifteen (15) days Copies of this Permit Application and the endmailed by registered mail or delivered by harer(s), and coal lessees on or before the day to the Department of Mines at Charleston, West Charleston, West Conservation Commission WEST VIRGINIA OIL AND GAS CONSERVATION COMMISSION BLANKET BOOM BY THE CONSERVATION COMMISSION BY THE	/ Redrill / Fracture or stimulate / Perforate new formation / well (specify) work order on the reverse side hereof. , and coal lessee are hereby notified that any to make by Code \$22-4-3 must be filed with the after receipt of this Application by the Dept. closed plat and reclamation plan have been not to the above named coal operator, coal ownof the mailing or delivery of this Application st Virginia. PMF Oil and Gas Properties, Inc.

(Revised 3-81)

PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY:
ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING CON	TRACTO	R (IF I	KNOWN)	11.	nkno	wn			
		Ad	ddress_						
CEOLOGICA: -	*****	FORMAT							
GEOLOGICAL T Estimated				well		o' fee	t. Rota	ry × / Cab	le tools /
Approxima					Fresh	, 8	feet;	salt, §	feet.
Approxima Is coal b					Yes		xx/		
CASING AND T	UBING	PROGRAM	ч					Mains 4	
CASING OR	001114	CONTRACTOR OF THE PERSON NAMED IN COLUMN 2	CIFICATIO	SNC			INTERVALS	CEMENT FILL	
TUBING TYPE	Size	Grade	Weight perft	New	Used		- Left in Well	UP OR SACKS Cubic ft.	B Meade
Conductor	1134"	0.00	perit	×	Josea	20'	20'	Cubic It.	Kinds
Fresh water Coal		SN 52	state.				6.3	suis of	Sizes
Intermed.	85/8"		20#	×		900'	900'	To Surtace	
Production : Tubing	412"		10%#	×		5400'	5400'	540 SKS	Depths set
Liners									Perforations:
					-			de de la companya de	Top Bottom
	(10° 150	1,4,14,874	11 11 11	434.1		К			
Form: I 822-4- require 822-4- posed to A sepan where sought THIS PERMIT MUS All provisions bein of the W. Va. Co for	V-9, V-9, V-9, V-9, V-9, V-9, V-9, V-9,	Reclama Regular Code 8: om the a record of the coord of t	ation Pla lation 2. 22-4-12a owner of -2 shall r stimula d as such TTHE WE with Chap s hereby ap smit shall e 8-10-8	an" a 3, (i 4, and any not ating n on LL SITE er 22 proved xpire il 2	pplicater (v) united (able to the less previous provided for the part or IV-2	he reclame iously parable, the dwelling was fracture of the was filed in a	ation required in the same consent required within 200 for ing or stimu ork for which connection to the connection to th	me well, the fee uired by Code eet of the pro- lating a well h a permit is herewith.
or eoa is to The undersign location has area of the was signed has no well operator the governing	l less be iss ed comexaminell lo be object	see who sued with all oper ned this ocation to complie	has rece thin fif ator s propos , the we o the wo d with a	orded teen / own ed we 11 lo	WAL ocatio copose	claration days of r $\frac{V E R}{I \text{ lessee}}$ cation. n has been d to be designed.	under Coo eceipt the / of If a mine en added t lone at th	de \$22-4-20, ereof: the coal und map exists o the mine mis location,	any coal owner if the permit ler this well which covers the hap. The under- 170/20/2023 e dirginia Code and
Date:		, 19	-	. 1			* # # # # # # # # # # # # # # # # # # #		
					В	y:			
					1.	THE RESERVE			




IV-9 (Rev 8-81)

API NO. 47


State of Mest Wirginia


Bepartment of Mines Bil und Gas Bivision

Conservation Soil	und Gas	Bivision	
O?\ District	N AND RE	CLAMATION PLAN	
COMPANY NAME FMF Oil and Gas Properties	Inc. 1	DESTANTED AGENT	Charles Shaffer
537 Springvale Road Address Great Falls, Virginia 22066		Address Rt.	I Concord Road ington, West Virginia 26250
Telephone 703-759-4545	5		304-823-2701
LANDOWNER James & Hattie Phillips		SOIL CONS. DI	ISTRICT Trant Valley
Revegetation to be carried out by		Operator	(Agent)
This plan has been reviewed by t	ygart.	Valley	SCD. All corrections
and additions become a part of this pla	n: 12-	5-81	
all authors becale a part of this pro-	1	(Date)	a de Gelv
	Lus	(SCD Agent)	DEC 8 198
The state of the second state of the state o		(SCD Agenc)	OIL AND GAS DIVI
ACCESS ROAD			LOCATION WY DEPARTMENT OF N
Structure Culverts	(A)	Structure	Diversion Ditch (1)
Spacing None		Material	soil (2% max. slope)
Page Ref. Manual 2-5		Page Ref. Mar	nual 2-10
Structure Drainage Ditch	(B)	Structure	Drilling Pit (2)
Spacing To be constructed along	road.	Material	Soil
Page Ref. Manual 2-10		Page Ref. Mar	nual
Structure Cross Drains	(C)	Structure	Sediment trap (3)
Spacing 60' Spacing		Material	Soil
Page Ref. Manual 2-1		Page Ref. Mar	nual
All structures should be inspected commercial timber is to be cut and s cut and removed from the site before Note: Drainage to be maintained a commence within 3 months af	tacked and dirt wood	nd all brush and rk begins. Impletion of want of the properties o	well and seeding to
Treatment Area I		Tre	eatment Area II
Lime 3 Tons/acr	e	Lime	3 Tons/acre
or correct to pH 6.5		or correct	
Fertilizer 600 lbs/acre (10-20-20 or equivalent)	•	Fertilizer(10	600 lbs/acre
Mulch Hay 2 Tons/acr	e	Mulch Hay	2: Tons/acre
Seed* Ky-31 Tall Fescue 30lbs/acre		Seed* Ky-31	Tall Fescue 30 lbs/acre
Birdsfoot Trefoil 10lbs/acre		Birdsf	oot Trefoil 10 lbs/acre
Domestic Ryegrass 10lbs/acre	1	Domest	ic Ryegrassoloologyagre
*Inoculate all legumes such as vetch Inoculate with 3X recommended amount.	, trefoi		
	PLAN P.	OSTKANDER L REPARED BY Rex	AND SURVEYING, INC. ford L. Ostrander
NOTES: Please request landowners'		ADDRESS Rt.	2, Box 375-6
cooperation to protect new seedling for one growing season.		1	hannon, WV 26201
Attach separate sheets as necessary for comments.		PHONE NO. 304-	472-0817



Sketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.





Ran - 565

Phillips Heirs

ROYALTY PAYMENTS: All payments coming due to the Lessors hereunder shall be divided in the following proportions:

Paul Phillips - SS# 234-44-4615	1/6
P.O. Box 32	-i :
Mill Creek, WV 26280	
Wanda Phillips	1/6
Mill: Creek, WV 26280	
Mabel Fox SS# 235-34-7316	1/6
Route # 2	
Mill Creek, WV 26280	
	- 11
Don Phillips - SS# 234-58-5337	1/6
8 Meade Street	
Buckhannon, WV 26201	
David Phillips SS# 233-64-7142	1/6
175 Andover Road	
- David Phillips - Fiederal Identification	no. 1/6
Trustee 62-6155245	i i
175 Andover Road	
Woodsfield, OH 43793	



IV-35 (Rev 8-81)

State of Mest Birginia

Elepartment of Allines Wil und Gas Bivision

		Janua		28, 1	982		
		ator's					
I	Well	No.		2		-	******
	Farm	Don	Phi	llips			
	API N	10. 47	7 -	083		0565	

WELL OPERATOR'S REPORT

OF DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

LOCATION: Elevation: 2281' GR, 2291' Watershed				
	Middle Fo	rk River		
District: Middle Fork County I			e Cassit	y 7½'
				Name and Address of the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, wh
COMPANY FMF Oil and Gas Properties, Inc.				
ADDRESS Great Falls, VA 22066	Casing	Used in	Left	Cement
DESIGNATED AGENT Charles E. Shaffer	Tubing	Drilling	in Well	fill up Cu. ft.
ADDRESS Belington, WV 26250 Heirs to James & Hattie Phillips SUBFACE OWNER (C. D. Phillips)	Size			The second secon
Bolt Act Owner C/O Don Phillips	20-16 Cond.	20.	Pulled	
ADDRESS 8 Meade St., Buckhannon, WV 26201 Heirs to James & Hattlie Phil	lline 13-10"		rarrea	
MINERAL RIGHTS OWNER c/o Don Phillips	9 5/8			
ADDRESS 8 Meade St., Buckhannon, WV 26201	8 5/8		913'	cement to surface
OIL AND GAS INSPECTOR FOR THIS WORK Robert	7		913	W Surface
Stewart ADDRESS P.O.Box 345, Jane Lew, WV 263	378 5 1/2			
PERMIT ISSUED 11-30-81	4 1/2		4939'	E63 E ET
DRILLING COMMENCED 1-05-82	3	100		563.5 FT3
DRILLING COMPLETED 1-05-82	2	22	SCE	VED
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR			MAR - 9	1982
REWORKING. VERBAL PERMISSION OBTAINED	Liners			
ON			WY DEPARTME	S DIVISION NT OF MINES
GEOLOGICAL TARGET FORMATION Fox		Dept	h 5400	feet
Depth of completed well 4939.6 feet	Rotary X	/ Cable	Tools	1000
Water strata depth: Fresh 30 feet;	: Salt 80	feet	10015	Description of the first construction of the
Coal seam depths:	Is coal	being mine	d in the	area? No
OPEN FLOW DATA				ara. No.
	D			
Producing formation Haverty Gas: Initial open flow Mof/d	Pay	zone dept	n 4521-4	656 feet
Gas: Initial open flow Mcf/d Final open flow Mcf/d	OII: IM	tial open	rlow	Bbl/d
Final open flow Mcf/d Time of open flow between ini	rin itial and fi	al open fi	OW	Bb1/d
Time of open flow between ini Static rock pressurepsig(surfa	ittial and II	nai tests	hou	irs
(If applicable due to multiple completion	ice neasuren	ent) after	3230 1-6 8	rs shut in 120/2023
Second producing formation Riley, Benso	on 2nd Ellian.			
Gas: Initial open flow 52 Mcf/d	Oil Tri	zone dept	n 4023-41	18 feet
10.1/4	orr: Iur	crar open	I.TOM	Bb1/d
Final open flow 822 Mag /3	() 1 - 41-	(373/3 / 41)	T.7	DL7 / 3
Final open flow 822 Mcf/d	Oil: Fina	ar open rr		BD1/d
Final open flow 822 Mcf/d Time of open flow between ini Static rock pressure 1480 psig(surface	tial and fin	nal tests	hou	ırs

F 301 JY - 42 1-3-782-11

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

1st Stage - Haverty 15,500# 80,100; 67,600# 20/40; 700 BBL S/L Fluid 2nd Stage - Elk 15,500# 80/100; 52,500# 20/40; 600 BBL S/L Fluid 3rd Stage - Benson 15,000# 80/100; 61,300# 20/40; 627 BBL S/L Fluid

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
		W MOD Selection	
Fill	0'	5'	
Sandy Shale	5'	10'	Hole Wet @ 30'
Sand	10'	70'	½ H ₂ O 80'
Sandy Shale	70'	170'	Gas Check 3700 - No Show
Sand	170'	240'	No. of the second secon
Sand and Shale	240'	263'	Gas Check 4697 4/10 - 1" w/w
Sand	263'	321'	Gas Check 5450 7/10 - 2"
Sand and Shale	321'	352'	Gas Check at D.C. 24/10 - 1" w/
Sand	352'	418'	
Sand and Shale	418'	500'	
Sand	500'	571'	and the second s
Red Rock and Shale	571'	698'	
Sand	698'	728'	CONTRACTOR OF TAXABLE
Sand and Shale	728'	947'	
Lime	1000'	1100'	
Snad and Shale	1100'	1270'	an ever were to a page risk and
Sand and Shale, Red Rock Streaks	1270'	1505'	
Sand	1505'	1560'	THE PERSONAL PROPERTY.
Sand and Shale	1560'	1720'	to the management of the second
Sand	1720'	1800'	And the second s
Shale	1800'	1870'	Laboration of the control of the con
Sand Para Tollar	1870'	1960'	planting and any of the planting and a second
Shale and Sand	1960'	3050'	
Sand and Shale	3050'	3305'	Fig. pine bases of Least telephone to
Benson Sand M	3305'	3365'	NEWS THE ESSENCE SUCCESSES
Shale and Sand	3365'	4720'	
OIL AND GAS ISHON	4720'	5626'	and the state of t
Total Depth	56261		
A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	er er		fiet ber take in fittel
	1118	dried	The state of the s
	87		Coat with depicts
			AAG WARE LEGG

(Attach separate sheets as necessary)

By:

Its Consultant
Date: February 11, 1982

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including eval, encountered in the drilling of a well."

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

RECEIVED

APR 23 1982

OIL AND GAS DIVISION WY DEPARTMENT OF MINES

INSPECTOR'S WELL REPORT

Permit No. 083 - 05	-65				Oil or	Gas Well	AS
Company FMF D	1146	GAS	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACE	CERS
Address REAT	FA11S	VA	Size				
Farm JAMES	PHI/1PH	05	16			Kind of Pac	ker
Well No. # 2			13			Size of	
District MIDDLE FO	RK County K	ANDO IPH	81/4			5126 01	
Drilling commenced			65/8			Depth set_	7
7/			5 3/16				
Drilling completed	Total dep	th	3			Perf. top	
Date shot	Depth of shot		2		-	Perf. botton	n
Initial open flow	/10ths Wat	er inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Mer	c. inInch			ENGINEERING COMMUNICATION COMU	Perf. bottor	n
Volume		Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Dat
Rock pressure	lbs	hrs.	NAME OF SER	VICE COMPA	NY		
Oil			COAL WAS EN	COUNTERED	ΔT	EFFT	INCHE
		7.01, 150 21 1115.	COAL WAS DIV	COUNTERED	A1		
Fresh water	feet	feet	FEET	INCH	ES	FEET	INCHE
Salt water	feet	feet	FEET_	INCH	ES	FEET	INCHE
							-
Drillers' Names							
D. A. Leave			2				-
Remarks:/ Vio/ATION CHECK	Poste	D 4-10	0-82	1 37	PTT	The share	ok
CHECK 1	VOTHING	DONE	- Will	3/4		HIS WE	

4-21-82

Robert Stemant

1 375

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY		Control of the contro		W	ell No	
OMPANY			ADDRESS			
ARM		Drompro	T	and white residence in contract the contract to the first residence in the contract to the con		
		DISTRICT		COUNTY		
illing Material Used	Annual Control of the					
iner Lo	ocation	Amount				
	4415		Packer	Location	1	
	AND DEPTH PLACED		BRIDGES			The same and the s
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	The state of the s	G AND TO	JBING
			LOCATION	RECOVERED	SIZE	Los
-						a Marie Control
			The state of the s			
1						
				1		
						.30
The second secon				1 1		
					1	
şl						
						5
						-
rs' Names						===
,				-		
ks:						\.
						The Personal Property lies, St. of Str. of Str
						1.

I hereby certify I visited the above well on this date.

DATE

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

RECEIVED

APR 27 1982

INSPECTOR'S WELL REPORT

OIL AND GAS DIVISION WY DEPARTMENT OF MINES

Permit No. <u>083-05</u>		Oil or Gas Well Co AS					
Company FMF 0	114 GAS		CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	(ERS
Address Beline			Size				
FarmJAMES	PHILIPPS		16			Kind of Pac	ker
Well No. # 2		(SEE)SCHOOLSE (SEE) A MINISTER SCHOOLSE	13			Size of	
District MIDDLE F	ORK County RA	VDO/PH				Size of	
Drilling commenced	1-4-82		65%			Depth set_	
	Total depth_		5 3/16				
	Depth of shot		2			Perf. top Perf. botton	
	/10ths Water i		Liners Used			Perf. top	
Open flow after tubing_	/10ths Merc. in	Inch				Perf. botton	n
Volume		Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbs	hrs.	NAME OF SER			k 11712	
Oil	bbls.,	1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES
Fresh water	feet	feet					
Salt water	feet	feet	FEET_	INCH	ES	FEET	INCHES
Drillers' Names							-
Remarks: PHECK 7	5ee,	IF W	10 RKIN 6	ON,	location To	on Recli	41M
ill move	DOZER	4-29					

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

IPANY			ADDRESS			
						EMET-GENETIAN TRANSPORTER ELECTRICAL SE
mg Material Used				OUNTI		
	et kerti katalan satu dan dalam dan kerdan kerdan dan dan dan kerdan satu kerdan kerdan dan berakan berakan be	isant Somitimum kapa an Solah Burupan, brigis kupus Suran Surani				
Lo	eation	Amount	Packer	Location		
PLUGS USED	AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
EMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOS
errore en						
ответня подил в втой техня и стар, ней постоящего радочва на двог сара части и изпалого дар						
£						
1						
2 ·						
rs' Names				-		
rks:						

I hereby certify I visited the above well on this date.

TE ...

STATE OF WEST VINGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S WELL REPORT

Permit No 083-0565

Oil or Gas Well_____

Company FMF oil 46A3	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKER	s
Address	Size				
Farm HATTIE PHILLIPS	16			Kind of Packer	
Well No. #	13			Size of	
District MIDDLE FORK County RANDO 1PH	81/4				
Drilling commenced	65/8			Depth set	
Drilling completedTotal depth	5 3/16			Perf. top	
Date shotDepth of shot				Perf. bottom_	
Initial open flow/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing/10ths Merc. inInch				Perf. bottom	
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure lbs. hrs.	NAME OF SEI	RVICE COMP	ANY		
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERE) AT	FEET	INCHES
Fresh waterfeetfeet	FEET	TEN C	HES	FEET	INCHES
Salt waterfeetfeet	FEET	INC	HES	FEET	INCHES
Drillers' Names		Q	MAY - 3 19 IL AND GAS I IV DEPARTMENT	DIVISION OF MINES	
Remarks: THIS WELL WAS VIOLATED RECLAMATION - THE PHI	of THEY	ARe A	WORKI	NG ON OF THE U	OPK
Reclamation - THE PH	111112 17	LE ITU			

5-2-82 DATE

Labert Stewart
DISTRICT WELL INSPECTOR

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

OMPANY				V	Vell No		
FARM			ADDRESS				
		DISTRIC	CT			the later of the l	
Filling Material Used			CT	COUNTY			
		2					
iner Lo	cation	Amount		Control of the Contro	-		
	ND DEPTH PLACED	Amount	Packer	Location	n		
CEMENT-THICKNESS			BRIDGES				
CARLES	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION		G AND TU	TUBING	
			LOCATION	RECOVERED	SIZE	LOS	
-							
2							
1/2							
8							
The second secon							
						-	
						9	
s' Names							
ks:						THE RESERVE AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLU	
						Commence of the last of the la	
						÷	
						*	
1							
DATE I herei	by certify I visited	+1					

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

RECEIVED

1111 1 5 1982

OIL AND GAS DIVISION WY DEPARTMENT OF MINES

INSPECTOR'S WELL REPORT

Permit No. 083-0565

Oil or Gas Well 645

				(KIN	,
Company FMF	oil & GAS	CASING AND TUBING	USED IN DRILLING	LE TIN	PACKERS
Address Belin	GTON	Size			
James	PHILIPPS	16		84,114	Kind of Packer
		13			and the transfer of
Well No. # 2		- 10		ş	Size of
District MIDDLE F	ORK County RANDOLP	81/4			
Drilling commenced	1-4-82	65%			Depth set
		5 3/16	2		1
Drilling completed	Total depth	3			Perf. top
Date shot	Depth of shot	22			Perf. bottom
Initial open flow	/10ths Water inInc	h Liners Used			Perf. top
	/10ths Merc. inInc				Perf. bottom
	Cu. Fi		NTED	SIZE	No. FTDa
Rock pressure	lbshrs	NAME OF SER	RVICE COMPA	NY	
Oil	bbls., 1st 24 hrs	. COAL WAS EN	COUNTERED	AT	FEETINCHI
Fresh water	feetfee	t FEET	INCH	ES	FEETINCHI
Salt water	feetfee	t FEET	INCH	ES	FEETINCHI
Drillers' Names					
Remarks:	ED 4-10-8	2			
1	111 h -1	SOOD	106	7-14-	82
11 Ollock	WITH LAND	owner	2 Ber	ore 1	Celease

7-14-09

Robert Stappens

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY		gerne korunny gyan (akhara rasangan akarapa ja jagas salay	ADDRESS			64 1000
ARM		DISTRICT_		COUNTY	ne golden a golden	
illing Material Used						
	cation	Amount	Packer	Location		H X
PLUGS USED	AND DEPTH PLACED		BRIDGES	CASIN	G AND T	UBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED SIZE		Loss
				A A A A A A A A A A A A A A A A A A A	3.	
			in an integral terroritor			3.00
			of grant of the same of the same of the		suster (ii	1
					Charles Street	
	7992					A STATE OF THE STA
						sanda panga
rillers' Names	The state of the s					
			The second secon			
emarks:					•	

10/20/2023

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



MAY 23 1983

INSPECTOR'S WELL REPORT

OIL & GAS DIVISION
DEPT. OF MINES

Permit No.083-05	65				Gas Well	
Company EMF 0	114645	CASING AND TUBING	USED IN DRILLING	LEFT IN	PA	CKERS
Address		Size			100 m	
FarmJAMES	PHILIPPS	16			Kind of Pa	acker
Well No. # 2	2	13	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	****	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		10			Size of	
	ORK County KANDO	81/4				Action to the sales
Drilling commenced	1-4-82	6%			Depth set_	
Drilling completed	Total depth	5 3/16				
		3		A 100	Perf. top_	The second second
Date shot	Depth of shot	2			Perf. botto	m
Initial open flow	/10ths Water in	Inch Liners Used			Perf. top_	
Open flow after tubing	/10ths Merc. in	Inch			Perf. botto	m
Volume	Cu	. Ft. CASING CEME	NTED	SIZE	No ET	Dat
Rock pressure	lbs		RVICE COMPA			Date
Oil	bbls., 1st 24	hrs. COAL WAS EN	NCOUNTERED	AT	FEET	INCHES
Fresh water	feet					
			INCHI			
sait water	feet	feet FEET_	INCHI	ES	FEET	INCHES
Orillers' Names						
Remarks:	Til	-11 / 11/1	P. 0	- 0 -	1/1	
net Wit	14 CO THE	Poul	nese	ev (× // m	2
		9 11/11				
PANNOT	Release					

5-19-83

Robert Steappor2023

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No				Wei	1 No	
COMPANY			ADDRESS			
'ARM		DISTRICT.		OUNTY		
filling Material Used						
iner Loc	ation	Amount	Packer	Location		
	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
rillers' Names						
emarks:						
emarks:						
	I hereby certify I v	risited the above	ve well on this date.			
DATE						


DISTAID 201202300



State of West Virginia

Department of Mines Gil and Gas Division Charleston 25305

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT




OIL & GAS DIVISION
DEPT. OF MINES

COMPANY	IIII. J. Still & Sel		PERMIT NO _	83-263
	537 Springvale Road		FARM & WELI	NO Don Phills 2
	Greatfalls, Virginia	22066	DIST. & COU	INTY Middle Fask Rough
RULE	DESCRIPTION			IN COMPLIANCE YES NO
23.06 25.04 25.03 16.01 15.03 15.02 15.01 15.04 15.05 23.02 25.01 23.04 23.05 23.07 16.01 16.02 7.05	Notification Prior to Prepared before Dril High-Pressure Drilli Required Permits at Adequate Fresh Water Adequate Coal Casing Adequate Production Adequate Cement Street Cement Type Maintained Access Rowels Reclaimed Drilling Programment Reclaimed Drilling Programment From Surface or Undergon Requirements for Programments for Programment Records on Site Well Records Filed Identification Marking	ling to Preveng Wellsite Casing Casing nght ads to Prevent Waits round Pollutiduction & Gat	ent Waste	
Your wel	INSPECTED THE ABOVE CAN	and reclamat	SIGNED DATE ion requirements above well will	Joseph Joseph Japproved. In accordance
			Januar	y 9, 1985

DATE







OIL & GAS DIVISION
DEPT. OF MINES

Oil and Gas Division NOTICE OF VIOLATION

2 ND VIOLATION	
Permit Number <u>47-083-0565</u>	Farm JAMES PHILIPPS Acres 178
Company ENF oil dGAS	Location of Well
Address 537 SPRINGVALE RO Street	(Waters)Company Well No. # 2
GREAT FAILS VA	District MIDDLE FORK
City	County RANDO/PH
22066 State	
Responsible Agent CHARLES SHAFFER	
Address BelingTon	
The above described well is being posted this	ther delivered personally or sent by Registered Mail, (return
Chapter 22, Article 4, Section	
Administrative Regulation Rule No. 2	
Detailed description of violation:	
LOCATION NEEDS REWORK	eD - SeeDeD - Line
4 nulett	
You are hereby granted until July 874, 1	9 83 to totally abate the above described violation.
Failure to comply with this order will prompt action by the O Offenses, Penalties, or Chapter 22, Article 4, Section 18, Injunctive ED To Be NotiFieD	il and Gas Division under Chapter 22, Article 4, Section 17, e Relief of the West Virginia Code.
EN WORK STARTS Signe	Oil and Gas Inspector

FORM IV-31 [08-78] [08-78] [08-78] [08-78] [08-78]

Date: 7-15, 1983

Operator's #2
Well No. 47-083-0565

STATE OF WEST VIRGINIA
OIL & GAS DIVISPERARTMENT OF MINES, OIL AND GAS DIVISION

DEFT. OF MINES NOTICE OF ABATEMENT
WELL TYPE: Qil/ Gas / Liquid Injection/ Waste Disposal/
(If "Gas", Production X / Underground Storage / Deep / Shallow X /)
LOCATION: Elevation: Watershed: middle Fork Rive R
District: MiDDle FORK County: RandolPH Quadrangle:
WELL OPERATOR FMF oild GAS Address BelinG Ton DESIGNATED AGENT Leslie LUCAS PHILIPPI WVA
Address Beliv6 Tow Address PHI I PPI WVA
BelinGTON PHILIPPI WVA
Notice is hereby given that the undersigned authorized oil and gas inspector made a special
inspection of the above named well on $7 - 15$, 19 83,
Upon the expiration of a period of time originally fixed for abatement.
Upon the order of the Deputy Director for Oil and Gas at the request of the well operator.
Upon the request of the Deputy Director for Oil and Gas.
The violation of Code $\frac{22-12-4B}{2}$ heretofore found to exist on $\frac{6-8-}{}$, 1983, by
Form IV-27, "Notice of Violation"/ Form IV-28, "Imminent Danger Order"/ of that date has
been totally abated. If the abated violation was found by an Imminent Danger Order requiring operations
to cease, such requirement is hereby rescinded, and the well operator is hereby notified that he may
resume operations.
SCS Reclained location
Tockned JoCATION
509 NECIA
11 - APATO
O.K. To ABATE.
UIN.

A copy of this notice has been posted at the well site and sent by certified or registered mail to the indicated well operator or his designated agent.

Robert Stewart 10/20/2023

Oil and Gas Inspector

Address: PO Box 345

Other Lew WVA

