FORM IV-2 (Obverse) (12-81)

TELEPHONE: (304) 348-3092



Date:	June	29,	, 19	82	-
Operator Well No.	S	#1			
API Wel	No. 4	7	083	0697	

State

County

Permit

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES. OIL AND GAS DIVISION

and the local division in which the local division is not to the local division in the l	are an extraordinate of the last of the la	-			
OIL	AND	GAS	WELL	PERMIT	APPLICATION
-	-				

		Control of the last of the las			
(If	"Gas", Product	ion X	Undergroun	d storage	/ Deep/ Shallow X/)
LOCATION: Ele	evation: 2	412	Watershed	Laure	l Run
Dis	strict: Roarin	g Creek	County:_	Randolph	Quadrangle:
WELL OPERATOR	Hydrocarbon	Energies,	Inc.	DESIGNATED .	AGENT Alvin Sorcan
Address	P.O. Drawer	976		Address_	P.O. Drawer 976
		WV 26201			Buckhannon, WV 26201
OIL & GAS ROYALTY OWNER _	Glenn R.	Phillips		COAL OPERAT	ror
Address	P. O. Box	262		Address _	
	Beverly,	WV 26253		_	
Acreage	16.5			COAL OWNER	(S) WITH DECLARATION ON RECORD:
SURFACE OWNER					Glenn R. Phillips
	Box 1547				P. O. Box 262
Address		V 22241			Beverly, WW 26253
				_	
Acreage	10.5		TITT	Name	
TILLE STILL (II IIII	22) 20.				
Address			JL 2 - 198	2 –	
-		OIL	AND GAS D	COAL LESSEE	WITH DECLARATION ON RECORD:
OIL & GAS INSPECT		TIFIED	DEPARTMENT	Name	imical Encerprises, inc.
NameR	obert Stewa	rt		Address _	Box 668
Address P	.O. Box 345			_	Elkins, WV 26241
J	ane Lew, WV	26378			Attn: H. C. Gregoire
The undersigned well	operator is entit	ed to operate for	oil or gas pur	ooses at the above l	ocation under a deed/ lease X
					well operator from Glenn Phillips
(IF said deed, lease, o	r other contract	has been record	led.)		
Recorded on 6-2				of the County Com	nmission ofRandolphCounty, West
Va., in					
PROPOSED WORK:					eture or stimulate/
	-			new formation	
	Other physical	change in well	(specify)		ARTICLE & CASIR Comments to the
			AMILYOT T	AME PROJECT	APPROVED FOR
	-planned as s	hown on the wo	rk order on th	ne reverse side he	F OPERATIONS LAW LOD COM.
The above named coa	l operator, coal o	wner(s), and coal	lessee are her	eby notified that a	ny objection they wish to make or are required to
make by Code \$22-4-3	must be filed wi	th the Departme	nt of Mines w	ithin fifteen (15) d	days after the receipt of this Application by the
Department.					
Copies of this Permit	Application and	the enclosed plat	and reclamation	on plan have been i	mailed by registered mail or delivered by hand to
				fore the day of the	mailing or delivery of this Permit Application to
the Department of Min	nes at Charlesto	n, West Virginia			
PLEASE SUBMIT COR GEOPHYSICAL LOGS TO:					10/20/2023 Hydrocarbon Energies, Inc.
	AND 010				Well Operator
WEST VIRGINIA OII CONSERVATION	COMMIS-			Rv	alun Sucan
SION 1615 WASHINGTON ST CHARLESTON, WV 2		BLANKET	BOND		A CANA

PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY: ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING CO	ONTRACT	OR (IF	KNOW	N)		*			
				Ad	dress				
GEOLOGICAI									
		-						/ Cab	le tools/
					-		; salt, 9		
Approxi	mate coal	seam d	epths: _	3/0	, 66	60 Is coa	being mined	in the area? Yes	/ No/
CASING AND	TUBING	PROG	RAM						
CASING OR	II SPE	CIFICAT	IONS	1	1	FOOTAGE	INTERVALS	CEMENT FILL-UP	PACKERS
TUBING TYPE	Size	Grade	Weight per ft	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	
Conductor	11 3/	4				35'			Kinds
Fresh Water					1,1				
Coal									Sizes
Intermediate	8 5/8	3				1000'	1000'	To Surface	,
Production	41/2						5900'	600 Sks	Depths set
Tubing					7				
Liners									Perforations:
									Top Bottom
				1					
"Re prev Code	clamation iously paid e \$22-4-8	Plan'', a on the a from to	applicabl same we he owne	e to the l, the r of an	ne reclifee required	amation required by Code er well or dwe	eed by Code § 22-4-12a, and elling within 20 or stimulating a	wed by Code § 22-4-22-4-12b and Regulat (v) if applicable, the confect of the propose well where fracturing a Form IV-2 filed in confect of the propose well where fracturing a Form IV-2 filed in confect of the propose well where fracturing a Form IV-2 filed in confect of the propose well where fracturing a file of the propose well a file of the p	ion 23, (iv) unless consent required by d well.
T. 110 DED. 1					/ELL C	7E			
THIS PERM						TH CHAPTER	22.		
						ON IS HEREB			
APPROVED						MIT SHALL			
IF OPERAT			COM	MENCE	D BY	3-20-83	3		
BY	I	//		1					
The	e following	waiver	must be o	comple 4-20, i	ted by	the coal operat	or and by any co	oal owner or coal lesse fifteen (15) days of	e who has recorded a receipt thereof.
						WA	IVER		
proposed we The undersi	ll location gned has	If a min	ne map ention to the	ists w	hich co k prop	vers the area of osed to be don	of the well locat	ion, the well location hon, provided, the wel	well location/20/2020 this is been added to the mine map I operator has complied with all
	-	Joseph		20	5				
	- 10-10-1						Ry	The Maria	
Date:	0 8		, 1	9			Бу		



State of Mest Birginia Pepartment of Mines Gil and Gas Division Charleston 25305

July 13, 1982

TO: Hy	drocarbon Energies, lnc.				
FROM:	Oil & Gas Division				
RE:	Permits being held in lieu of Affidavit County <u>Upshur</u> Farm <u>Smith</u>	: Well	no.	1	
	Waugh			1	

Gentlemen:

The above captioned permits are being held until we receive the affidavit for flat well royalty leases. If this does not apply, please mark $\underline{\text{NO}}$ and return.

This House Bill 1254, went into effect June 11, 1982.

New applications (1V-2's) are in the process of being printed which will alleviate these affidavits.

Please return the letters or affidavits immediately so your permit or permits can be processed. Also, please return this form letter with your affidavit.

Sincerely,

Mike Lewis

Draftsman, Office of Oil and Gas

MJ./mmy

Permit No. 083-0697

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION
DEPT. OF MINES

Oil or Gas Well

					(KIN	(0)	1.70
Company HYDRO	CARBON		CASING AND	USED IN DRILLING	LEFT IN	PACKI	ERS
Address Buck	HANNON		Size	75			901 (2010)
Farm 6/en	PHILIPPS		16			Kind of Pack	er
Well No.			13			Size of	
District ROARING C	Reek County RAND	OIPH	81/4		~ ~ ~	-12	
Drilling commenced	Comment of the second of the s		6%	3		Depth set	
Drilling completed	Total depth		5 3/16			Perf. top	
Date shot	Depth of shot		2			Perf. bottom	
Initial open flow	/10ths Water in	Inch	Liners Used			Perf. top	· · · · · ·
Open flow after tubing_	/10ths Merc. in	Inch		100 Bar	•	Perf. bottom_	
Volume		_Cu. Ft.	CASING CEMEN	TED	_SIZE	No. FT	Date
Rock pressure	lbs	hrs.	NAME OF SER	VICE COMPA	NY		
Oil	bbls., 1st	24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	_INCHES
Fresh water	feet	feet	FEET_	INCH	ES	FEET	_INCHES
Salt water	feet	feet	FEET_	INCHI	ES	FEET	_INCHES
Drillers' Names	the second second		April 1971				
Remarks:	9						
No 100	OATION	o V	1	Roles	45-0		
CANER	eftion 2/ - a	1/1/					

6-22-83

Robert Staging 1903

DISTRICT WELL INSPECTOR

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit Ne			ADDRESS		li No			
			C					
Filling Material Used								
Liner Loc	eation	Amount	Packer	Location				
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASING AND TUBING				
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST		
				0				
				-				
				-				
			4,					
	757 (20)3							
						•		
	,	270,224 52						
Orillers' Names		100.0						
		was not with the						
Remarks:								
DAYE	I hereby certify I	risited the abo	ve well on this date.					
11 = 1				Di	u/20/20 :	THEPECTOP		



State of West Virginia Bepartment of Mines 'Gil and Gas Division Charleston 25305

In Re:

PERMIT NO:

THEODORE M. STREIT ADMINISTRATOR

47-083-0697

Glenn R. Phillips/Jack C. Waug

July 7, 1983

WALTER N. MILLER


DIRECTOR

Hydrocarbon Energies, Inc. Rt. 4, Box 444
Buckhannon, W. Va. 26201

	WELL NO:
	DISTRICT: Roaring Creek
	COUNTY Randolph
Gentlem	en:
Th this of	e FINAL INSPECTION REPORT for the above described well has been received in fice. Only the column check below applies:
XXXXXX	The well designated by the above permit number has been released under your Blanket Bond. (Permit Cancelled - Never Drilled.)
	Please return the enclosed cancelled single bond which covered the well designated by the above permit number to the surety company who executed said bond in your behalf, in order that they may give you credit on their records.
	Your well record was received and reclamation requirements approved. In accordance with Chapter 22, Article 4, Section 2, the above captioned well will remain under bond coverage for life of the well.

Very truly yours,

Theodore M. Streit, Administrator Office of Oil & Gas-Dept. Mines





State of Mest Mirginia Bepartment of Mines Bil und Gas Bivision Charleston 25305

TO:

ALL OPERATORS

DATE: June 22, 1982

FROM:

Thomas E. Huzzer, Administrator

RE:

House Bill 1254 - Permits Not to be Issued on

Flat Well Royalty Leases

In an effort to implement HB-1254 an affidavit was mailed to each operator previously. Upon review it is found this affidavit is inappropriate and not entirely necessary. The application form will be revised to include the following statement:

____/ No ____/ The right to extract, produce or market the oil or gas_is based upon a lease or leases or other continuing contract or contracts providing for flat well royalty or any similar provision for compensation to the owner of the oil or gas in place which is not inherently related to the volume of oil and gas so extracted, produced or marketed.

You should answer this question without the use of the form until the applications have been revised.

If the answer is "yes" to the question, then you must provide with the application an affidavit which certifies that the affiant is authorized by the owner of the working interest in the well to state that it shall tender to the owner of the oil or gas in place not less than one-eighth of the total amount paid to or received or the oil or gas so extracted, produced or marketed before deducting the amount o be paid or set aside for the owner of the oil and gas in place, on all such il or gas to be extracted, produced or marketed from the well. (See West Virginia ode 22-4-11(e).)

ttached is an affidavit form you may use, but it is necessary only in the event hat you would answer "yes". If the answer is "no", please include a statement o that effect.

083-0697


(Rev 8-81) 6-AI

- E80 - 74.00 IAA winignist tasset in state MEIT NO T#


DATE June 29, 1982

esnift, in bramtrage &

0096	0 304/472-	IOHE		aumoo dof harssaaa	
Ou, WV 26201	Вискрапис			ry and rot Brilbaa. And atbroadas riobiti	
	DEEES P.O. Drav	T .	T. 200	ecucat espeta :25.	0
Cy Khadee		WEEL AFTE			
() // 07	X		Managem management		
proper bacterium.	of clovers with the	m liotest .	notev as nous se	noculate all legun Jate with 3% recom	I×
Jbs/acre			15 lbs/acre	OR, GRASS	
1bs/acre			So lbs/acre	BIRDFOOT TREEFOIL	•
1bs/acre	*beed*	3	SO Ibs/ace	15- 44	*beed
Sms\andT	иптср	i 9	Tons/acm		Mulch
lbs/acre or equivalent)	Fertilizer (10-20-20		coc lbs/ame	lizer (10-20-20 or o	Ferti
The state of the s	or correct to pH		6,0	J Hq of forman	TO
Final Active	AND SA SMILL	. 9	Tons/acm		amid
II serA	Treatment		I serA	Treatment	
	-5	EVECETATION	X	- Note - Inches	
	·surbag	מוגר שסוג ו	azofaq azzs auz	mort bevomer bro t	no
11A .yanss: 9d ot rednit	esen li beringer bra Ilome bra Rurd Ilo	tacked and	to be cut and s	mmercial timber is	co
	Page Ref. Manual			Ref. Manual	Page
Additional and the second	LaireteM	I		би	Spaci
(5)	Structure	(3)		ture	Struc
	Page Ref. Manual			- LaunaM . 199	Page
	LaireteM			Би	Spaci
(2)	Structure	(B)	DITCH	TITE JRAIN	Struc
	Page Ref. Manual		8-1	Ref. Manual	Page
	LaireteM	OT CALL	707370300	, GZ bu	Spaci
(1)	Strudture	(A)			Struc
NC	DITADOI			SZEDOA	
	(armbr. ma)	//	7		
- 3	(TUBBY (DS)	nerst	The state of the s		
	(etsQ)				
	78-6-	7 /7	Lq zirt to trisq	aditions become a	s bris
All corrections	· COS	prople	reviewed by	need ash nsig sin'T	
(Agent)	orcan	2 nivlA	Ya ruo berrie	o ed ot noitsetegev	ਰਮ
Tygarts Valley		[V		WNER John War	
	Telephone 472-	-		Jephone 472-9	
		-			
er 976, Buckhannon, W			V	dress P.O. Draw	
ти богсап	VIA TNESA CETANSI	Inc. DES	rbon Energies	NA NAME Hydroca:	Man
	NAIG NOTTAM	ALDER GNA NO	CONSTRUCTIO		
	ນກຸຣຸເ	ne ere dru	TIAN (3114/	2000



ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.



SLOPE OF ROAD WILL BE 10% OR LESS.

ALL BRUSH WILL BE BURNED OR BURIED.

ANY TIMBER WILL BE CUT + STACKED.

DITCHES + CHWERTS WILL BE MAINTAINED.

B
PIT

10/20/2023