	1983	
-,		

(McMullan)

- 0798 083 47 3) API Well No. Permit State County

ILLING CONT	RACTOR.					STATE STATE				State	County	Permit
evelopment	Drilli r 1740		DE	PART		E OF WEST F MINES, OI		NIA D GAS DIVISIO	)N			
arksburg,	West V	irgini	î					PPLICATION				
WELL TYPE	. A Oil		/ Cos	XXX								
WELLTIFE		Gas'', Proc	duction _			Underground	d stora	ge	_/ Dee	ep	_/ Shallow	XXX_/)
LOCATION:	Elevat	ion:		2825		Watershed:		Light Ru	ın			
	Distric	t: Mid	dle Fo	ork		County:	Ra	ndolph DESIGNATED	Qua	drangle:	Adolph T. Whee	oler
WELL OPER	RATOR_F	P. O. D	rawer	1740	0		11)	Address	AGENT	P. 0.	Drawer 1	1740
Address		larksb			26301			Address			burg, W	
OIL & GAS		,			4						10	
ROYALTY		Box 8		an			12)	COAL OPERA			/a	
Address		ngton,		27889	9			Address				
Acreage	9.757						13)	COAL OWNER	R(S) Wirt	H DECLAR	ATION ON	RECORD:
SURFACE O								Name ]	Henry	L. Davi	s Estate	ia Nat'l
Address		Randol ns, We	_			01		Address	Power	Center	Sauare	
Acreage	9,757		SC VII	gil.	1a 204	21		Name	Philad Harry	elphia, McMulla	Pennsy n, etal	Lvania
FIELD SALE						-	- 1		P. 0.		11, 0001	
Address	Columb	ia Gas	Trans	smiss	sion C	orp.			Washin	gton, N	C 2788	39
		Box 12			inia	25325	14)	COAL LESSEE			ION ON RE	CORD:
OIL & GAS	INSPECTO Robert			D				Name	n	/a	nis C	FITTI
Name	P. 0.			-		_		Address	100		NE G	COU
Address			.5								1	
	Jane I	ew, We		gin	ia 26	378		7				
PROPOSED		ew, We	st Vir				lrill	/ Frac	ture or s	timulate	JUL	1 1 1983
PROPOSED	WORK:	Drill X	est Vir	Drill d	leeper	/ Red / Perforat	e new	Frac	/		JUL	1 1 1983
	WORK:	Drill X Plug off Other phy	est Vir	Drill dation_	leeper	/ Red / Perforat	e new		/			1000
GEOLOGICA	WORK:	Drill X Plug off Other phy	est Vir	Drill dation_ age in v	leeper	/ Red / Perforat fy)	e new	formation	/			GAS DIVISION
GEOLOGICA	WORK:  AL TARGE d depth of co	Drill X Plug off Other phy T FORMA completed w	est Vir	Drill dation_ ation_ ige in v EI 51	well (speci	/ Red	e new	formation		D		1000
GEOLOGICA 17) Estimate 18) Approxim 19) Approxim	WORK:  AL TARGE d depth of conate water s	Drill X Plug off Other phy FORMA Completed w trata depth	est Vir	Drill dation_nge in v	well (speci LK	/ Red / Perforat fy)fee feet;	et salt	formation	feet.	D	OIL &	1000
GEOLOGICA  17) Estimate  18) Approximate	WORK:  AL TARGE d depth of conate water s nate coal sea	Drill X Plug off Other phy FFORMA Completed w trata depth am depths: PROGRA	est Vir XX / I old forma vsical chan TION, _ vell, _ ns: Fresh	Drill dation_ ation_ inge in v EI 51 , == 22	well (speci LK	/ Red/ Perforat fy)feet;	e new	, 235 ing mined in the	feet. area? Ye	es	OIL & OEPT.	GAS DIVISIO
GEOLOGICA 17) Estimate 18) Approxit 19) Approxit CASING AN CASING OR TUBING TYPE	WORK:  AL TARGE d depth of containe water so that coal sea D TUBING	Drill X Plug off Other phy FFORMA Completed w trata depth am depths: PROGRA	old formation,	Drill dation_ ation_ inge in v EI 51 , == 22	well (speci LK 00 '	/ Red/ Perforatefy)feet;fset_FOOT_For drilling	e new	, 235 ing mined in the	feet. area? Ye	NT FILL-UP S SACKS ubic feet)	OIL & DEPT.	GAS DIVISION OF MIN
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE	WORK:  AL TARGE d depth of co nate water s nate coal sea D TUBING  Size  16"	Plug off Other phy T FORMA Ompleted w trata depth am depths: PROGRA	old formations; Fresh  CIFICATION Weight  Weight	Drill dation_ age in v EI 51 , == 22	well (speci LK 00 '	/ Red/ Perforat fy)feet;Is c	e new	, 235 ing mined in the	feet. area? Ye	NT FILL-UP	OIL & DEPT.	GAS DIVISION OF MIN
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE Conductor Fresh water	WORK:  AL TARGE d depth of containe water so nate coal sea D TUBING  Size 16" 8-5/8"	Plug off Other phy T FORMA Ompleted w trata depth am depths: PROGRA	old formation, vell, us: Fresh  CIFICATION Weight per ft.	Drill dation_ age in v EI 51 , == 22	well (speci LK 00 '	/ Red/ Perforatefy)feet;fset_FOOT_For drilling	e new	, 235 ing mined in the	feet. area? Ye	NT FILL-UP S SACKS ubic feet)	OIL & DEPT.  No.  PAC	GAS DIVISION OF MIN
GEOLOGICA 17) Estimate 18) Approxit 19) Approxit CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal	WORK:  AL TARGE d depth of co nate water s nate coal sea D TUBING  Size  16"	Plug off Other phy T FORMA Ompleted w trata depth am depths: PROGRA	old formation, vell, us: Fresh  CIFICATION Weight per ft.  20#	Drill dation_nge in v EI 51, == 22	well (speci LK 00 '	/ Red / Perforat fy) feefeet;Is of FOOT For drilling 20 **	e new	, 235 ing mined in the	feet. area? Ye	NT FILL-UP S SACKS ubic feet)	OIL & DEPT.	GAS DIVISION OF MIN
GEOLOGICA 17) Estimate 18) Approxit 19) Approxit CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate	WORK:  AL TARGE d depth of containe water so nate coal sea D TUBING  Size 16" 8-5/8"	Plug off Other phy T FORMA Ompleted w trata depth am depths: PROGRA	old formation, vell, us: Fresh  CIFICATION Weight per ft.	Drill dation_nge in v EI 51, == 22	well (speci LK 00 '	/ Red / Perforat fy) feefeet;Is of FOOT For drilling 20 **	e new	, 235 ing mined in the	feet. area? Ye	NT FILL-UP R SACKS ubic feet) nt to s sacks	OIL & DEPT.  No.  PAC	GAS DIVISION TO SERVICE CONTRACTOR OF MINISTERS CONTRACTOR OF THE PROPERTY OF
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing	WORK:  AL TARGE depth of contains water so the same coal sear to the same coal search to the same coal s	Plug off Other phy T FORMA Ompleted w trata depth am depths: PROGRA	old formation, vell, us: Fresh  CIFICATION Weight per ft.  20#	Drill dation_nge in v EI 51, == 22	well (speci LK 00 '	Perforat fy)  fee feet; Is o  FOOT For drilling 20 1	e new	235 ing mined in the TERVALS Left in well 201	ceme:	NT FILL-UP R SACKS ubic feet) nt to s sacks	PAC  Sizes 64	GAS DIVISION TO THE CONTROL OF MILE AND THE CONTROL OF T
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing	WORK:  AL TARGE depth of contains water so the same coal sear to the same coal search to the same coal s	Plug off Other phy T FORMA Ompleted w trata depth am depths: PROGRA	old formation, vell, us: Fresh  CIFICATION Weight per ft.  20#	Drill dation_nge in v EI 51, == 22	well (speci LK 00 '	Perforat fy)  fee feet; Is o  FOOT For drilling 20 1	e new	235 ing mined in the TERVALS Left in well 201	ceme:	NT FILL-UP R SACKS ubic feet) nt to s sacks by Rul	Perforations:	GAS DIVISION XXX
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing	WORK:  AL TARGE depth of contains water so the same coal sear to the same coal search to the same coal s	Plug off Other phy T FORMA Ompleted w trata depth am depths: PROGRA	old formation, vell, us: Fresh  CIFICATION Weight per ft.  20#	Drill dation_nge in v EI 51, == 22	well (speci LK 00 '	Perforat fy)  fee feet; Is o  FOOT For drilling 20 1	e new	235 ing mined in the TERVALS Left in well 201	ceme:	NT FILL-UP R SACKS ubic feet) nt to s sacks by Rul	PAC  Sizes 64	GAS DIVISION TO SERVICE CONTRACTOR OF MINISTERS CONTRACTOR OF THE PROPERTY OF
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing	WORK:  AL TARGE depth of contains water so the same coal sear to the same coal search to the same coal s	Plug off Other phy T FORMA Ompleted w trata depth am depths: PROGRA	old formation, vell, us: Fresh  CIFICATION Weight per ft.  20#	Drill dation_nge in v EI 51, == 22	well (speci LK 00 '	Perforat fy)  fee feet; Is o  FOOT For drilling 20 1	e new	235 ing mined in the TERVALS Left in well 201	ceme:	NT FILL-UP R SACKS ubic feet) nt to s sacks by Rul	Perforations:	GAS DIVISION XXX
GEOLOGICA 17) Estimate 18) Approxit 19) Approxit CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Fubing Liners	WORK:  AL TARGE depth of contains water so that the coal search of the	Drill X Plug off Other phy T FORMA Completed w trata depth am depths: PROGRA  SPE Grade	old formations: Fresh  CIFICATION Weight per ft.  20#	Drill dation_nge in v EI 51, == 22	well (speci LK 00 1 2-225	Perforat fy)  fee feet; Is o  FOOT For drilling 20'  750'	e new	235 ing mined in the TERVALS Left in well 201	ceme:	NT FILL-UP R SACKS ubic feet) nt to s sacks by Rul	PACE Sizes by Perforations:	GAS DIVISION XXX
GEOLOGICA 17) Estimate 18) Approxit 19) Approxit 19) Approxit CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Fubing Liners  EXTRACTIO Check and pro	WORK:  AL TARGE depth of contains water so that coal search to the coa	Drill X Plug off Other phy T FORMA Completed w trata depth am depths: PROGRA  SPE Grade	old formations: Fresh  AM  CIFICATION Weight per ft.  20#	Drill dation_nge in v EI 51, == 22	well (speci LK 00 1 2-225	Perforat fy)  fee feet; Is o  FOOT For drilling 20'  750'	e new	tervals  Left in well 201 7501	ceme: Ceme: Ceme: Ceme: TS Req. 15	NT FILL-UP SACKS ubic feet) nt to si sacks by Rule Ol	PACON Sizes By Perforations:	GAS DIVISION XXX
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Fubing Liners  EXTRACTIO Check and proximal conductor Includes	WORK:  AL TARGE depth of conate water sonate coal sea D TUBING  Size 16"  8-5/8"  4-1/2"  N RIGHTS ovide one out is the least	Drill X Plug off Other phy T FORMA Completed we trata depth am depths: PROGRA  SPE Grade	old formations: Fresh  AM  CIFICATION  Weight per ft.  20#  J.55  wing: s or other	Drill dation_nge in v EI 51, == 22	well (speci LK 00 1 2-225	Perforat fy)  fee feet; Is o  FOOT For drilling 20'  750'	e new	regretation 235 ing mined in the TERVALS Left in well 201 7501	CEME OR (C. Ceme:	NT FILL-UP SACKS ubic feet) nt to s sacks by Rul.	PACON Sizes By Perforations:	GAS DIVISION XXX
GEOLOGICA 17) Estimate 18) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRACTIO Check and process Include The received	WORK:  AL TARGE depth of contact water so that coal search of the coal	Drill X Plug off Other phy T FORMA Ompleted w trata depth am depths: PROGRA  SPE Grade  f the followie or leases f Code 22-	old formations: Fresh  AM  CIFICATION  Weight per ft.  20#  J.55  wing: s or other	Drill dation_nge in v EI 51, == 22	well (speci LK 00 1 2-225	Perforat fy)  fee feet; Is o  FOOT For drilling 20'  750'	e new	tervals  Left in well 201 7501	CEME OR (C. Ceme:	NT FILL-UP SACKS ubic feet) nt to s sacks by Rul.	PACON Sizes By Perforations:	GAS DIVISION XXX
GEOLOGICA  17) Estimate  18) Approximate  19) Approximate  CASING AN  CASING OR  TUBING TYPE  Conductor  Fresh water  Coal  Intermediate  Production  Fubing  Liners  EXTRACTIO  Check and proximate  The rece  ROYALTY P  Is the right to	WORK:  AL TARGE depth of contact water so that coal search provide and search provide one of the coal search provide one of	Drill X Plug off Other phy T FORMA Completed we trata depth am depths: PROGRA  SPE Grade  f the following or leases of Code 22-S duce or ma	old formations: Fresh  AM  CIFICATION Weight per ft.  20#  J. 55  J. 0. 50#	Drill dation_nge in v EI 51,, 22	well (speci LK 00 '	Perforat fy)  fee feet; Is o  FOOT For drilling 20'  5100'	e new et salt coal be	rervals  Left in well  20'  750'  5100'  which I hold the pecifics.)	ceme:  CEME OR (CC Ceme:  TS  Req. 15	NT FILL-UP SACKS ubic feet) nt to s sacks by Rul Ol	PACON Sizes by Perforations: Top	GAS DIVISION TO A DIVISION OF MINISTER STATEMENT OF THE PROPERTY OF A DIVISION OF THE PROPERTY
GEOLOGICA 17) Estimate 18) Approxim 19) Approxim 19) Approxim CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRACTIO Check and proximate The rec ROYALTY P Is the right to similar provisi	WORK:  AL TARGE depth of contact water so that coal search provide a search provide one of the coal search provide one of th	Drill X Plug off Other phy T FORMA Completed we trata depth am depths: PROGRA  SPE Grade  f the following or leases of Code 22-S duce or ma pensation	old formations: Fresh  AM  CIFICATION Weight per ft.  20#  J. 55  10. 50#	Drill dation_ age in v EI 51 , , _22  NS New  X continue through the through through the through through the through t	well (speci LK 00 '	Perforat fy)  fee feet; Is o  FOOT For drilling 20   5100   act or contracee reverse side on a lease or congas in place	e new et salt coal be	regretation 235  ing mined in the 201  7501  51001  which I hold the pecifics.)	ceme:  CEME OR (CC Ceme:  TS  Req. 15	NT FILL-UP SACKS ubic feet) nt to s sacks by Rul Ol	PACON Sizes by Perforations: Top	GAS DIVISION TO A DIVISION OF MINISTER STATEMENT OF THE PROPERTY OF A DIVISION OF THE PROPERTY
GEOLOGICA  17) Estimate  18) Approximate  19) Approximate  CASING AN  CASING OR  TUBING TYPE  Conductor  Fresh water  Coal  Intermediate  Production  Fubing  Liners  EXTRACTIO  Check and proximate  The recent of	WORK:  AL TARGE depth of comate water smale coal search provide and search provide one of the smale coal state least quirement of ROVISION extract, provide on for commarketed?	Drill X Plug off Other phy T FORMA Completed we trata depth am depths: PROGRA  SPE Grade  f the following or leases of Code 22-S duce or ma pensation Yes 1	old formations: Fresh  AM  CIFICATION Weight per ft.  20#  J. 55  J. 0. 50#  wing: s or other 4-1-(c) (1)  arket the out to the ow No XX	Drill dation_ age in v EI 51 , , _22  NS New  X  continue through through through through the continue through the continue through	well (speci LK 000 1 2 2 2 2 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Perforat fy)  fee feet; Is o  FOOT For drilling 20 '  5100 '	e new et salt coal be	rervals  Left in well  20'  750'  5100'  which I hold the pecifics.)	CEME OR (C. Ceme:	NT FILL-UP SACKS ubic feet) nt to s sacks by Rul Ol	PACON Sizes by Perforations: Top	GAS DIVISION TO A DIVISION OF MINISTER STATEMENT OF THE PROPERTY OF A DIVISION OF THE PROPERTY
GEOLOGICA  17) Estimate  18) Approximate  19) Approximate  19) Approximate  CASING AN  CASING OR  TUBING TYPE  Conductor  Fresh water  Coal  Intermediate  Production  Tubing  Liners  EXTRACTIO  Check and provision  The recent of the recent of the composition o	Size 16" 8-5/8" 8-5/8" 14-1/2' N RIGHTS ovide one of is the least quirement of ROVISION extract, profit on for commarketed? e is No, notices (See revolute of the commarketed?	PROGRA  SPE Grade  f the follower or leases of Code 22-S duce or mapensation  Yes ling additerse side.)	old formations: Fresh  AM  CIFICATION Weight per ft.  20#  J. 55  10. 50#  wing: s or other 4-1-(c) (1)  arket the oit to the ow No XX  tional is not	Drill dation_ age in v EI 51 , , _22  NS New  X  continuation through through through the content of ceeded.	well (speci LK 00 1  2-225 Used X uing contrigh (4). (Some state of the oil of the ansile of	Perforat fy)  fee feet; Is o  FOOT For drilling 20'  5100'	e new et salt coal be	rervals  Left in well  20'  750'  5100'  which I hold the pecifics.)  continuing contral is not inherently use Affidavit F	CEME OR (C. Ceme:	NT FILL-UP SACKS ubic feet) nt to s sacks by Rul Ol	PACON	GAS DIVISION TO SELL T
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRACTIO Check and provision The recent of the company of the compan	WORK:  AL TARGE depth of comate water's mate coal sea to be so to	Plug off Other phy TFORMA Ompleted w trata depth am depths: PROGRA  SPE Grade  f the follow the or leases of Code 22-S duce or ma pensation Yes  hing additerse side.)	old formations: Fresh  AM  CIFICATION  Weight per ft.  20#  J. 55  10.50#  wing: s or other 4-1-(c) (1)  arket the out to the own No XX tional is not the enced to the enced the	Drill dation_ age in v EI 51 , , _22  NS New  X  AX  continuation of through through through the continuation of the conti	well (speci LK OO'  2-225 Used X uing contri gh (4). (S is based up the oil on If the ans	Perforat fy)  fee feet; Is o  FOOT For drilling 20'  5100'  act or contracee reverse side con a lease or c gas in place wer is Yes, yo	e new et salt coal be. AGE IN the for spother cowhich to may	rervals  Left in well 20 1 750 1  5100 1  ontinuing contra is not inherently use Affidavit F	centered to registered	NT FILL-UP SACKS ubic feet) nt to s sacks by Rul Ol extract oil or racts providi	PAC  PAC  Sizes by A  Perforations:  Top  Top	GAS DIVISION  F MIN  XXX  KERS  Bottom  Bottom
GEOLOGICA  17) Estimate  18) Approximate  19) Approximate  19) Approximate  CASING AN  CASING OR  TUBING TYPE  Conductor  Fresh water  Coal  Intermediate  Production  Tubing  Liners  EXTRACTIO  Check and provision  The recent of the control of th	Size 16" 8-5/8' 8-5/8' 14-1/2' N RIGHTS ovide one of the least quirement of ROVISION extract, profit on for commarketed? e is No, not ies (See reversely appropriate of the partier, cgaller)	Plug off Other phy TFORMA Ompleted w trata depth am depths: PROGRA  SPE Grade  f the follow the or leases of Code 22- State or ma pensation Yes	old formations: Fresh  AM  CIFICATION,  well,  per ft.  20#  J. 55  10.50#  wing: s or other  4-1-(c) (1)  arket the out to the own No XX  tional is not the encland coal is not the encland coal is not to the en	Drill dation_ age in v EI 51 , , _22  NS New  X  AX  continuation of through through through the continuation of the conti	well (speci LK OO'  2-225 Used X uing contri gh (4). (S is based up the oil on If the ans	Perforat fy)  fee feet; Is o  FOOT For drilling 20'  5100'  act or contracee reverse side con a lease or c gas in place wer is Yes, yo	e new et salt coal be. AGE IN the for spother cowhich to may	rervals  TERVALS  Left in well  20'  750'  5100'  which I hold the pecifics.)  continuing contral is not inherently use Affidavit F	centered to registered	NT FILL-UP SACKS ubic feet) nt to s sacks by Rul Ol extract oil or racts providi	PAC  PAC  Sizes by A  Perforations:  Top  Top	GAS DIVISION  F MIN  XXX  KERS  Bottom  Bottom
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRACTIO Check and proving The rec ROYALTY P Is the right to similar provis produced or in the answer above Required Copies of this named coal op Mines at Charl	Size 16" 8-5/8' 8-5/8' 14-1/2' N RIGHTS ovide one of the least quirement of ROVISION extract, profit on for commarketed? e is No, not ies (See reversely appropriate of the partier, cgaller)	Plug off Other phy TFORMA Ompleted w trata depth am depths: PROGRA  SPE Grade  f the follow the or leases of Code 22- State or ma pensation Yes	old formations: Fresh  AM  CIFICATION,  well,  per ft.  20#  J. 55  10.50#  wing: s or other  4-1-(c) (1)  arket the out to the own No XX  tional is not the encland coal is not the encland coal is not to the en	Drill dation_ age in v EI 51 , , _22  NS New  X  AX  continuation of through through through the continuation of the conti	well (speci LK OO'  2-225 Used X uing contri gh (4). (S is based up the oil on If the ans	Perforat fy)  fee feet; Is o  FOOT For drilling 20'  5100'  act or contracee reverse side con a lease or c gas in place wer is Yes, yo	e new et salt coal because sal	rervals  Left in well 20 1 750 1  5100 1  ontinuing contra is not inherently use Affidavit F	centered to registered	NT FILL-UP SACKS ubic feet) nt to s sacks by Rul Ol extract oil or racts providi	PAC  PAC  Sizes by A  Perforations:  Top  Top	GAS DIVISION  F MIN  XXX  KERS  Bottom  Bottom
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRACTIO Check and provision The recent of the produced or in the answer above Required Cope Copies of this named coal op Mines at Charl Notary:	Size  D TUBING  Size  D TUBING  16"  8–5/8"  4–1/2'  N RIGHTS  ovide one of the least quirement on ROVISION extract, proceedings (See reve Permit Appearator, coal eston, west	Plug off Other phy TFORMA Ompleted w trata depth am depths: PROGRA  SPE Grade  f the follow the or leases of Code 22- State or ma pensation Yes	old formal visical channel TION, well, well, well, well, weight per fit.  20#  J-55  10-50#  wing: so or other 4-1-(c) (1)  arket the oil to the own No XX tional is not the enclared coaling and coal	Drill dation_ age in v EI 51 , 22  NS New  X  Continue through ill or gas age of the ceded.	well (speci LK 000 1 	Perforat fy)  fee feet; Is o  FOOT For drilling 20'  5100'  act or contracee reverse side con a lease or c gas in place wer is Yes, yo	e new et salt coal because sal	my series of the second of the	right to e	NT FILL-UP SACKS ubic feet) nt to s sacks by Rul Ol extract oil or racts providi	PAC  PAC  Sizes by A  Perforations:  Top  Top	GAS DIVISION  F MIN  XXX  KERS  Bottom  Bottom
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRACTIO Check and provising The recent of the right to similar provising produced or in the answer above Required Cop Required Cop Copies of this named coal op Mines at Charl Notary:	Size  D TUBING  Size  D TUBING  16"  8–5/8"  4–1/2'  N RIGHTS  ovide one of the least quirement on ROVISION extract, proceedings (See reve Permit Appearator, coal eston, west	Plug off Other phy TFORMA Ompleted w trata depth am depths: PROGRA  SPE Grade  f the follow is or leases of Code 22- S duce or ma pensation Yes  hing addit crse side.) lication ar owner(s), Virginia	old formal visical channel TION, well, well, well, well, weight per fit.  20#  J-55  10-50#  wing: so or other 4-1-(c) (1)  arket the oil to the own No XX tional is not the enclared coaling and coal	Drill dation_ age in v EI 51 , 22  NS New  X  Continue through ill or gas where of the ceded.	well (speci LK 000 '	Perforat fy)  fee feet; Is of FOOT For drilling 20' 750'  5100'  act or contrace ee reverse side foon a lease or of gas in place wer is Yes, you clamation plate for the day of	et salt coal be sa	my separation which I hold the becifics.)  Total use Affidavit F been mailed by ailing or delivering in the little	right to e	NT FILL-UP SACKS ubic feet) nt to s: sacks by Rul. 01 extract oil or racts providi to the volum	PAC  PAC  Sizes by A  Perforations:  Top  Top	GAS DIVISION  F MIN  XXX  KERS  Bottom  Bottom
GEOLOGICA 17) Estimate 18) Approxin 19) Approxin CASING AN CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing Liners  EXTRACTIO Check and provision The recent of the company of the compan	Size  D TUBING  Size  D TUBING  16"  8–5/8"  4–1/2'  N RIGHTS  ovide one of the least quirement on ROVISION extract, proceedings (See reve Permit Appearator, coal eston, west	Plug off Other phy TFORMA Ompleted w trata depth am depths: PROGRA  SPE Grade  f the follow is or leases of Code 22- S duce or ma pensation Yes  hing addit crse side.) lication ar owner(s), Virginia	old formal visical channel TION, well, well, well, well, weight per fit.  20#  J-55  10-50#  wing: so or other 4-1-(c) (1)  arket the oil to the own No XX tional is not the enclared coaling and coal	Drill dation_ age in v EI 51 , 22  NS New  X  Continue through ill or gas where of the ceded.	well (speci LK 000 1 2-225	Perforat fy)  fee feet; Is o  FOOT For drilling 20'  5100'  act or contracee reverse side con a lease or c gas in place wer is Yes, yo	et salt coal be sa	med in the stervals.  Left in well 20' 750' 5100	CEME OR (Co. Ceme:  Ceme:  Come:  Com	es.  NT FILL-UP SACKS ubic feet)  nt to s: sacks  by Rul. Ol. extract oil or racts providite the volum. O. ermit Applie	Perforations: Top  Top  Top  Top  Top  Top  Top  Top	GAS DIVISION  F MIN  XXX  KERS  Bottom  Bottom

proper district oil and gas inspector 24 hours before actual permitted work has commenced.)

Permit expires	August 1	2, 1985		unless di	illing is commenced prior to that date and prosecuted with due diligence.
Bond:	Agent:	Plat:	Casing	Fee 741188	Tele
	1	10-	101	24100	Administrator, Office of Oil and Gas

#### Line Item Explanation

- 1) Date of Application
- 2) Your well name and number
- 3) To be filled out by office of oil & gas
- 4A) "Oil" means natural crude oil or petroleum and other hydrocarbons, regardless of gravity, which are produced at the well in liquid form by ordinary production methods and which are not the result of condensation of gas after it leaves underground reservoirs: "Gas" means all natural gas and all other fluid hydrocarbons not defined as oil.
- 4B) "Shallow well" means any well drilled and completed in a formation above the top of the uppermost member of the "Onondaga Group" or a depth less than six thousand feet, whichever is shallower.
  - "Deep well" means any well drilled and completed in a formation at or below the top of the uppermost member of the "Onondaga Group" or at a depth less then six thousand feet, whatever is shallower.
  - 5) Where well is located
  - 6) Before a permit can be issued in a corporation, company partnership, or fictitious name, the name must be registered with the Secretary of State Office
  - 7) Use separate sheet if necessary
  - 8) Present surface owner at time application is filed.
  - 9) Optional
- 11) See Reg. 7.01 relating to code §22-4-1k
- 12) "Coal Operator" means any persons, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine. See Note 24
- 13 & 14) As per §22-4-20; See Note 24
  - 15) Work that will be attempted—A separate Form IV-2 shall not be required for fracturing or stimulating a well where fracturing or stimulating is to be part of the work for which a permit is sought and is noted as such on the Form IV-2 filed in connection therewith.
  - 16) Anticipated formation for which well will be completed
- MOISIVICIT) Self explanatory
- Depth to deepest freshwater, and shallowest salt water, taken from nearby wells corrected for differences in elevation
  - 19) All coal seam depths
  - 20) Proposed casing program and cementing refer to Code 22-4-5, 22-4-6, 22-4-7, 22-4-8, 22-4-8a Reg 9.01, 15.01, 15.02, 15.03, 15.04, 25.01, 25.02, 25.03, 25.04
  - 21) Code 22-4-11(c) In lieu of filing the lease or leases or other continuing contract or contracts, the applicant for a permit described herein may file the following:
    - (1)A brief description of the tract of land including the district and county wherein the tract is located;
    - (2) The identification of all parties to all leases or other continuing contractual agreements by which the right to extract, produce or market the oil or gas is claimed;
    - (3) The book and page number wherein each such lease or contract by which the right to extract, produce or market the oil or gas is recorded;
    - (4)A brief description of the royalty provisions of each such lease or contract.
  - 22) Code 22-4-11(d) and 22-4-11(e).

, 19

- Regulation 7.02 of the Department of Mines provides that the original and four copies of Form IV-2 must be filed with the Department, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code §22-4-2, (iii) Form IV-9, "Reclamation Plan", applicable to the reclamation required by Code §22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fee required by Code §22-4-12a, and (v) if applicable, the consent required by Code §22-4-8a from the owner of any water well or dwelling within 200 feet of the proposed well.
- The above named coal operator, coal owner(s), and coal lessee are hereby notified that any objection they wish to make or are required to make by Code §22-4-3 must be filed with the Department of Mines within fifteen (15) days after the receipt of this Application by the Department.

The following waiver must be completed by the coal operator and by any coal owner or coal lessee who has recorded a declaration under Code 22-4-20, if the permit is to be issued within fifteen (15) days of receipt thereof.

WATUED

		VAIVER		10/13/2023
The undersigned coal operator mined this proposed well location. If a dded to the mine map. The undersigned operator has complied with all applications.	mine map exists w d has no objection	hich covers the are to the work propos	ea of the well location sed to be done at this l	, the well location has been ocation, provided, the well
	and the same of th			

Its

							a francis				-	-
DODY TI 2 (1	- 1											
FORM IV-2(I Obverse	3)	SURFAC	E OWNE	R'S	COPY			-		June 22		19 83
ODVCIDO								2)	Operator's Well No.	A-1377	(McMul	Llan
								3)	API Well N	0. 47	083	
				9	ישיינים	OF WEST VI	CDTA	-,			County	Permi
			DEPA	RIME	NT O	F MINES, OF	TCE OF OIL	2	CAS		•	
						ON FOR A WEI						
4) WELL TYP	E: A.	Oil			1000				in I make as			
	B.	(If "G	as", P	rodu	ctio	n / Unde	ergroung sto	ora	ge / Dee	p / Sha	allow X	x /
5) LOCATION	V: El	evatio	n:	282	5 1	Waters	shed Ligh	t I	Run		TTOW A	
	Di	strict	Mid	dle	Fork	County	Rando	1pl	h Quadra	ngle: Ad	olph 7	7.5
6) WELL OPE	RATOR	ALAMCO	)						ATED AGENT			
Addre	ess P.						Add	ire	ss P. O. D	rawer 17	+0	
0) 077 6 67	C1a	rksbur	g, WV	263	01					urg, WV	26301	
8) OIL & GA Name	S INSP	bort	TO BE	NOTI	FIED				NG CONTRACT	OR:		
Address			x 345				Name			ent Drill	ing :	
Autress		ne Lew		2637	0		Ac	ldr	ess P. O. H		201 Gg	
)) PROPOSET	WETT.	MODE.	Drill	203/	Dri	ll Deeper_	/ 5-4-111		Clarksh	ourg, WV	26301	
, 11010011	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	work.	DING O	ff o	IA F	Deeper_	/ Redrill		/ Stimulate	/		- 0.
			Other 1	phys.	ical	ormation change in w	_/ Periorat	e	new formation	on/		
1) GEOLOGIC	AL TAR	GET FO	RMATTO	V.	ਜ਼ਾ	V			CO. A. C.			•
13) Appro	vimate	epul o	comp.	rete	we.	ll (or actua	1 depth of	ex	isting well	, 5100		eet
14) Appro	ximate	coal	seam de	enth	2015.	Fresh, 222-225	reet;	ha	salt, 235	feet		/
5) CASING A	ND TUB	ING PRO	OGRAM		7.	222-22)	IS COAL	De.	ing nuned in	i the are	a? Yes_	_/NOX
CASTRIC OR												
CASING OR TUBING TYPE		1	Weight	1	1	FOOTAG	E INTERVALS		CEMENT FILL-UP OR SACKS	PACK	ERS	
Conductor	16"	Grade	per ft.	New	Used	For drilling	Left in weil	1	(Cubic feet)			
Presh water	8 5/8'			4.0	Α	20	20	1	Cement to S	Kinds		1.7
Coal	8 5/8'	_	20#	X		===:		-	X			
Intermediate	0 3/0		2011	A	-	750'	750'	+	275 sacks	Sizes		- F. S.
Production	4 ½"		18.55	77		F3.00.		-	F 150 (1)	111/15	101	
Tubing	- 2		10.50#	X		5100'	5100'	+	Required by	Depths set	1111	. 4
Liners								-		-	IVI	
								-	Table IIIM 9	Perforations:		
								+	JUNA	Tlogica	Bottom	
		1			a de la companya de l	£ 127 1 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		+				
** ** * * * * * * * * * * * * * * * * *	Company of the				5 51		State of the second		OIL & G/	AS DIVISIO	4	
The la	w requi	res a	commen	it pe	riod	for surface	e owners. I	HOTA	veryon the	am Man	n had don't	
SSUEU III I	ess the	in 15 c	lavs fr	com t	he f	iling of the	a Application	200	low look th	5 3	- 15 11	
ppcallon	IS W	DING 9	well	. 11	the	STITTACE OW	ner(c) of r	200	(a) min har	+h- E-11		ie
Voluntary supplication	statelle	ent of	No Obj	ecti	on"	on a facsim	ile of this	SU	rface owner	's copy	of the	
PPILOTION	100											
						RY STATEMEN						
I herel	y stat	e that	I hav	e re	ad t	he instruct	ions to surf	fac	e owners on	the reve	erse si	de.
f this App	Licatio	n for	a Well	Wor	k Pe	mit, and th	nat I have n	-	eived conic	c of (1)	- Noti	ue .

of Application for a Well Work Permit, and that I have received copies of (1) a Notice of Application for a Well Work Permit on Form IV-2(A), (2) an Application for a Well Work Permit on Form IV-2(B), (3) a survey plat on Form IV-6, and (4) a Construction and Reclamation Plan on Form IV-9, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued based on the planned work described in these materials,

Œ:	ALAMCO	(For execution by natu	rar persons)
Ву	Daniel L. Athoolog	(Signature)	. Date:
Its	Daniel L. Wheeler Vice President  Date: June 22, 1983	(Signature	Date:

#### INSTRUCTIONS TO SURFACE OWNERS

AND

EXPLANATION OF METHODS AND TIME LIMITS TO COMMENT ON OIL AND GAS WELL WORK PERMIT

The well operator named in the Notice and this Application and the attached materials is applying for a permit from the State to do oil or gas well drilling or other well work. You are being served with these materials because surface owners have the right to file comments before the permit is issued. (NOTE: If the surface tract is owned by more than three persons, in multiple heirship for example, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) Permit will be good for 24 months. See Chapter 22, Article 4 of the W. Va. Code.

If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator named in the materials and the Administrator of the Office of Oil and Gas in the West Virginia Department of Mines immediately.

NOTE: You are not required to file any comment at all. Where to file comments and obtain additional information:

> Administrator of the Office of Oil and Gas West Virginia Department of Mines 1615 Washington Street East Charleston, WV 25311 (304) 348-2057

Who may file comments? If you wish to file comments, you must be an owner of record of (1) an interest in the surface tract on which the well already is or is about to be located, or (2) an interest in any other surface tract under the same oil or gas lease which will be utilized for roads or other land disturbances.

Time limits for comments. The law requires these materials to be personally served or mailed to you on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments as provided in Methods for Filing Comments below. (This time is changed to FIVE (5) DAYS from the filing date if the permit is only to plug a well.) You may call the Administrator's office at the above telephone number to be sure of the date. However, if you have been contacted by the well operator, and if you have signed a "voluntary statement of no objection" to any of the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments should include your name, address and telephone number, the well operator's name and well number, and the approximate location of the proposed well site including district and county from the Application. You may add other documents, such as sketches, maps or photographs to support your comments.

Methods for filing comments. Comments must be filed in person or received in the mail at the Administrator's office by the time stated above. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling.

The Administrator for Oil and Gas has the power to deny or condition a well work permit based on your comments on the following grounds:

"(1) The proposed well work will constitute a hazard to the safety of persons; or "(2) The plan for soil erosion and sediment control is not adequate or effective; or

"(3) Damage would occur to publicly owned lands or resources; or
"(4) The proposed well work fails to protect fresh water sources or supplies."

If you want a copy of the permit as it is finally issued, or a copy of the order denying the permit, you should request a copy from the Administrator.

List of Water Testing Laboratories. The Administrator maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Administrator's office or an Oil and Gas Inspector to obtain a copy of the list.

10/13/2023



IV-35 (Rev 8-81)



## STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Date November 23, 1983
Operator's
Well No. A- 1377
Farm McMullan
API No. 47 - 083 - 0798



### OIL and GAS DIVISION

WELL OPERATOR'S REPORT

CHANGE IL & GAS DIVISION

(If "Gas", Production_/ Undergroup CCATION: Elevation: 2825'		ershed Lie	rht. Run	
OCATION: Elevation: 2825' District: Middle Fork Count	Y:Rando	lph Qua	adrangle:	Adolph 7.5
COMPANY ALAMCO, Inc. 200 West Main Street				
DDRESS Clarksburg, West Virginia 26301	Casing &	Used in	Left	Cement fill up
DESIGNATED AGENT ALAMCO, Inc. 200 West Main Street DDRESS Clarksburg, West Virginia 26301	Tubing Size 20-16	Drilling	in Well	Cu. Ft.
SURFACE OWNER Westvaco	Cond.			
DDRESS 203 Randolph Ave. Elkins, WV 26421	9 5/8"	red		
MINERAL RIGHTS OWNER Harry McMullan	8 5/8"	925'	925'	to surface
DDRESS P.O.Box 8, Washington, NC 27889	7"			e Las Las
OIL AND GAS INSPECTOR FOR THIS WORK Robert	5 1/2"			w/305 saks
Stewart ADDRESS P.O.Box 345 Jane Lew, WV 26378  PERMIT ISSUED August 12, 1983	4 1/2"	5123'	5123'	1823'
RILLING COMMENCED September 18, 1983	3			
ORILLING COMPLETED September 26, 1983	2	1.0		
F APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners used			1500,000 1500,000 1500,000
EDLOGICAL TARGET FORMAION Elk		DEPTH_	5100'	FEET
Depth of completed well 5184' f Water Strata depth: Fresh 70'	feet Rotar	Y XX /	Cable '	
Coal seam depth: 350-355, 421-433  PEN FLOW DATA  Producing formation Riley, Benson, 1st E  Gas: Initial open flow N/S Mcf/d	lk, 3rd Ell	E Pay zone Initial ope	depth_(se	ee back) feet Bbl/d
Final open flow 1517 Mcf/d  Time of open flow between ir  Static rock pressure 1100 psig ( surface	nitial and	final tests	_2 h	ours
(If applicable due to multiple completion Second producing formaiton	1)			
Gas: Initial open flow Mcf/d Final open flow Mcf/d	Oil:	Initial open	n flow	Bb1/d
Time of open flow between ini Static rock pressurepsig (surface me	itial and f	inal tests after	hours	hours

Note:

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE ETC.

Benson 3602'-05'
3727'-31'
4886'-90'
4892'-96'
5090'-94'

#### WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Sand & Shale	0	17	Water @ 70'
Sand	17	99	
Sand & Shale	99	130	
Sand	130	155	
Shale	155	225	Check Gas @ 1222 No show
Sand	225	311	
Sand & Shale	311	350	öpavias W
Coal	350	355	
Sand	355	421	r gantalia leve distolaren 1912 eta 1
Coal	421	433	
Sand & Shale	433	460	
Sand	460	489	
Shale	489	496	Old not minant p host
Sand & Shale	496	540	
Sand	540	684	
Shale & Red Rock	684	824	
Sand	824	879	Light of the Letter of the
Red Rock	879	900	
Sand	900	918	
Sand & Shale	918	940	
Shale & Red Rock	940	1206	
Little Lime	1247	1301	
Shale	1301	1309	
Big Lime	1309	1467	
Injun	1467	1580	
Shale	1580	1622	
Sand & Shale	1622	1874	Check Gas @ 1628 No show
Gordon	1874	1915	Check Gas @ 2132 No show
Sand & Shale	1915	2094	Check Gas @ 2447 No show
Fourth Sand	2094	2223	Check Gas @ 2888 No show
Fifth Sand	2223	2255	Check Gas @ 3518 No show
Sand & Shale	2255	2305	Check Gas @ 2768 No show
Shale	2305	2335	Check Gas @ 4271 No show

(Attach separate sheets as necessary)
See Attachment

ALAMCO, Inc.

Well Operator

By: Requesel Diag

Vice President Oil & Gas Operations

Date: 1/24/33

10/13/2023

Regulation 2.02 (i) provides as follows
"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including coal, encountered in the drilling of a well."

*		WELL LOGS	(con't)	A-1377	
Sand & Shale	2335	2445	Check	Gas @ 4649	No show
Shale	2445	2690	Check	Gas @ 4806	No show
Speechley	2655	2870	Check	Gas @ 4932	No show
Sand & Shale	2690	2905	Check	Gas @ T.D.	No show
Balltown	2870	3120			
Sand & Shale	2905				1
Shale	3120	3532			
Riley	3532	3643		MERE	SULLINE WAS
Shale	3643	3712		1111	EIVEN
Benson	3712	3808		1	-JUJ
Sand & Shale	3808	4177		NOV NOV	3 0 1983
Sand	4177	4320			
Shale	4320	4585		OIL & GA	AS DIVISION
Sand & Shale	4585	4839			F MINES
First Elk	4839	4929		DEP1.	JE TATTI AL
Shale	4929	5184 T D			


The Edds (July) Edds all

trons of the first section of

THE CENTED

OIL & GAS DIVISION
DEPT. OF MINES

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION FINAL INSPECTION REQUEST INSPECTOR'S COMPLIANCE REPORT



Permit No	• 083-0798	County	Ranoldph		
Company	ALAMCO, INC.	District_	Middle Fo	ork	
Inspector	PHILLIP TRACY	Farm	Harry Mc		
Date	December 6, 1983	Well No	A-1377	_ Issued_ 8-1	2-83
RULE	DESCRIPTION			IN COM Yes	PLIANCE No
23.06	Notification prior to star	ting work			
25.04	Prepared before drilling to	o prevent waste			4.5
25.03	High-pressure drilling				-
16.01	Required permits at wellsi	te			
15.03	Adequate fresh water casing	3			
15.02	Adequate coal casing			* 1 T	
15.01	Adequate production casing				
15.04	Adequate cement strength				
23.02	Maintained access roads				
25.01	Necessary equipment to prev	vent waste			
23.03	Reclaimed drilling site				
23.04	Reclaimed drilling pits				4000
23.05	No surface or underground p	collution			
7.05	Identification markings				
COMMENTS:					

I have inspected the above well and have found it to be in compliance with the rules and regulations of the Office of Oil and Gas Department of Mines of the State of West Virginia, and the well can be released from the permitted work.

SIGNED:	Philles	Smeet	
DATE:	11-20-	84	

10/13/2023



#### State of West Virginia

#### Bepartment of Mines Gil and Gas Bivision Charleston 25305

WALTER N. MILLER DIRECTOR

January 10, 1985

THEODORE M. STREIT
ADMINISTRATOR

Alamco, Inc.
P. O. Box 1740
Clarksburg, WV 26301

In Re:		PERMIT NO:	47-083-0798			
		FARM:	Harry McMullan			
		WELL NO:	A-1377			
		DISTRICT:	Middle Fork			
	4	COUNTY:	Randolph			
		ISSUED:	8-12-83			

#### Gentlemen:

The FINAL INSPECTION REPORT for the above captioned well has been received in this office. Only the column checked below applies:


\_\_\_\_The well designated by the above permit number has been released under your Blanket Bond.

Please return the enclosed cancelled single bond which covered the well designated by the above permit number to the surety company who executed said bond in your behalf, in order that they may give you credit on their records.

Your well record was received and reclamation requirements approved. In accordance with Chapter 22, Article 4, Section 2, the above captioned well will remain under bond coverage for life of the well.

Very truly yours,

Theodore M. Streit, Administrator Office of Oil & Gas - Dept. Mines



			1) Date:	
			2) Operator's	June 22 ,19 83
			WOII	
	CITE -		3) APT WOLL	A-1377
	DEPARTMENT OF	VEST VIRGINIA	WOTT NO	. 47 083
		OFFICE OF OF		State County Permit
4) SURFACE OW	NOTICE OF APPLICATION VER(S) OF RECORD TO BE SERVED Westvace	TO TO TO TO	GAS	and return
(i) 1:	VER (S) OF RECORD TO BE	FOR A WELL WORK	PEDMIN	
(i) Name	Westvaco BE SERVED	5(1) 0000	TTWITT.	
Address	203 Randolph Avenue	J(I) COAL	OPERATOR	N/A
(ii) x	Elkins, WV 26421	AUUT	ess	
(ii) Name -	26421	5(ji) corr		
Address		No-	OWNER (S) WITH D	ECLARATION ON RECORD:
(iii) Name -		Name	Harry	ACLARATION ON RECORD
Name		Add	ress P. O.	McMullan Heirs
Address		Name		POX 8
			Henry	gton, NC 27889
•		Addr	ess First Penn	L. Davis, Estate
		5(iii) CONT -	Tower Cent	L. Davis, Estate sylvania Nat'i Bank er Square
		None	ESSEE WITH DEPT	ia guare
		Name		sylvania Nat'i Bank er Square ia Pa ARATION ON RECORD:
	TO THE PERSON(S) NAMED ABOVE: You should have  (1) The Application for a Well Work Perm to be plugged, which sets out the pa and describes the well and its le- cementing as	Addre	ess	
	(1) The 1-1			
	(1) The Application for a Well Work Perm to be plugged, which sets out the pa and describes the well and its locat cementing program;  (2) The plat (surveyor's map) showing the construction.	e received this Form and	TOP TO:	
	and describes the well and its locat camenting program;  (2) The plat (surveyor's map) showing the plug a well), this	It on Form IV-2(B) (or Fo	The following documents	:
	(2) mb program:	ion and is the dri	lli " Le well is	
	(3) The Canada Strain change of the change o	, _	le proposed	
_	reclamation 6 miles sets out the -1	On Form IV-9 lundant	-o; and	
	- CE SITE 22	TOI EMEIOR	WELL WORK :-	
WI (E	TICH ARE SUMMARIZED IN THE "DISCUMENTS I	S THAT YOU	control and for	
LAC	THE REASON YOU RECEIVED THESE DOCUMENTS IN THE SUMMARIZED IN THE "INSTRUCTIONS" ON THE TOTAL THREE TOTAL TO THE TOTAL THREE TO	THE REVERSE SIDE OF THE	ARDING THE APPLICATION	
Dep	Artment of Mines	e and Application and	dersigned well op-	
and	depicted on attack to a wall at	The of Oil and Ca	- 1 - 19 documents	
by	artment of Mines, with the Administrator of Mines, with respect to a well at depicted on attached Form IV-6. Copies of struction and Reclamation Plan have been mail hand to the person(s) named above (or by publication and action of the person of the day of mailing the day of the day	this Notice, the Application	attached Application	
bef	Struction and Reclamation Plan have been mail hand to the person(s) named above (or by publice the day of mailing or delivery to the Adm	ed by registered or certi	fied mail or delivered	JEG VITINI
6)		unistrator.	stances) on or	
			GO III	N 9 9 1000
	heck and provide one of the following:		00	N 2 8 1983
	I hold the right	ontinuing contract or cont		
· X	I hold the right to extract oil or gas.  The requirement of Code 22-4-1-(0)(1)	(A)	OIL 8	GAS DIVISION
7) 🖪	The requirement of Code 22-4-1-(c)(1) throughout PROVISIONS	ign (4). (See reverse side	for specifics.	DE MINIES
· 1	s the right to extract, produce or market the			
9	s the right to extract, produce or market the r other contract or contracts providing for f or compensation to the owner of the oil or gas	lat well royalty or any o	lease or leases	
t	or compensation to the owner of the oil or as	in place which is not in	herently related	
	or de day so extracted, prod	uced or marketed? Yes	No	
,	If the answer above is No, nothing add	itional is needed. If the	answer is Yes,	
	ou may use Affidavit Form IV-60.			
	See the reverse side for line item instru	ctions, and for instruction	ons concerning	
	the required copies of the Notice and App Reclamation Plan.	lication, plat, and Const	ruction and	
	information on the	WELL	100	
Notice and Applic		OPERATOR ALAN	100	
and sworn to and		Manuel	1 / Manch	2.)
	of the Well Operator	By ////////	D. WINCELL	
in my County and	State by		. Wheeler, Vice	rresident
Meniela	The Wheeler		Drawer 1740	201
this day of	fine, 1983.		rksburg, WV 263	301
My commission	expires 1/9, 1989.	Telephone (	304) 623-6671	
Tolan	l'est.			
Notary Public	Therese County,			10/13/2023
State of	+ Marriago			

## INSTRUCTIONS TO APPLICANT

#### CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
  - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests
  - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
  - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
  - 7) See Code § § 22-4-11(d, e).

## CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-1k(d) and the reclamation required by Code § 22-4-12b and Regulation unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

#### INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- (1) the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market

Grantor, lessor, etc	cGrantee, lessee, etc.		
Harry McMullan, et	al unto Columbia Gas	Royalty 1/8	Book Page B-284 P-408

Columbia Gas by virtue of a farmout agreement dated August 11, 1980. (Agreement Not Recorded) unto Allegheny Land and Mineral Company (ALAMCO)





## State of Mest Pirginia Department of Mines Oil und Cas Pivision

Date <u>MAY 25</u>, 1983 Well No. <u>A - /377</u> API No. 47 - 083 - 0798 State County Permit

101	
	AND RECLAMATION PLAN
CONSTRUCTION	AND RECEI
COLIS	oler
	Designated Agent Daniel L. Wheeler  P. O. Box 1740  Wirginia
	Designated Agent Box 1740
a wineral Co.	Designated Agent Data 1740  P. O. Box 1740  P. O. Box Virginia
Company Name Allegheny Land & Mineral Co.  P. O. Box 1740  P. O. Box 1740	Clarksburg
Company Name Allequery  P. O. Box 1740  P. O. Box Virginia	Telephone 623-6671  District TYGART VALLEY
Address P. O. Box 1740  P. O. Box Virginia  Clarksburg, West Virginia	Telephone 623-6671 Soil Cons. District 776ART VALLEY (Age)
Address P. U. Sburg, West Virginia	Soil Cons. Districe (Age
	3011
Telephone 623-6671	Inc. 11
3	Reclamation, Inc.
Revegetation to be carried out by Hall	
he he carried out 21	they the think
Pevegetation to 2	(SCD Agent)
Reversived by	75-30-30 (SCD 1.50
has been reversion this plan.	(Date)
This plan has been reveiwed by and additions become a part of this plan.	(Date)
and additions been	LOCATION
	<u>IUCA129</u>
	(A) Structure <u>DRAINAGE DITCH</u>
ACCESS ROAD	charcture DRAINAGE
ACCE	(A) Structure EARTHEN
n:	Material EARTHE.  Page Ref. Manual 2:/2
Structure DRAINAGE DITCH	page Ref. Mailuar
structure Denie	
Spacing <u>EARTHEN</u> Spacing <u>Manual 2:12</u>	RIDRAP
Page Ref. Manual 2:12	(B) Structure Rock
Page Ref.	
Structure CULVERIS NEEDED).	Page Ref. Manual
chricture Culver NEEDEN	- Page
Structure CULVERIS  Spacing 16"1.0 (WHERE NEEDED).	414
Page Ref. Manual 2:5	structure JUN 2 8 1983
Page Rel. Man	
	Dot Mailua
Structure RIPRAP	Page Rei
Structure	All Committee
Spacing Wantal NA	a repaired if necessary from site bel
Spacing Rock Manual N/A	cularly and repaired if necessary are from site ber
Page Ref. Manual N/A inspected re	egularly and repaired if necessary and from site ber
page Ref. Manual	egularly and repaired if necessary and from site ber
Page Ref. Manual	egularly and repaired if necessary and from site being small timber to be cut and removed from the small timber to be cut and removed from the small timber to be cut and the small timber timber to be cut and the small timber timber to be cut and the small timber timb
Spacing  Page Ref. Manual  All structures should be inspected reto be cut and stacked. All brush and	egularly and repaired if naces and from site is: I small timber to be cut and removed from site is:
Page Ref. Manual	egularly and repaired if necessary and from site is:  I small timber to be cut and removed from site is:
Page Ref. Manual	egularly and repaired if necessary and from site is:  I small timber to be cut and removed from site is:
Page Ref. Manual	egularly and repaired if naces and from site is: I small timber to be cut and removed from site is:
WOLK DOS	egularly and repaired if necessary and from site is:  I small timber to be cut and removed from site is:
WOLK DOS	egularly and repaired if necessary and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site leads and removed from site lea
TREATMENT AREA I	gularly and repaired if necessary and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site leads and
TREATMENT AREA I	gularly and repaired if necessary and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site lead small timber to be cut and removed from site leads and
TREATMENT AREA I	REVEGETATION  TREATMENT AREA II  S/acre  Time  Or correct to pH  6.5
TREATMENT AREA I	REVEGETATION  TREATMENT AREA II  S/acre  Time  Or correct to pH  6.5
TREATMENT AREA I  Tons  Lime 3 Tons	REVEGETATION  TREATMENT AREA II  S/acre  Lime  or correct to pH  6.5  Fertilizer  600  Fertilizer  600  Fertilizer  600
Lime 3 Tons  or correct to pH 6.5	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  6.5  Fertilizer  600  (10-20-20 or equivalent)
Lime 3 Tons  or correct to pH 6.5	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  6.5  Fertilizer  600  (10-20-20 or equivalent)
Lime 3 Tons  or correct to pH 6.5	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  or correct to pH  fertilizer  food  (10-20-20 or equivalent)
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 lbs	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Time  or correct to pH  fertilizer  food  food  from Site Let  from Site Let  from Site Let  REVEGETATION  TREATMENT AREA II  for correct to pH  for
TREATMENT AREA I  Lime 3 Tons or correct to pH 6.5  Fertilizer 600 lbs (10-20-20 or equivalent)	REVEGETATION  TREATMENT AREA II  S/acre  Lime or correct to pH for acre  Fertilizer for acre  Mulch Straw Seed* Kenrucky 3/ RVEGEASS
TREATMENT AREA I  Lime 3 Tons or correct to pH 6.5  Fertilizer 600 lbs (10-20-20 or equivalent)	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Time  Treatment of the cut and removed from site terms  TREATMENT AREA II  TREATMENT AREA I
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 lbs  (10-20-20 or equivalent)	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  (10-20-20 or equivalent or services of services
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 lbs  (10-20-20 or equivalent)	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  (10-20-20 or equivalent or services of services
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 lbs  (10-20-20 or equivalent)	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  (10-20-20 or equivalent or services of services
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 lbs  (10-20-20 or equivalent)	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  (10-20-20 or equivalent or services of services
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 lbs  (10-20-20 or equivalent)	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  (10-20-20 or equivalent or services of services
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 Ibs  (10-20-20 or equivalent)  2 Tons  3 Tons  4 Old  BIRDSFOOT TREFOIL 10 II	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Iime  or correct to pH  for a correct
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 Ibs  (10-20-20 or equivalent)  2 Tons  3 Tons  4 Old  BIRDSFOOT TREFOIL 10 II	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Iime  or correct to pH  for a correct
TREATMENT AREA I  Lime 3 Tons or correct to pH 6.5  Fertilizer 600 Ibs (10-20-20 or equivalent)  7 Nulch 3raaw 40 lb Seed* Kenrucky 3/ 40 lb Domestic Ryegiass 70 lb Birastoot Treefoil 70 lb *Inoculate all legumes such as the second of the s	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime Or correct to pH  (10-20-20 or equivalent)  Seed*  RENTELLE REPARED BY  AND PREPARED BY  REVEGETATION  TREATMENT AREA II  10-10-10-10-10-10-10-10-10-10-10-10-10-1
TREATMENT AREA I  Lime 3 Tons or correct to pH 6.5  Fertilizer 600 Ibs (10-20-20 or equivalent)  7 Nulch 3raaw 40 lb Seed* Kenrucky 3/ 40 lb Domestic Ryegiass 70 lb Birastoot Treefoil 70 lb *Inoculate all legumes such as the second of the s	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime Or correct to pH  (10-20-20 or equivalent)  Seed*  RENTELLE REPARED BY  AND PREPARED BY  REVEGETATION  TREATMENT AREA II  10-10-10-10-10-10-10-10-10-10-10-10-10-1
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 Ibs  (10-20-20 or equivalent)  7 Nulch STRAW 40 Is  Seed* KENTUCKY 31 ON IS  BIRDS FOOT TREFOIL 10 IS  *Inoculate all legumes such as with 3X recommended amount.	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime Or correct to pH  (10-20-20 or equivalent)  Seed*  RENTELLE REPARED BY  AND PREPARED BY  REVEGETATION  TREATMENT AREA II  10-10-10-10-10-10-10-10-10-10-10-10-10-1
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 Ibs  (10-20-20 or equivalent)  7 Nulch STRAW 40 Is  Seed* KENTUCKY 31 OIS  DOMESTIC RYEGIOUS 10 IS  *Inoculate all legumes such as the with 3X recommended amount.	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  Or co
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 Ibs  (10-20-20 or equivalent)  7 Nulch STRAW 40 Is  Seed* KENTUCKY 31 OIS  DOMESTIC RYEGIOUS 10 IS  *Inoculate all legumes such as the with 3X recommended amount.	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  Or co
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 Ibs  (10-20-20 or equivalent)  7 Nulch STRAW 40 Is  Seed* KENTUCKY 3/ 40 Is  Domestic Ryegious 70 Is  *Inoculate all legumes such as the with 3X recommended amount.  NOTES: Please request landown cooperation to protect new growing seed	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  Or co
TREATMENT AREA I  Tons  or correct to pH 6.5  Fertilizer 600 lbs  (10-20-20 or equivalent)  7 Nulch STRAW 40 lbs  Seed* KENTUCKY31 10 10 10 10 10 10 10 10 10 10 10 10 10	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  Or co
TREATMENT AREA I  Tons  or correct to pH 6.5  Fertilizer 600 lbs  (10-20-20 or equivalent)  7 Nulch STRAW 40 lbs  Seed* KENTUCKY31 10 10 10 10 10 10 10 10 10 10 10 10 10	REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  S/acre  Mulch Straw Seed*  Seed*  RENTS FOR THE FORM  Seed RENTS OF THE FORM  ON TREATMENT AREA II  ADDRESS F. 10/13/2023740  Clarksburg, West Virginian Clarksburg, West Vi
TREATMENT AREA I  Tons  or correct to pH 6.5  Fertilizer 600 lbs  (10-20-20 or equivalent)  7 Nulch STRAW 40 lbs  Seed* KENTUCKY31 10 10 10 10 10 10 10 10 10 10 10 10 10	REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  S/acre  Mulch Straw Seed*  Seed*  RENTS FOR THE FORM  Seed RENTS OF THE FORM  ON TREATMENT AREA II  ADDRESS F. 10/13/2023740  Clarksburg, West Virginian Clarksburg, West Vi
TREATMENT AREA I  Lime 3 Tons  or correct to pH 6.5  Fertilizer 600 Ibs  (10-20-20 or equivalent)  7 Nulch STRAW 40 Is  Seed* KENTUCKY 3/ 40 Is  Domestic Ryegious 70 Is  *Inoculate all legumes such as the with 3X recommended amount.  NOTES: Please request landown cooperation to protect new growing seed	REVEGETATION  REVEGETATION  TREATMENT AREA II  S/acre  Lime  Or correct to pH  S/acre  Mulch Straw Seed*  Seed*  Kennucy 3/ Box/acre  Domestic Ryegenss Domestic Ryegens Do

