FILE COPY



1)	Date:	November 8,	1984
			, 17
21	Operator's		1

84

Operator's Well No. A-1685 (McMullan)

3) API Well No. 47 - 083 - 0994 State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

				<u>A</u>	PPLICAT	TION FOR A WELL	WORK PERMIT		
4) WELLTAN	EASADK	MISION	/ Ga	as X	/	_/ Underground sto	rage	/ Deep	_/ Shallow <u>X</u> /)
5) LOCATIO	N: El	evation: _	3175	1		_ Watershed: _L	ong Run		2 7 51
O WELL OR	Di	strict:	Midd	lle F	ork	County: R			Cassity 7.5'
6) WELL OP	ERATOR	Alamo	o, Inc	•					L. Wheeler
Address	-	P. 0.	Box 1	740	2626	915	Address _	P. O.	
8) OIL & GA	C INCDEC	Clark	sburg,	WV	2630)1—'			sburg, WV 26301
							DRILLING CON		dilina Componetto
Name								0. Box 1740	rilling Corporation
Address	т.		× 2536					arksburg, WV	
0) PROPOSE			WV 26						
U) FROPUSE	D WELL	WORK:				deeper/ Perforate			
1) GEOLOGI	CAL TAR	CET FOR				well (specify)		11 4 7 97 57	
12) Estima						feet			
						feet; salt,	100	00 fact	
						Is coal l			/ No X /
5) CASING A				-N/I		is coar	being innied in the at	ca: Tes	
CASING OR TUBING TYPE		SPEC	IFICATIONS Weight		1	FOOTAGE INT		CEMENT FILL-UP OR SACKS	PACKERS
Cond	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	
Conductor Fresh water	11-	3/4"			X	20 1	20'	Cement	toinsurface
Coal							7001		· · · · · · · · · · · · · · · · · · ·
Intermediate	8-	5/8"		X		700'	700'	Cement	to surface
Production		- /-!!	J.5	158		20501	2050	Dec he	19-w1 -: 15 01
Tubing	4-	1/2"	10.5)# X		2950	2950	Req. by	Renie 15.01
Liners								Andrew Inc. Assessment Assessment	Perforations:
									Top Bottom
			Mary 158	TO HELD		S COMES JOH : U	1122 49 CARD 3	NEO DELL'OPPOSITION	K Maria Maria Maria
					1 1				
								ena-et	
				3119	a gon (OFFICE USE ON	ILY	A PACIFIC	E Daylasan montesting A
	1				, 1	DRILLING PERI	MIT)		
ermit number	47-	1283	- 09	94			1/00/1	ember	30 1984
ermit number_	//	000		/ /			1000		
his permit cover	ring the w	ell operato	or and well	location	on chown	halow is avidance of	normission areas	Date	ce with the pertinent legal re-
uirements subject	ct to the c	onditions of	contained l	nerein a	nd on the	reverse hereof. Noti	fication must be give	en to the District O	ce with the pertinent legal re- il and Gas Inspector, (Refer to
No. 8) Prior to t	he constru	iction of re	oads, locat	ions an	d pits for	any permitted work.I	n addition, the well	operator or his cont	tractor shall notify the proper
						ork has commenced.)			
he permitted wo	rk is as d	escribed in	the Notice	e and A	pplication	, plat, and reclamation	on plan, subject to a	ny modifications ar	nd conditions specified on the

Bond:	Agent:	Plat:	Casing	Fee
4	70	15	15	1347

NOTE: Keep one copy of this permit posted at the drilling location.

Administrator, Office of Oil and Gas

Reason:

OFFICE L	JSE	ONI	Y
----------	-----	-----	---

PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED WELL WORK

P. O. Box 1740

Clarksburg, WW 26301 975

Secrete 10 to 1740

Deptime 1740

Clarksburg, WW 26301

Clarksburg, WW 26301

Deptime 1740

Clarksburg, WW 26301

Deptime 1740

Clarksburg, WW 26301

Deptime 1740

Clarksburg, WW 26301

ASSNC WITH THING PROGRAM!

TO RECEIVE ATTEMPT OF THE PROGRAM CONTINUES CONTI

8_5/8" 20# X 700° 700° Cement to surface 3.55 2950 X 10.50 X 2950 2950 Req. by Rule 15.01

OFFICE USE ONLY

This part of Form IV-2(b) is to record the dates of certain occurrences and any follow-up inspections.

	Date		Date(s)
Application received		Follow-up ins	spection(s)
Well work started	MILE Y POWER YES	an antique es	47-083-099#
Completion of the drilling process	or Delivering present of the delivering of the second of t		ga na 3 0 an haw the material of the self-graph (Co.) Michigh as the true material from the contribution on the contribution of the contribution
Well Record received		nase Lablance en est est e constitues e ²² describe	re ada an land, some is committed only over 48 something to the last of the committee and the co
Reclamation completed		May resident the foots	or reference of the Rhy Car 30" 19
OTHER INSPECTIONS			Appet to the state of the state
Reason:	1/01	PUR	4 40 13 15





DATE 11/1/84 WELL:D. A-1685

Sinie of Mest Airginia Pepartment of Mines Oil und Cas Division


Sinds of Mest Mirginia API : D. 47 - 083 - 0994


CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME ALAMOO	DESIGNATED AGENT Daniel L. Wheeler
Address P. O. DRAWER 1740	Address P. O. Drawer 1740 Clarksburg, WV 26301
Telephone 623-5671	Telephone 304 623-6671
INDONER WESTUALD	SOIL COS DISTRICT TYGART VALLES
Revegetation to be carried out by	ALAMCO (Agent)
This plan has been reviewed by	Fort Valleto. All corrections
and additions become a part of this plan:	11-3-84
	(Pate)
A	flyll fifties
ACCESS ROAD	LOCATION
Structure Drainage Ditch (A	A) Structure DRAWAGE Ditch (1)
Consider Franks	Material Earthen
Spacing Earthen	
Page Ref. Marrial 2:12	Page Ref. Manual 2:12
Structure Coloret's (E	B) Structure Rie Ras (2
	Material Rock
Spacing 18'10. WHERE NEEDED)	^
Page Ref. Marrial 2:7	Page Ref. Marrial NO
	(C) Structure VISCO (3
Structure	
Spacing	Material (Control of the Control of
Page Ref. Manual	Page Ref. Marual
All states should be inspected r	regularly and repaired if necessary. Alt
commercial timber is to be cut and sta	and and and house and amount from the he
	licked and all brush and small stables to be
cut and removed from the site before d	dirt work begins.
	dirt work begins.
	VEGETATION
	VEGETATION Treatment Area II
REV Treatment Area I Lime 3 Tons/acre	VEGETATION Treatment Area II Lime 3 Tons/acre
Treatment Area I Lime 3 Tons/acre or correct to p8 6.5	VECETATION Treatment Area II Lime 3 Tons/acre or correct to pH 6.5
REV Treatment Area I Lime 3 Tons/acre	VEGETATION Treatment Area II Lime 3 Tons/acre
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre	Treatment Area II Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent)
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent)	Treatment Area II Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent)
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre	Treatment Area II Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* NALL TESCOE 40 lbs/acre BIRDSFORT NETOL 10 lbs/acre
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* TALL FOLLOW 40 lbs/acre	Treatment Area II Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* NALL TESCOE 40 lbs/acre
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* TALL FEGUE 40 lbs/acre BIRDS FOOT TREFOIL 10 lbs/acre Domestic Ryegrass 10 lbs/acre	Treatment Area II Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* NALL TESCUE 40 lbs/acre BIRDSTOOT REFOIL 10 lbs/acre
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* TALL FEGUE 40 lbs/acre BIRDS FOOT TREFOIL 10 lbs/acre Domestic Ryegrass 10 lbs/acre	Treatment Area II Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* NALL TESCOE 40 lbs/acre BIRDSFORT NETOL 10 lbs/acre
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* TALL FOLL 40 lbs/acre BIRDS FOOT TREFOIL 10 lbs/acre Domestic RYEGRASS 10 lbs/acre *Inoculate all legumes such as vetch, Inoculate with 3% recommended amount.	Treatment Area II Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* TALL TESCOE 40 lbs/acre BIRDSTOOT TREFOIL 10 lbs/acre trefoil and clovers with the proper basterium. PLAN PREPARED BY
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* TALL FEGUE AO lbs/acre BIRDS FOOT TREFOIL 10 lbs/acre Domestic Ryegrass 10 lbs/acre *Inoculate all legumes such as vetch, Inoculate with 3X recommended amount.	Treatment Area II Lime 3 Tens/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tens/acre Seed* NALL FECUE 40 lbs/acre BIRDSFOOT REFOIL 10 lbs/acre trefoil and clovers with the propen besterium. PLAN PREPARED BY Daniel L. Wheel 9/01/2023
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* TALL FESCE AO lbs/acre BIRDS FOOT TREFOIL 10 lbs/acre Domestic Resonant 10 lbs/acre *Inoculate all legumes such as vetch, Inoculate with 3% recommended amount.	Treatment Area II Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* NALL FESCUE 40 lbs/acre BIRDSFOOT REFOIL 10 lbs/acre trefoil and clovers with the proper besterium. PLAN PREPARED BY Daniel L. Whee 2701/2023 ADDRESS P. O. Drawer 1740 200 West Main Street
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* TALL FOLK AO lbs/acre BIRDS FOOT TREFOIL 10 lbs/acre Domestic Ryegrass 10 lbs/acre *Inoculate all legumes such as vatch, Inoculate with 3X recommended amount. **Inoculate with 3X recommended amount. **Inoculate of process such as vatch, Inoculate with 3X recommended amount.	Treatment Area II Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* TALL TESCOE 40 lbs/acre BIRDSTOOT TRETOIC 10 lbs/acre Domestic Rotorass (Olbs/acre trefoil and clovers with the proper besterium. PLAN PREPARED BY Daniel L. Wheel 2701/2023 ADDRESS P. O. Drawer 1740
Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* TALL FESCE AO lbs/acre BIRDS FOOT TREFOIL 10 lbs/acre Domestic Rye Grass 10 lbs/acre *Inoculate all legumes such as vetch, Inoculate with 3X recommended amount.	Treatment Area II Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch STRAW 2 Tons/acre Seed* NALL FESCUE 40 lbs/acre BIRDSFOOT REFOIL 10 lbs/acre trefoil and clovers with the proper besterium. PLAN PREPARED BY Daniel L. Whee 2701/2023 ADDRESS P. O. Drawer 1740 200 West Main Street


ATTACH OR PHOTOCOPY SECTION OF INCUMENT TOPOGRAPHIC MAP.

QUADRANGE CASSITY TE MIN.






: ketch to include well location, existing access road, roads to be constructed, wellsite, wrilling pits and necessary structures numbered or lettered to correspond with the first cart of this plan. Include all natural drainage.



COMMENTS:



Notary Public, Harrison State of West Virginia

1) Date: November 8, ,1984
2) Operator's

Well No.

A-1685 (McMullan) 3) API Well No. 47 083 099

State County Perm

12/01/2023

STATE OF WEST VIRGINIA DEPARIMENT OF MINES, OFFICE OF OIL & GAS

	NOTICE OF APPLICATION	N FOR A WELL	WORK PERMI	${f T}$
4) SUI	RFACE OWNER(S) OF RECORD TO BE SERVED	5(i)	COAL OPER	ATOR
(i)	Name Westvaco Corporation		Address	
\-/	Address203 Randolph Avenue		-	
	Elkins, West Vi-ginia 26241	5(ii)	COAL OWNE	R(S) WITH DECLARATION ON RECOR
(ii)	Name		Name	
()	Address			Harry McMullan, Jr. Estate
	Acciress		Autress.	c/o Neva S. McMullan
12221			Name	P. O. Box 8
(111)	Name			Washington, NC 27889
	Address		Address	
		- / · · · ·		
		5(111)		E WITH DECLARATION ON RECORD:
•			Name	See Attached Sheet
			Address	
	TO THE DEDOCALCE ADVED ADVED			
	TO THE PERSON(S) NAMED ABOVE: You shou	ld have received thi	is form and the	following documents:
	(1) The Application for a Well Word	k Permit on Form IV-	2(B) (or Form I	V-4 if the well is
	to be plugged, which sets out and describes the well and its	location and, if ar	in the drilling	g or other work,
	(2) The plat (surveyor's map) shows	ing the well location	on on Form IV-6;	and
	(3) The Construction and Reclamatic plug a well), which sets out the	a Dian for ameron) unless the we	ll work is only to
	reclamation for the site and ac	cess road.	and secument co	ntrol and for
	THE REASON YOU RECEIVED THESE DOCIM	ENTS IS THAT YOU HA	VE PICETO DECID	DING THE NEW YORK
	(FORM IV-2(B) OR FORM 4, DESIGNATED FOR ACTION AT ALL.	YOU. HOWEVER, YOU	ARE NOT REQUIRE	D TO TAKE ANY
	Take notice that under Chapter 22 of erator proposes to file or has filed this for a Well Work Permit with the Administration	of the West Virginia	Code, the under	rsigned well op-
	by hand to the person(s) named above (or	by multiplication	tered or certifi	
	before the day of mailing or delivery to	the Administrator.	certain circums	tances) on or
	6) EXTRACTION RIGHTS			
		100		G.A.
	Check and provide one of the following	3:		A VO VILLA
	☐ Included is the lease or leases or I hold the right to extract oil	other continuing co	ontract or contr	acts so which
	I hold the right to extract oil The requirement of Code 22-4-1-(c)	(1) through (4). (Se	e reverse side	for moderal
	7) ROYALTY PROVISIONS			TOT Specifics.
	Is the right to extract produce or me	rket the cil or		· 30 %
	or other contract or contracts providi	ing for flat well ro	valty or any si	ease or leases
	for compensation to the owner of the or	l or gas in place w	hich is not inh	erently related
	to the volume of oil or gas so extract	ed, produced or mar	keted? Yes	No X
	If the answer above is No, not you may use Affidavit Form NJ-60	hing additional is	needed. If the	answer is Voc
	you may use Affidavit Form IV-60.		12 210	ease or leases milar provision erently related No A answer is Yes,
	See the many	_ 0 0 0		10
	See the reverse side for line item the required copies of the Notice	m instructions, and	for instruction	ns concerning
	the required copies of the Notice Reclamation Plan.	and Application, p.	lat, and Constru	action and
The t	ruth of the information on the	* ****** **		
	ce and Application is verified	WELL		
and o	e and Application is Verified	OPERAT	OR ALAM	CO, INC.
ain S	sworn to and the Notice is		1/1 -	1 DIA I
signe	ed on behalf of the Well Operator	By /	(DMIOL	of Whoolor
In my	County and State by	Its	Vice Pres	sident
	DANIEL L. WHEELER		cess P. O.	Por 17/0
this	12 day of Morrow len 1981	Auct		1 77
	commission expires 10-14 , 1993.	m-1-	Clarks	sburg, West Virginia 26301
2	10-14 1 13-93.	Tete	prione (3)	04) 623-6671

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that 'am the person who signed the Notice for the Applicant, and that-

- (1) the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:


Grantor, lessor, etc.	Grantee, lessee, etc.	Roya	alty	Book Page
Harry McMullan, Jr. et al.	Columbia Gas	1/8	275	185
Columbia Gas	Alamco, Inc.	1/8	17	701

International Coal Company 119 Washington Street, East Lewisburg, West Virginia 24901

Amax Coal Company 105 S. Meridian Street Indianapolis, Indiana 46225 ostmark or Date nt Marry McMullan , Jr. eeband No. Box 8 estricted Delivery Fee stage eturn receipt showing to whom, ate, and Address of Delivery eturn Receipt Showing whom and Date Delivered Washingtone North Carolina ecial Delivery Fee ertified Fee OTAL Postage and Fees A-1682 (See Reverse) A 1685 Est

* U.S.G.P.O. 1983-403-517 PS Form 3800, Feb. 1982 PostageA-1682 P.O., State and ZIP Code is, Indiana Street Andre Coal Company Sent to Postmark or Date TOTAL Postage and Fees Return receipt showing to whom, Date, and Address of Delivery Return Receipt Showing to whom and Date Delivered Special Delivery Fee Certified Fee Restricted Delivery Fee (See Reverse) A1685 NO 13 1984 USPS

★ U.S.G.P.O. 1983-403-517 PS Form 3800, Feb. 1982 Street a 2030. Randolph Avenue Sent to P.O., State and Throwest Virginia A-1685 Return receipt showing to whom, Date, and Address of Delivery Return Receipt Showing to whom and Date Delivered Restricted Delivery Fee Certified Fee Special Delivery Fee Postage Postmark or Date TOTAL Postage and Fees Westwaco Corporation San



NECEL 1984

OIL & GAS DIVISION DEPT. OF MINES

P

RECEIPT FOR CERTIFIED MAIL 192 9Eh 925

NO INSURANCE COVERAGE PROVIDED NOT FOR INTERNATIONAL MAIL (See Reverse) 7 1685

ECEIPT FOR CERTIFIED MAIL

T

828

438 557


RECEIPT FOR CERTIFIED MAIL NO INSURANCE COVERAGE PROVIDED NOT FOR INTERNATIONAL MAIL

558 AEH 825

NO INSURANCE COVERAGE PROVIDED NOT FOR INTERNATIONAL MAIL

2







STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Date January 17, 1985
Operator's
Well No. A-1685
Farm McMullan
API No. 47 - 083 - 0994

OIL and GAS DIVISION

WELL OPERATOR'S REPORT OF

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

CATION: Elevation: 3175' District: Middle Fork Count	v: Randol	ph Oua	drangle:	Cassity 7.5'
• Carlotte and the control of the co	7			
	ua ua ca			
OMPANY ALAMCO, INC				
200 West Main Street			- 5. 1	
DRESS Clarksburg, West Virginia 26301	Casing &	Used in	Left	Cement fill up
ESIGNATED AGENT ALAMCO, INC	Tubing	Drilling	in Well	
200 West Main Street	Size			
DDRESS Clarksburg, West Virginia 26301	20-16		20.58	
DEAGE OF THE PARTY OF	Cond.	24		
JRFACE OWNER Westvaco	13-3/8"	23'	23'	elac a fa
DDRESS 203 Randolph, Elkins, WV 26241	23 3, 0	23	23	
	9 5/8"	BAN THE RESERVE		
INERAL RIGHTS OWNER Harry McMullan, III	0 = (0)	77.45.	11.45	
DDRESS P.O. Box 8, Washington, NC 27889	8 5/8"	1145'	1145'	to surface
P.O. BOX 0, Washington, NC 27009	7"			
IL AND GAS INSPECTOR FOR THIS WORK Philip				
	5 1/2"			755
acy ADDRESS P.O. Box 2536, Elkins, WV	4 1/2"	2734'	2734'	w/175 sks 1400'
ERMIT ISSUED November 30, 1984	4 1/2	2/34	2/34	1400
	3			
RILLING COMMENCED December 16, 1984				
RILLING COMPLETED December 19, 1984	2			
CILLING COMPLETED December 19, 1904				
F APPLICABLE: PLUGGING OF DRY HOLE ON	Liners			
ONTINUOUS PROGRESSION FROM DRILLING OR	used			
WORKING. VERBAL PERMISSION OBTAINED				
7				
COLOGICAL TARGET FORMATION Speechley		DEPTH	3000	FEE
Depth of completed well 3000 f	feet Rotar	y_ x /	Cable T	bols
Water Strata depth: Fresh 237			feet S	Saltfee
Coal seam depth: 134-137, 500-509		Is coal bein	ng mined i	n this area?N
PEN FLOW DATA Speechley-Bayard, G	Gordon			
Producing formation 4th A, Pocono		Pay zone	depth	See Back fe
Gas: Initial open flow 15 Mcf/d	Oil:	Initial oper	flow	Bbl
Final open flow 1302 Mcf/d	AN SHAPE	Final open f	low	Bbl
Time of open flow between in	nitial and	final tests	_4 ho	ours
Static rock pressure 350 psig (surface	measuremen	t after	118 hou	rs shut-in
(If applicable due to multiple completion	1)			1010110000
Second producing formation		Pay zor	ne depth	12/01/2023 _{ee}
Gas: Initial open flow Mcf/d	Oil:	Initial oper	flow	Bb1
Final open flow Mcf/d		Final open f	low	Bb1
		THE RESERVE OF THE PARTY OF THE		
Time of open flow between ini	itial and f	inal tests	h	ours

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE ETC.

Well was fractured

Perforations:

December 19, 1984 1764 - 1773 Pocono

2110 - 2130 Gordon

2330 - 2340 4th A

2464 - 2468

2594 - 2596 2599 - 2603 Speechley-Bayard

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Fill Sand & Shale Coal Sand & Shale Coal Sand & Shale Sand, Shale & Red Rock Little Lime Sand & Shale Big Lime Big Injun Sand, Shale & Red Rock Sand & Shale	0 10 134 137 500 509 1000 1400 1435 1480 1632 1757 1998	10 134 137 500 509 1000 1400 1435 1480 1632 1757 1988 3000 T.D.	2" stream water @ 237' Gas check @ 1509' No show Gas check @ 1695' No show Gas check @ 2006' No show Gas check @ 2226' No show Gas check @ 2381' No show Gas check @ 2601' 15 MCF/D Gas check @ 3020' 15 MCF/D GAMMA RAY LOG TOPS Pocono 1764' Gordon Stray 1944' Gordon 2120' 4th Sand 2316' 5th Sand 2394' Bayard 2460' Speechley 2589'

(Attach separate sheets as necessary)

	ALAMCO, INC.		
Well Ope			
By: Dru	w a. Trath	T V	
	Talla, i papera	1 0×2	
Date:	January 17,	1985	

12/01/2023

Regulation 2.02 (i) provides as follows
"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including coal, encountered in the drilling of a well." Note:



State of West Birginia



Department of Mines Gil and Gas Division Charleston 25305

OIL & GAS DIVISION DEPT. OF MINES

FINAL INSPECTION REPORT

INSPECTORS COMPLIANCE REPORT

COMPANY	Alamco, Inc.	PERMIT NO	083-0994 (10-30-84)
P. 0.	. BOx 1740	FARM & WELL	NO Westvaco #A-1685
Clark	ksburg, West Virginia 26301	DIST. & COUN	Middle Fork/Randolph
RULE	DESCRIPTION		IN COMPLIANCE YES NO
23.06 25.04 25.03 16.01 15.03 15.02 15.01 15.04 15.05 23.02 25.01 23.04 23.05 23.07 16.01 16.02 7.05	Notification Prior to Start Prepared before Drilling to High-Pressure Drilling Required Permits at Wellsit Adequate Fresh Water Casing Adequate Coal Casing Adequate Production Casing Adequate Cement Strenght Cement Type Maintained Access Roads Necessary Equipment to Prevence Caimed Drilling Pits No Surface or Underground Portion Well Records on Site Well Records Filed Identification Markings NSPECTED THE ABOVE CAPTIONED	ing Work Prevent Waste e ent Waste ollution & Gathering Pipelines	
		DATE _/e-	17-85
with Char	l record was received and rec pter 22, Article 4, Section 2 for the life of the well.	2, the above well will re	emain under bond
	£.,		1, 1985 ATE

