



1)	Date:	Vovember	21	, 19_84
2)	Operator's Well No.	3 2149 -	3	The rest of Parking

3) API Well No. 47 - 083 - 0999
State County Permit

## OIL & GAS DIVISION DEPT. OF MINES

## STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

4) WELL TY						MARIJ PIR	irridado a i	ELEGENTIONS A	OM DIMBIO	
<b>6</b> 1001				nX	X/			/ Deep	/ Shallow	_XX/)
5) LOCATIO		evation:	Middle	Forl			Jenks Fork		g :.	
6) WELL OI	DEDATOR	Imion	Drilli	POLK	Tnc	County: Ra		Quadrangle:		ant In
Addres	Po	st Of	ice Dr	awer	40	-550		Post Office		
Addres	Bu	ckhanr	on. WV	7 2	6201 5	D) ,	Address	Buckhannon,		
8) OIL & GA	S INSPEC	TOR TO	BE NOTI	FIFD	0201	2550	9) DRILLING		WV 202	01
	Ph	illip	Tracy	ILD				on Drilling.	Inc	
Addres			ice Bo	x 25	36		Address			40
	_E1	kins,	WV 2	6241				Buckhannon	The second secon	
10) PROPOSI	ED WELL	WORK:	Drill	XX	/ Drill	deeper	/ Redrill	/ Stimulate		
							orate new formation		Language of	
									W 28 - 5	
11) GEOLOG	ICAL TAR	GET FOR								
12) Estim	ated depth	of complet	ed well,	5	,000	fee	t			
				and we have	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		lt,?			
14) Appro				?		Is c	oal being mined in t	he area? Yes	/ No_	XX
15) CASING	AND TUBI									
CASING OR TUBING TYPE		SPEC	Weight			FOOTAGE	INTERVALS	CEMENT FILL-UP OR SACKS	PACI	KERS
	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)		
Conductor	11-3/	4	32	X	1.04	30'	30'		Kinds	<u> </u>
Fresh water Coal			E 100.4					<u> </u>		
Intermediate	8-5/8		27	v		10001	10001	40	Sizes	1. 15
Production	4-1/2		23 10 <sup>1</sup>	X		1000' 5000'	1000'	to surface		
Tubing	1 1/2		10-2	Λ		3000	3000	as required	thenths set / W	ule 10.
Liners							10.0	***   ***   **************************	2.6	
			9						Perforations:	Pottom
					No. of Participants	DATE LEVEL	METER THE NAME OF	e a pana ang to	10p	Bottom
	10/7								1	
							27			
				BPO		FICE USE			Eqv(65)	BoulesteryA
					DR	ILLING PH	ERMIT			7 7 2 6
Permit number_		47-08	3-0999					Jan	uary 7,	19 85
							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Dat	The state of the s	1703
This permit cove	ering the we	ell operato	r and well	locatio	n shown bel	ow is evidence	of permission gran	tod to daill in	remand to	tinent legal re-
un ements subje	ect to the cc	onditions (	contained n	erein a	nd on the rev	erse hereof. N	otification must be	given to the District Oil	and Cas Issue	-4 (D C
listrict oil and g	ne comstitue	HUII UI IU	aus. IUCAUI	iis and	DIIS FOR ANY	permilled work	in addition, the	well operator or his con	tractor shall no	tify the proper
								1.0	THE A LOSA I	1907431-113-11-
everse hereof.	ork is as ac	serioca in	the rotice	anu A	pplication, p	iat, and reciam	ation plan, subject	to any modifications a	nd conditions s	pecified on the
Permit expires _	Janu	ary 7	, 1987			unless wel	l work is commence	d prior to that date and	prosecuted with	due diligence.
Bond:	Agant		Plate	Carl					Spironia	AL SIGHT
112	Agent	1 1	Plat:	Casing	Fee 02	6-	A STATE OF THE STA		1	
162	mz	m	11	11/	10	3	W.	, 0	11	
							1 lar	garet.	Hass	c
							Adn	inistrator, Office of O	il and Gas	881XI

NOTE: Keep one copy of this permit posted at the drilling location.

12/01/2023 File

Name Union Brilling, Inc.
Address Post Office Brayer 40

degree V. Veneriji V. Veneriji V.V.





N		22/4	2 28	gara.	- 5% - 6	450		
95.3.5	2.3	E &	3.83	F-12	100	200	100	3.5 2
			78. 3	7045	Sur Ded	100	63	2.24

12/01/2023

CIVIIV

#### OFFICE USE ONLY

STATE OF WEST VIRGINIA

#### PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED WELL WORK

requirement place 15.	OFFICE USE ONLY		ge efte
(maingass) u s			
This part of Form IV-2(b) is to record	the dates of certain occurrences and	any follow-up inspections.	
	Date	Date(s)	
Application received	Follow-up in	nspection(s)	
Well work started	THE PLANT PERMIT	", 47-083-0999	e almış
process		ing and the burn burn roth reporting and anticeous comes been present the minimum and riphics and of together the case by, another it recent to minimum above all the form	
Well Record received			
Reclamation completed		miled work is a described in the Noble and Applied of the state of the	
OTHER INSPECTIONS	260	Agentu — Plat Caring	Bond.
Reason:	105 Marga	HA PUL BULL	9/
Reason:	MARCHAN CO.	and the sales based through the foregraph of the	

see the reverse side of the APPLICANT'S COPY for instancions, to the well operator.

tion of the same o



IV-9EC 2 198 (Rev 8-81)

OIL & GAS DIVISION DEPT. OF MINES




DATE	12-3-84	
	n 2140	

API NO. 47

State of Meat Nirginia Pepartment of Mines Gil und Gas Pivision


CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME UNION DRILLING, INC.		DECTORDING SOME TOCEDIL C. VILLE	
Address P. O. DRAWER 40, BUCKHANN	ION, WV	DESIGNATED AGENT JOSEPH C. VANZANT, JR.  Address P. O. DRAWER 40, BUCKHANNON, WV	
Telephone 304-472-4610		Telephone 304-472-4610	
LANDOWNER Davis FIKINS Jr.			
Revegetation to be carried out by	UNION D	RILLING, INC.	
This plan has been reviewed by	til	(Agent)	
and additions become a part of this p	17	SCD. All corrections	
a part of this p	plan:	(Date)//	
	Jel	Inlar Hedligh.	
		(SCD Agent)	
ACCESS ROAD		LOCATION	
Structure Culvert Pipe (12" Min.)	(A)		
Spacing . At Natural Drains	_	PINCESTON DIECK (1)	
	_	Material Earthen	
Page Ref. Manual	_	Page Ref. Manual	
Structure	(D)		
Spacing	_ (B)	Structure (2)	
	-	Material	
Page Ref. Manual_		Page Ref. Manual	
structure Roadway Ditch	/61		
and the same	(C)	Structure (3)	
Spacing		Material	
Page Ref. Manual			
-Jo ver · rential		Page Ref. Marrial	
All structures should be		Page Ref. Manual	
All structures should be inspecte	d regular stacked a	ly and repaired if necessary. All	
	d regular stacked a e dirt wo	ly and repaired if necessary. All	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site befor	e dirt wo	ly and repaired if necessary. All all brush and small timber to be rk begins.	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site befor	d regular stacked a e dirt wo REVEGETAT	ly and repaired if necessary. All all brush and small timber to be rk begins.	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site befor	e dirt wo	ly and repaired if necessary. All all brush and small timber to be rk begins.	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I	e dirt wo	ly and repaired if necessary. All and all brush and small timber to be rk begins.  Treatment Area II  Lime 3	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  ime 3 Tons/accorrect to pH 6.5  Pertilizer 600	e dirt woo	ly and repaired if necessary. All all brush and small timber to be rk begins.  Treatment Area II  Lime 3 Tons/acre or correct to pH 6.5	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  ime 3 Tons/accordance from the site before the si	e dirt woo	Ity and repaired if necessary. All all brush and small timber to be rk begins.  Treatment Area II  Lime 3 Tons/acre or correct to pH 6.5  Fertilizer 600 lbs/acre	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  ime 3 Tons/acc  or correct to pH 6.5  certilizer 600 lbs/accre  (10-20-20 or equivalent)  alch 2 Tons/acc	REVERENT.	All and repaired if necessary. All all brush and small timber to be rk begins.  Treatment Area II  Lime 3 Tons/acre or correct to pH 6.5  Fertilizer 600 lbs/acre (10-20-20 or equivalent)	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before	REVEGETAT	It and repaired if necessary. All all brush and small timber to be rk begins.  Treatment Area II  Lime 3 Tons/acre or correct to pH 6.5  Fertilizer 600 lbs/acre (10-20-20 or equivalent)  Mulch 2 Tons/acre	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Tons/accordance from the site before from the site before  Tons/accordance from the site before from the site before from the s	REVEGETAT	Treatment Area II  Lime 3 Tons/acre or correct to pH 6.5  Fertilizer 600 lbs/acre (10-20-20 or equivalent)  Mulch 2 Tons/acre Seed* Ky-31 30 lbs/acre	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Tons/accordance from the site before from the site before  Tons/accordance from the site before from the si	REVEGETAT	Treatment Area II  Lime 3 Tons/acre or correct to pH 6.5  Fertilizer 600 lbs/acre (10-20-20 or equivalent)  Mulch 2 Tons/acre Seed* Ky-31 30 lbs/acre Birdsfoot 10 lbs/acre	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Tons/accordance from the site before from the site before  Tons/accordance from the site before from the site before from the s	REVEGETAT	Treatment Area II  Lime 3 Tons/acre or correct to pH 6.5  Fertilizer 600 lbs/acre (10-20-20 or equivalent)  Mulch 2 Tons/acre Seed* Ky-31 30 lbs/acre Birdsfoot 10 lbs/acre Domestic Rye 10 lbs/acre	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Treatment Area I  ime 3 Tons/accordance from the site before  Tons/accordance from the site before from the site before  Tons/accordance from the site before from the site before from the s	REVEGETAT	Treatment Area II  Lime 3 Tons/acre or correct to pH 6.5  Fertilizer 600 lbs/acre (10-20-20 or equivalent)  Mulch 2 Tons/acre Seed* Ky-31 30 lbs/acre Birdsfoot 10 lbs/acre	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  Tons/accordant to pH 6.5  Tertilizer 600 lbs/accordant to pH 6.5  Tertilizer 500 lbs/accordant to pH 6.5  Tertilizer 600 lbs/accordant to pH 6.5	REVERENT	Treatment Area II  Lime 3 Tons/acre  or correct to pH 6.5  Fertilizer 600 lbs/acre  (10-20-20 or equivalent)  Mulch 2 Tons/acre  Seed* Ky-31 30 lbs/acre  Birdsfoot 10 lbs/acre  Domestic Rye 10 lbs/acre  and clovers with the proper bacterium.	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  Time 3 Tons/accordance of the site before  Treatment Area I  Tons/accordance of the site before  Treatment Area I  Tons/accordance of the site before  Tons/a	REVERENT	Treatment Area II  Lime 3 Tons/acre  or correct to pH 6.5  Fertilizer 600 lbs/acre  (10-20-20 or equivalent)  Mulch 2 Tons/acre  Seed* Ky-31 30 lbs/acre  Birdsfoot 10 lbs/acre  Domestic Rye 10 lbs/acre  and clovers with the proper bacterium.	
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  Time 3 Tons/acc  or correct to pH 6.5  Pertilizer 600 lbs/acre  (10-20-20 or equivalent)  alch 2 Tons/acc  Birdsfoot 10 lbs/acre  Domestic Rye 10 lbs/acre  *Inoculate all legumes such as vetch moculate with 3X recommended amount.	REVERENT	Treatment Area II  Lime 3 Tons/acre  or correct to pH 6.5  Fertilizer 600 lbs/acre  (10-20-20 or equivalent)  Mulch 2 Tons/acre  Seed* Ky-31 30 lbs/acre  Birdsfoot 10 lbs/acre  Domestic Rye 10 lbs/acre  and clovers with the proper bacterium.	262
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  Time 3 Tons/acc  or correct to pH 6.5  Pertilizer 600 lbs/accre  (10-20-20 or equivalent)  fulch 2 Tons/accre  Birdsfoot 10 lbs/accre  Birdsfoot 10 lbs/accre  Domestic Rye 10 lbs/accre  *Inoculate all legumes such as vetch moculate with 3X recommended amount.	REVERENT	Treatment Area II  Lime 3 Tons/acre  or correct to pH 6.5  Fertilizer 600 lbs/acre  (10-20-20 or equivalent)  Mulch 2 Tons/acre  Seed* Ky-31 30 lbs/acre  Birdsfoot 10 lbs/acre  Domestic Rye 10 lbs/acre  and clovers with the proper bacterium.	262
All structures should be inspecte commercial timber is to be cut and cut and removed from the site before  Treatment Area I  Time 3 Tons/acc  or correct to pH 6.5  Pertilizer 600 lbs/acre  (10-20-20 or equivalent)  alch 2 Tons/acc  Birdsfoot 10 lbs/acre  Domestic Rye 10 lbs/acre  *Inoculate all legumes such as vetch moculate with 3X recommended amount.	REVEGERATION OF THE PROPERTY O	Treatment Area II  Lime 3 Tons/acre  or correct to pH 6.5  Fertilizer 600 lbs/acre  (10-20-20 or equivalent)  Mulch 2 Tons/acre  Seed* Ky-31 30 lbs/acre  Birdsfoot 10 lbs/acre  Domestic Rye 10 lbs/acre  and clovers with the proper bacterium.	262



ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.

LEGEND	
Property boundary	Diversion 444444444444444444444444444444444444
Road = = = =	Spring O→
Existing fence — X — X —	Wet spot &
Planned fence//	Building A
Stream \	Drain pipe 0 0
Open ditch>	Waterway ←===



FORM IV-2(A) Obverse [8-83]

State of

West Virginia

1) Date: November 21, ,1984

2) Operator's Well No.

2149 - 3

3) API Well No. 47 -083 -0999
State County Permit

12/01/2023

#### STATE OF WEST VIRGINIA DEPARIMENT OF MINES, OFFICE OF OIL & GAS

		NOTICE OF APPLICAT	TION FOR A WELL	WORK PERMIT	
4) SUI	RFACE OWN	ER(S) OF RECORD TO BE SERV		COAL OPERATOR	
				Address	
(1)	Name Joh	n B. Lounsbury, Agent	TT-in-	COAL OWNER(S) WITH DECLAR Name John B. Lounsbury, A	
	Address	R & S Kelly Trust; Davis E	ikins, Trustee	COAT CANED (C) WITH DECT AD	AMTON ON DECO
		P. O.Box 850, Elkins, WV	26241	Name Jakes D. Javenshumi A.	CATTON ON RECO
(11)					
	Address			Address R & S Kelly Tru	
	_			P. O. Box 850,	EIKINS, WV 262
(iii)				Name	
	Address			Address	
			5(iii)	COAL LESSEE WITH DECLARAT	ION ON RECORD:
				Name	
				Address	
		TO (THE DEPOSIT OF THE PARTY OF			
		TO THE PERSON(S) NAMED ABOVE: You	should have received th	is Form and the following documents:	
		(1) The Application for a Well	Work Permit on Form IV	-2(B) (or Form IV-4 if the well is	Common (marry)
		and describes the well and	its location and, if a	d in the drilling or other work,	Comment of the same
		calating program;		Orena ( )	- 10213
		<ul><li>(2) The plat (surveyor's map)</li><li>(3) The Construction and Reclamation</li></ul>	mation Plan on Form TV-	on on Form IV-6; and  ) unless the well work is only to	
		prug a werr), which sets of	ut the plan for emeion	and sediment control and for	CEIV
		rectaliation for the site a	nd access road.		N. Fran
		THE REASON YOU RECEIVED THESE !	DOCUMENTS IS THAT YOU H	AVE RIGHTS RECARDING THE APPLICATION	
		(FORM IV-2(B) OR FORM 4, DESIGNATED	FOR YOU. HOWEVER, YOU	SIDE OF THE COPY OF THE APPLICATION O	700
		ALITAI AL ALLI.			1984
		Take notice that under Chapter	22 of the West Virginia	Code, the undersigned well op-70	
		for a Well Work Permit with the Admi	I this Notice and Applic	tation and assessment design	
		per dialic of imies, will lespect if	d well at the location	documinad an attached and i	
		by hand to the person(s) named above	or by publication in	tered or certified mail or delivered	
		before the day of mailing or deliver	ry to the Administrator.	certain circumstances) on or	
		6) EXTRACTION RIGHTS		#19	- 12m
		Check and provide one of the foll	aring.	7.	TT (man)
		Included is the lease or lease	s or other continuing a	Ontract or continues building	0
					s. and
		AM The requirement of Code 22-4-1	-(c)(1) through (4). (S	ee reverse side for specifics.)	
		7) ROYALTY PROVISIONS		70	198
		Is the right to extract, produce or other contract or contracts on	or market the oil or gas	s based upon a lease or leases	8
		for compensation to the owner of t	be oil or are in all	byalty or any similar provision	A Free Com
		to the volume of oil or gas so ex	tracted, produced or man	Kered? Yes No VV	
					Constructing)
		you may use Affidavit Form IV-60.	, adding additional is	needed. If the answer is Yes, []	MINORAL MONTH
		See the reverse side for line	e item instructions, and	for instructions concerning	
		the required copies of the No Reclamation Plan.	otice and Application, p	plat, and Construction and	
The t	truth of	the information on the	T.Tree r		
		plication is verified	WELL		
			OPERA	ror Union Drilling / Inc	
		and the Notice is		13.11	_
	/ \	alf of the Well Operator	By	Jalle H. Deff IN	
TU W		and State by	Its	Land Manager	
11.		Bibby, III	_, Add	ress Post Office Drawer 40	
-	21/day/of		4.	Buckhannon, WV, 26201	
My	/commiss.	ion expires 3, 199	Tel	ephone 304-472-4610	
/	Atrio	6 XI. Xeles		777 1/2 1010	
AT	otary Pub	Lic. Upshur County.			
TAC	runy rung	Lic, Upshur County,		40/	04/2022

#### INSTRUCTIONS TO APPLICANT

#### CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
  - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
  - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
  - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
  - 7) See Code § § 22-4-11(d, e).

#### CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-l2 and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8 from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

#### INFORMATION SUPPLIED UNDER CODE § 22-4-11(d)

#### IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- (1) the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.

Grantee, lessee, etc.

Royalty

Book Page

Katherine E. Kelly, et. al.

Consolidated Gas Supply

Union Drilling, Inc.

Royalty

Book Page

274/299

unrecorded joint venture



1) Date:	vember 2	1	, 19 84
2) Operator's Well No.	2149 - 3		
3) API Well No	47		
	State	County	Dormit

## STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

4)	WELL TY				THE RESIDENCE OF THE PARTY OF T					
										_/ Shallow/)
5)	LOCATIO							THE MESSAGE WHITE CONTRACTOR AND ADDRESS.		
										assity
6)	WELL OP									C. Vanzant, Jr.
	Address			ice Dr				Address	Company of the Compan	Drawer 40
0)	OH 0 OH			on, WV		DZUI				WV 26201
8)	OIL & GA				TED			9) DRILLING C		
	Name				25	76		The state of the s	the term was one for contracted in the	nc.
	Address			ice Bo		30		Address		Drawer 40
										WV 26201
10)	PROPOSE	D WELL	WORK:	Drill					/ Stimulate	X/
								ate new formation		
	CEOL OCI	CAL TAR	CET FOR				well (specify)			
11)	GEOLOGI					Detroit Market To St. House	6 .			
							feet			
								?		
15)					- 1		Is cos	al being mined in th	e area? Yes	/ No/
	CASING A	IND TOBI					POOTAGE	MITERNALO	II CEMENT FILLUR	I DACKEDS
	SING OR BING TYPE			Weight			FOOTAGE II	1	OR SACKS	PACKERS
		Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	T
	ductor	11-3/4		32	X		301	301		Kinds
	n water									Size Ti O
Coal		10		0.77			60001	40001	to surface	Sizes
	mediate	8-5/8	7	23	X		1000!	1000'	as required	Depths set
	luction	4-1/2	J	1.0%	A		5000'	2000.	as required	Deptils set of
Tubi										Perforations
Line	rs									Top S Borrom
										2 2 2
										Zº In
										THE COMMENT
										- UI
		are require	ed to make	l operator,	coal o §22-4-3	wner(s), and must be file	d coal lessee are h	OR, OWNER, OR ereby notified that tment of Mines with	any objection they wishin fifteen (15) days after	h to make or er the receipt
			who has i		declara	tion under			coal owner or coal less issued within fifteen (1	
							WAIVER			
Т	he undersion	ed coal one	rator			/ owner		/ lessee	/ of the co	oal under this well location has
exar	nined this pr	oposed well no objection	l location on to the v	. If a mine work propo	map ex	dists which do	covers the area of	the well location, th	ne well location has bee	n added to the mine map. The all applicable requirements of
		10 11	1	7	o the	Lan				1
		111	1	11 100	1067	A STATE OF THE PARTY OF THE PAR	1. 1.	1/1	10	11
Det	. //	1211	100	11	A.	9 11	83/04	By Cons	15 min	melina
Date		1		, 1	0			100	- 7000	/
							I	ts //ango	ager .	
										12/01/2023 Coal Owner



1)	Date: Nov	ember	21	, 19_84
2)	Operator's Well No.	1/0 _		MOLNINGO
3)	API Well No.	47		
,		State	County	Permit

## STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

				AF	PLICATIO	N FOR A WELL	L WORK PERMI	Ī	
4) WELL TYP	E: A Oi		/ Gas	s v					
	B (If	"Gas", P	roduction	1/3		Underground s	torage	/ Deep	_/ Shallow/)
5) LOCATION	N: Elev	ation:	2022	200	* - 245 (9845-78	Watershed:	Tonke Donk	E80 10 10 10 10 10 10 10 10 10 10 10 10 10	AA
		rict:	1764	Corele		County:	dolah	Quadrangle:	land for
6) WELL OPE			marra de	OIK	ina.		7) DESIGNATE	DAGENT Togon	CLD D L L Y
Address		Land Vill L	ice Dra	33,1000	AO.		Address	Post Office	10. 10mm 第二 2. 10mm 10mm 10mm 10mm 10mm 10mm 10mm 10m
radicis			m 16717	Annual Control of the				Ruckhaman	
8) OIL & GAS							9) DRILLING C	HE STORMET A STORE OF BANK OF BE	The region of a threat affilian
Name		11 in 7		ILD				n Drilling T	Constraint, West attatophen
Address	· · · · · · · · · · · · · · · · · · ·	other wifes with great and	ce Bo	251	76		Address	Doet Office	Drawer 40
Address			N 21	250000000000000000000000000000000000000	**		71001000	Dualdannan	M7 26201
					/ D.''I		( D-4-:11	/ Stimulate to	- / 20202
)) PROPOSEI	D WELL V	ORK:	Drill	N. Sept. St.		deeper	/ Redrill	/ Stimulate	
					ormation		ate new formation	n/	
			Other ph	nysical	change in w	ell (specify)			THE REPORT OF THE PERSON OF THE
i) GEOLOGIO	CAL TARC	GET FORM	MATION,	Be	mson -				
12) Estima	ted depth o	f complete	ed well, _	<u>S</u> ,	000	feet			
13) Approx	ximate trata	depths:	Fresh,	?		feet; salt,	, 2	feet.	
14) Approx	ximate coal	seam dept	hs:	?		Is coa	al being mined in th	ne area? Yes	/ No/
5) CASING A	ND TUBIN	NG PROG	RAM						
CASING OR		SPECI	FICATIONS		- 1	FOOTAGE II	NTERVALS	CEMENT FILL-UP	PACKERS PACKERS
TUBING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	m C
Conductor	44 7/1	090408318	70	V		701	701	or steel at the last take	Kinds 2
Onductor	11-0/4	PERSONAL PROPERTY.	34	4.4		301	20.	SO DESCRIPTION OF STREET	I UT
rech water									
									1 -1 20 0
oal	0.010	100 A 100 I				7.0001			Sizes Q
oal ntermediate	8-5/8	odt (los)	23	X		10001	10001	to surface	Sizes G
oal ntermediate roduction	8-5/8 4-1/2	J	23 104	X		10001	1000° 5000°	to surface as required	Sizes O Depths set
roduction	8-5/8 4-1/2	J	See Sur	X		T-10-10-10	4000	SE USAN SAN SAN SAN SAN SAN SAN SERVICE	Sizes O Depths set
roduction	8-5/8 4-1/2	J	See Sur	X		T-10-10-10	4000	SE USAN SAN SAN SAN SAN SAN SAN SERVICE	Sizes O Depths set
roduction	8-5/8 4-1/2	della bargera J	See Sur	X		T-10-10-10	4000	SE USAN SAN SAN SAN SAN SAN SAN SERVICE	Sizes G F F F F F F F F F F F F F F F F F F
Coal Intermediate Production	8-5/8 4-1/2	J	See Sur	X		T-10-10-10	4000	SE USAN SAN SAN SAN SAN SAN SAN SERVICE	Sizes O Depths set
Fresh water  Coal  Intermediate  Production  Fubing  Liners	8-5/8 4-1/2	J	See Sur	X		T-10-10-10	4000	SE USAN SAN SAN SAN SAN SAN SAN SERVICE	Sizes G F F F F F F F F F F F F F F F F F F
Coal  Intermediate  Production  Fubing	8-5/8 4-1/2	J 315, (6.9	See Sur	X		T-10-10-10	4000	SE USAN SAN SAN SAN SAN SAN SAN SERVICE	Sizes O Depths set
Coal Intermediate Production Subing	8-5/8 4-1/2	J	1015			5000 *	5000*	as required	Sizes O  Depths set  Perforations:  Bottom
Coal  Intermediate  Production  Fubing	8-5/8 4-1/2	J aw require	104	ent peri	od for surfa	ce owners. Howe	ever, the permit ca	n be issued in less than	Sizes O  Depths et O  Pertorations:  Bottom  15 days from
Coal Intermediate Production Fubing	the filing o	f the App	s a comme	ent peri	ace owner(s)	ce owners. Howe	ever, the permit ca	as required	Sizes O  Depths et O  Perforations:  Bottom  15 days from
Coal  Intermediate  Production  Fubing	the filing o	f the App	s a comme	ent peri	ace owner(s)	ce owners. Howe	ever, the permit ca	n be issued in less than	Sizes O  Depths et O  Perforations:  Bottom  15 days from
Coal Intermediate Production Subing	the filing o	f the App	s a comme	ent peri the surf owner's	face owner(s) s copy of the	ce owners. Howe of record sign(s) e Application.	ever, the permit ca	n be issued in less than bluntary Statement of N	Sizes O  Depths et O  Perforations:  Bottom  15 days from

I hereby state that I have read the instructions to surface owners on the reverse side of this Application for a Well Work Permit, and that I have received copies of (1) a Notice of Application for a Well Work Permit on Form IV-2(A), (2) an Application for a Well Work Permit on Form IV-2(B), (3) a survey plat on Form IV-6, and (4) a Construction and Reclamation Plan on Form IV-9, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued based on those materials.

(For execution by corporation, partnership, etc.)	(For execution by natural persons)	
NAME:		Date:
By Color B Journaling	(Signature)	
Manager political	31/404	Date:
Its // whate Date	(Signature)	

# INSTRUCTIONS TO SURFACE OWNERS AND EXPLANATION OF METHODS AND TIME LIMITS TO COMMENT ON OIL AND GAS WELL WORK PERMIT

The well operator named in the Notice and this Application and the attached materials is applying for a permit from the State to do oil or gas well drilling or other well work. You are being served with these materials because surface owners have the right to file comments before the permit is issued. (NOTE: If the surface tract is owned by more than three persons, in multiple heirship for example, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22, Article 4 of the W. Va. Code. Permits are valid for 24 months.

If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator named in the materials and the Administrator of the Office of Oil and Gas in the West Virginia Department of Mines immediately.

NOTE: You are not required to file any comment at all.

Where to file comments and obtain additional information:

Administrator of the Office of Oil and Gas West Virginia Department of Mines 1615 Washington Street East Charleston, West Virginia 25311 (304) 348-2057

Who may file comments? If you wish to file comments, you must be an owner of record of (1) an interest in the surface tract on which the well already is or is about to be located, or (2) an interest in any other surface tract under the same oil or gas lease which will be utilized for roads or other land disturbances.

Time limits for comments. The law requires these materials to be delivered on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments as provided in Methods for Filing Comments below. You may call the Administrator's office at the above telephone number to be sure of the date. However, if you have been contacted by the well operator, and if you have signed a "voluntary statement of no objection" to any of the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number, and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Methods for filing comments. Comments must be filed in person or received in the mail at the Administrator's office by the time stated above. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling.

The Administrator for Oil and Gas has the power to deny or condition a well work permit based on your comments on the following grounds:


- "(1) The proposed well work will constitute a hazard to the safety of persons; or
- "(2) The plan for soil erosion and sediment control is not adequate or effective; or
- "(3) Damage would occur to publicly owned lands or resources; or
- "(4) The proposed well work fails to protect fresh water sources or supplies."

If you want a copy of the permit as it is finally issued, or a copy of the order denying the permit, you should request a copy from the Administrator.

List of Water Testing Laboratories. The Administrator maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Administrator's office or an Oil and Gas Inspector to obtain a copy of the list.

### AFFIDAVIT OF PERSONAL SERVICE ON XSURREXACEXOMINER

STATE OF West Virginia , COUNTY OF Upshur :
The undersigned, being first duly sworn, says that the undersigned served a true and complete copy of all sides of  (1) Notice on Form $IV-2(A) \times /$ Form $IV-3(A) /$ Form $IV-4(A) /$ (2) Application on Form $IV-2(B) \times /$ Form $IV-3(B) /$ Form $IV-4(B) /$ (3) Plat showing the well location on Form $IV-6$ , and
(4) Construction and Reclamation Plan on Form IV-9 (unless the application is to plug a well) all with respect to operator's Well Nos 2148, 2149 & 2152 located in Middle Fork District, Randolph County, West Virginia, upon the person or organization named
John B. Lounsbury, Agent; R & S Kelly Trust; Davis Elkins, Trustee
by delivering the same in Upshur County, State of West Virginia on the 21st day of November , 1984 in the manner specified below.
[COMPLETE THE APPROPRIATE SECTION]
For an individual: ACTING AS AGENT FOR A TRUST  [X] Handing it to him X / her / or, because he / she / refused to take it when I offered it, by leaving it in his / her / presence.
[ ] Handing it to a member of his or her family above the age of 16 years named who resides at the usual place of abode of the person to be served, and asking the family member to give it to the person to be served as soon as possible.
For a partnership:  [ ] Handing it to, a partner of the partnership or, because the partner refused to take it when I handed it over, by leaving it in the presence of the partner.
For a limited partnership:  [ ] Handing it to the general partner, named
For a corporation:  [ ] Handing it to the corporation's employee / officer / director / attorney in fact / named
(Signature of person executing service)
Taken, subscribed and sworn before me this 21st day of November, 1984.  My commission expires March 1991
(AFFIX SFAL IF NOTARIZED IF OUTSIDE THE STATE)





## State of Mest Wirginia

Department of Mines Oil and Cas Division

Date	M	ay 7	, 19	985	
Operat		3 -	214	19	
		-Elk:	ins	Estate	#3
API No				-0999	

(Continue on reverse side)

WELL OPERATOR'S REPORT

OF

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

	Jenks F	ork		
District: Middle Fork County Ra	ndolph	Quadrangle	e Cassit	У
COMPANY UNION DRILLING, INC.				
ADDRESS P.O. Drawer 40, Buckhannon, WV 26201	Casing	Used in	Toft	Cement
DESIGNATED AGENT Joseph C. Pettey	Tubing	Drilling	1000	fill up Cu. ft.
ADDRESS P.O. Drawer 40, Buckhannon, WV 26201	Size	DITTITIG	TII WELL	Cu. IL.
SURFACE OWNER John B. Lounsbury , Agent	20-16			
ADDRESS P.O. Box 850, Elkins,WV 26241	Cord.	20.00'	20.00'	
MINERAL RIGHTS OWNER same	9 5/8	20.00	20.00	
ADDRESS	8 5/8			
OIL AND GAS INSPECTOR FOR THIS WORK	7	706.05	796.05'	236 cf
Phil Tracy ADDRESS Forrest Fest.Apts, Elkins,				
PERMIT ISSUED 1/7/85 26241	4 1/2	trading and	F100 001	707 5
DRILLING COMMENCED 2/23/85	3		5198.00'	787 cf
DRILLING COMPLETED 3/11/85	2			
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR	Liners			
REWORKING. VERBAL PERMISSION OBTAINED ON	used			'
GEOLOGICAL TARGET FORMATION Benson		Dept	h_ 500	00' fee
Depth of campleted well5502' feet	Rotary x	xx / Cable	Tools_	
Water strata depth: Fresh 196' feet;	Salt	feet		
Coal seam depths: 196/202, 230/234	Is coal	being mine	ed in the	area? no
DPEN FLOW DATA				
Producing formation Riley, Benson, 1st &	and Fik Pay	zone dept	h 50651	fee
- NITEX DELISION IN				
Gas: Initial open flow 119 Mcf/d				
Gas: Initial open flow 119 Mcf/d Final open flow 1384 Mcf/d			Low	Bbl/
Final open flow 1384 Mcf/d	Fir	nal open fi	·	
Final open flow 1384 Mcf/d  Time of open flow between init	Fir ial and fi	nal open fi nal tests	2 hou	irs
Final open flow 1384 Mcf/d  Time of open flow between init  Static rock pressure 1055# psig(surface	Fir ial and fi e measuren	nal open fi nal tests ment) after	hour 24 hour	rs s shut i
Final open flow 1384 Mcf/d  Time of open flow between init  Static rock pressure 1055# psig(surfaction)  (If applicable due to multiple completion)	Fir ial and fi e measurem)	nal open fi nal tests ment) after	2 hour 12/01	ers rs shut i /2023
Final open flow 1384 Mcf/d  Time of open flow between init  Static rock pressure 1055# psig(surfact (If applicable due to multiple completion)  Second producing formation	Fir ial and fi e measurem) Pay	nal open fi inal tests ment) after v zone dept	2 hour 24 hour 12/01 th	ers shut i /2023 fee
Final open flow 1384 Mcf/d  Time of open flow between init  Static rock pressure 1055# psig(surfaction)  (If applicable due to multiple completion)	Firmial and firme measurem) Pay Oil: Ini	nal open final tests ment) after v zone dept	2 hour 12/01 hour flow	es shut i /2023fee

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING,

Dowell - 3 stage Frac - 4/18/85

3718/22 - Riley - 45,000# sand, 191 Bbls water and 493,000 scf nitrogen

3846/50 - Benson - 45,000# sand, 183 Bbls water and 468,000 scf nitrogen

4881/85 - 1st Elk - 45,000# sand and 473 Bbls water 4901/02 - 1st Elk

5062/65 - 2nd Elk

#### WELL LOG

FORMATION	COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all freshand salt water, coal, oil and gas
	Sand & Shale	. 0	196	1/4" stream water @106'
	Coal	196	202	
	Sand & Shale	202	230	
	Coal	230	234	
	Sand & Shale	234	1163	
	Little Lime	1163	1206	
	Blue Monday	1206	1250	
	Big Lime	1264	1376	The second second second
	Injun	1384	1516	
	Gantz	1502	1596	
	4th Sand	1994	2042	
	5th Sand	2066	2122	
The Art and a state of the stat	Bayard	2140	2174	
	Elizabeth	2332	2348	
	Speechly	2688	2694	
· · ·	Balltown	2816	2862	
	Bradford	3142	3182	
	Riley	3706	3732	
	Benson	3842	3860	
	Upper Alexander	4112	4158	
	Alexander	4226	4274	
	lst Elk	4864	4918	
	2nd Elk	5038	5088	
	ZNG EIK	3036	5502'	T.D. 8/10ths thru 2" = 119 mcf
			3302	1.5. 0/100115 01114 2
				. I sawawa, english the same
			1	
				AW DOS
				The state of the s
		_		
				substitute at from
				Technology for

(Attach separate sheets as necessary)

UNION DRILLING, INC

Well Operator

Date: Joseph C. Pettey, Vice President of Production

5/7/85

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including only, encountered in the drilling of a well."

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OFFICE OF OIL AND GAS
CHARLESTON 25305
FINAL INSPECTION REPORT
INSPECTORS COMPLIANCE REPORT

DECEIVED
JUN 1 8 1985

Company: UNION DRILLIING, INC. Farm: LOUNSBURY, JOHN (AGENT Well: 2149-3 (1-07-85) Permit No. 47-83-0999

Counts:RANDOLPH

OIL & GAS DIVISION

ule	Description	In Compliance DEPT. of MINES. Yes No
5.04 5.03 6.01 5.03 5.02 5.01 5.04 5.05 3.02 5.01 3.04 3.07 6.01 4.02	Notification prior to starting work Prepred before drilling to prevent waste High pressure drilling Required permits at wellsite Adequate Fresh Water Casing Adequate Coal Casing Adequate Production Casing Adequate Cement Strength Cement Type Maintained Access Roads Necessary Equipment to Prevent Waste Reclaimed Drilling Pits No Surface or Underground Pollution Requirements for Production & Gathering Pipelin Well Records on Site Well Records Filed	es
HAVE	Divided the proof of the proof	ATE 4-14-85
s <b>rav</b> c	sse for the life of the well.	Administrator  June 25, 1985  Date

1. -

