

	1				Issued	7/20/93	
FORM WW. 28	93	STAT	E OF WEST	VIRGINIA VISION OF OI	Expues	ge_3_of_8 7/20/95	
	DEPARTA ing	MELL WO	RK PERMIT	APPLICATION	L AND GAS		
1) Well Ope	il & 🗪 rator:	560 Douglas	7 0il & Gas,	APPLICATION Inc. 1426	(2)	391	
2) Operator	's Well N	Number:	D. J. Snyd	ler No. 1	3) El	evation: 2713'	
4) Well typ	e: (a) (	Dil_/	or Gas	<u>X</u> /			
•	(b) ]	If Gas:		$\frac{X}{X}$ Undergr			
7 5) Proposed	Target I	Formation	n(s):	leldebergh			
; ;) Proposed	Total De	epth:	8,000	feet			
7) Approxim	ate fresi	n water s	trata dept	hs: 100	9		
8) Approxim	nate salt	water de	epths:				
10) Does lar							
11) Proposed							
12)							
,		CASIN	G AND TUB	NG PROGRAM			
TYPE	TYPE SPECIFICATIONS FOOTAGE INTERVALS CEMENT						
	Size	Grade	Weight per ft.	1 (	Left in well	1 - 1	
Conductor	16"			20'	20'		
Fresh Water	11 3/4"	H-40	42#	400 °	400 <b>'</b>	384 cu.ft.	
Coal							
Intermediate	8 5/8"	J <b>-</b> 55	24#	1850'	1850'	Cmt. to surface 295 cu.ft.	
Production	4 1/2"	M-75	11.5#	8000'	8000	Cmt. to 300' above top pay	
Tubing							
Liners							
PACKERS : Kir							
Der	zes oths set						
For Divison of Oil and Gas Use Only							
Fee(s)	paid:  _	_ _  Well '	Work Permi	t   _   Recl	amation Fu	nd   WPCP	

| | Plat | | WW-9 | | | WW-2B | | Bond Syste Salle | | | | Agent

		threath.				
		E.				
Ī	Page 1	of <u>8</u>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1)	Date: June 24,	1993
90	Form W	W2-A	1 5 90	2)	Operator's wel	l number
	(09/87		W.	3.	D. J. Snyder No.	47 - <u>083</u> - <u>1123</u>
Ì	File C	oba	Pormitting City			e - County - Permit
			ented of Oil &		State	e - County - Permit
			STATE	י אם עדיי	VIDCINIA	
		*	DEPARTMENT OF EN			ND GAS
			DEPARTMENT OF BR	andr, br	10101 01 011 11	
			NOTICE AND APPLI	CATION FO	OR A WELL WORK	PERMIT
	4) S	Surface O	wner(s) to be ser	ved:	5) (a) Coal Op	erator:
			Doris J. & Benny J.		Name	
			Вох 38			
			Bowden, WV 26254			
	. (				(b) Coal Owner	(s) with Declaration
					Name Doris J	. Snyder
	-				Address Box 38	
	- 7				Bowden,	WV 26254
	2	Address			Name	
	*				Address	
	6)	Inchector	Phillip Tracy		(c) Coal Lesse	e with Declaration
	7	Mydroee	Rt. 2, Box 37A		•	
	2	Address _	Montrose, WV 26283			
	-	Telephone	(304) - 636-8798			
			TO THE PERSON(S) is the lease or			
	contra	acts by w	hich I hold the	right to	extract oil and	i qas OR
	Z OHELE	aces by w	is the informati	on requir	ed by Chapter 2	22B, Article 1,
	Section	on 8(d) o	f the Code of We	st Virgin	ia (see page 2)	)
	Secti	on o(d) o I certify	that as require	d under C	hanter 22B of t	he West Virginia Code
	T have	r cercity	conies of this n	otice and	application. a	location plat, and
	Inav	e serveu	copies of this in	through	8 on the above	ve named parties, by:
	accom	banarna a	onal Service (Af	fidavit a	ttached)	re named partition, a
		_X_ Pers	ified Mail (Post	ridavit a	ctalmed; ctal receint af	rtached)
		Cert	ication (Notice	marked po	star receipt at	)
		Publ	ication (Notice	or Public	acton accached;	
		T have		d Chanter	22B = 24 38 CCE	R 11-18, and I agree
		I have re	ad and understan	a chapter	it icened under	this application.
	CO, CH	e cerms a	and condictons of	ally beru	t I have percor	nally examined and am
	c: 7	i certify	under penalty o	I law tha	on this applie	cation form and all
	ramir	iar with	the information	submicced	ry of those ind	dividuals immediately
	attac	nments, a	ind that based on	my inqui	on I believe t	that the information
	respo	nsible id	or obtaining the	Intormaci	OIL' I DETTEAR	inde the information
	15 Cr	ue, accur	ate, and complet	e.	ant nonalties	for submitting false
	:	I am awar	ncluding the pos	signific cibility	of fine and im	orisonment
	INIOI	macion, i	ncruaing the pos	SIDITICA	Douglas Oil & Gas	z. Inc.
				OPPLACOL	12/11/11/11	Daniel L. Wheeler
			By: _	Designated	A MILLERY	
					lien Bldg., Suite	200
					n Road, Clarksburg	
				hone 304		<u> </u>
	C., h	ribad	letep sworn before me			June , 1993
	Subsc	ribed and	T PAOTU DALOLA WE	CIII S ZTC	OFFICIAL SEAL	/ une
		Ma	Ella Lida	24 X	NOTARY PUBLIC	Notary Public
	M··	1112111 ·	wise agreen	11211	STATE OF WEST WINDSHIP	MOCGLY FUDITO
	му со	mmissipn	exhires 1	The state of the s	100-Kidd Avenue	
			.4	3A . W	र १९१५ <b>। जनसम्बद्धाः ।</b>	



## STATE OF WEST VIRGINIA OIL AND GAS CONSERVATION COMMISSION

#10 MaJUNKIN ROAD NITRO, WEST VIRGINIA 25143-2506

July 20, 1993

Division of Environmental Protection Office of Oil and Gas #10 McJunkin Road Nitro, West Virginia

RE: Application for Permit  $\frac{47-083-01123}{123}$  to drill deep well.

COMPANY: Douglas Oil and Gas, Inc.

FARM: Doris Snyder - D. J. Snyder #1

COUNTY: Randolph DISTRICT: Dry Fork QUAD: Harman

The application of the above company is <a href="Approved for Helderberg">Approved for Helderberg</a>.

(Approved or Disapproved)

Applicant <u>has</u> complied with the provisions of Chapter twenty-two, eight (22-8), of the Code of West Virginia, nineteen hundred and thirty-one (1931), as amended, Oil and Gas Conservation Commission as follows:

- 1.) Provided a certified copy of duly acknowledged and recorded consent and easement form from all surface owners; yes
- 2.) Provided a tabulation of all deep wells within one mile of the proposed location, including the Api number of the deep well, well name, and the name and address of the operator and; none
- 3.) Provided a plat showing that the proposed location is a distance of  $\underline{400}$  feet from the nearest unit boundary and showing the following wells drilled to or capable of producing from the objective formation within 3,000 feet of the proposed location.

Sincerely,

Brett Loflin

Petroleum Engineer



WR-35

## RECEIVED W Division of Environmental Protection

NOV 0 9 1994

Permitting
Office of Oil & Gas

## State of West Birginia

DEPARTMENT OF ENERGY

Oil und Gas Bivision

Date	August 17, 1994					
Operator's						
Well N	D.J. Snyder Unit #1					
Farm Doris J. Snyder						
API No	47 - 683 - 01123					

WELL OPERATOR'S REPORT

OF

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

WELL TYPE: Oil/ Gas X / Liquid Injection (If "Gas," Production/ Undergrou	/ Wast nd Storag	e Disposal e/ Deep	/ / Sha	llow_	_/)
LOCATION: Elevation: 2713 G.L. Watershed Hor	rse Camp R	un			<del></del>
District: Dry Fork County Randol			Harman 7	7.5	ompions
COMPANY Douglas Oil & Gas, Inc.	<i></i>			10	,
ADDRESS 1201 S. Braddock Ave. Pittsburgh, PA 15218	Caşing	Used in	Left	Cement fill	
DESIGNATED AGENT Daniel Wheeler	Tubing	Drilling	in Well	Cu.	Ēt.
ADDRESS 600 Davisson Run Rd. Suite 200 Clarksburg	Size		_		
SURFACE OWNER Doris J. &Benny J. Snyder 26301	200-16" Cond.		20'		
ADDRESS Box 38 Bowden, WV 26254	11 3/4" xk3-xk0;"	410'	392'	210	sks
MINERAL RIGHTS OWNER as above	9 5/8				
ADDRESS	8 5/8	2835'	2805'	540	sks
OIL AND GAS INSPECTOR FOR THIS WORK Phillip Tracy	7				
Rt. 2, Box 37A ADDRESS Montrose, W 26283	5 1/2				
PERMIT ISSUED 7/20/93	4 1/2	7997'	7964'	250	sks
DRILLING COMMENCED 11/10/93	3				COADINIONS AND C
DRILLING COMPLETED 12/01/93	No. of the last of		76441		
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR	23/8" Liners		7644'		
REWORKING. VERBAL PERMISSION OBTAINED ON	used				
GEOLOGICAL TARGET FORMATION Helderberg		Dep	th 8000		feet
Depth of completed well 7995 feet I		/ Cable	e Tools_		
Water strata depth: Fresh 63', 500' feet;					
Coal seam depths: N/A Is coal being mined in the area? No					
		•		•	
OPEN FLOW DATA			* h		Engl
Producing formation Oriskany	Pa;	y zone dep	cn7662-76	76	reet
Gas: Initial open flow 2,500 Mcf/d					
Estimated Final open flow 2,500 Mcf/d Final open flow 0 Bb				bl/d	
Time of open flow between init					
Static rock pressure 2875 psig(surface	e measure	ment) afte	r_24_hou	ırs shu	ıt in
(If applicable due to multiple completion					
Second producing formation	Pa	y zone dep	th		feet
Gas: Initial open flowMcf/d	Oil: In	itial open	flow	F	ibl/d
Final open flow Mcf/d					
Time of open flow between init					
chatic mok pressure psig(surface					

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

5/19/94 Perforate Oriskany 7664' - 7676' 48 shots

5/19/94 Acidize Oriskany Breakdown Pressure 3738#, Pumped 4000 gallons of

20% FE acid and Mod 202 ISIP 3274#

## WELL LOG

			REMARKS
FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	
From Drillers Log & Samples		•	
Sand & Shale	0	2861	
Sand	286'	3031	
Sand & Shale	3031	1740'	
Sand	1740'	1820'	RECEIVED
Shale	1820'	1960'	WV Division of Environmental Protection
Sand & Shale	1960'	2300'	NOV 0 9 1994
Sand .	2300'	2410'	Permitting
Sand & Shale	2410'	2740'	Office of Oil & Gas
Sand	2740'	2950'	
Sand & Shale	2950'	3850'	
Sand	3850'	3880°	•
Sand & Shale	3880'	4400'	,
Sand	4400'	4460	
Sand & Shale	4460'	7026	
From CDL Log			
Tully	7026	7052	
Shale	7052'	7298'	
Marcellus	7298	7438'	
Onondaga	74381	74791	
Chert	7479'	7525	And the second s
Need more Shale	7525'	7550'	A real for the second second
Oriskany	7550'	7808'	
Helderberg	7808'	D.	
DID 7995'			
LID 7997'			

(Attach separate sheets as necessary)

Douglas Oil & Gas, Inc.

Well Operator

By: Muchel Slavbon

Date: August 18, 1994

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including of a well."

V,U,