

Office of Oil and Gas  
1356 Hansford Street  
Charleston, WV 25301  
Phone: (304) 558-6075  
Fax: (304) 558-6047

---

## West Virginia Department of Environmental Protection

---

Bob Wise,  
Governor

Stephanie R. Timmermeyer,  
Cabinet Secretary

August 03, 2004

### FINAL INSPECTION REPORT

### WELL PLUGGING PERMIT RELEASED

R & B PETROLEUM, INC.,

The FINAL INSPECTION REPORT for the permit, API Well Number: 47-8301176, issued to R & B PETROLEUM, INC., and listed below has been received in this office. Your Affidavit of Plugging was received and reclamation requirements approved. The well designated by the permit number below has been released under your bond.



JAMES MARTIN  
Chief,  
Office of Oil and Gas

Operator: R & B PETROLEUM, INC.  
Operator's Well No: BLACKBURN 3  
Farm Name: ROSS, MIKE, INC.  
**API Well Number: 47-8301176**  
Date Issued: 08/14/2002

WR-38

DATE:

API # 47-083-01176

9-13-2002

STATE OF WEST VIRGINIA  
DIVISION OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Ross, Mike Inc. Operator Well No.: Blackburn<sup>3</sup>

LOCATION: Elevation: 2375' Quadrangle: ELlamore 7.5'  
District: Raging Creek County: Randolph  
Latitude: 38° 55' Feet South of \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.  
Longitude: 80° 01' Feet West of \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.

Well Type: OIL \_\_\_\_\_ GAS

Company: ReB Petroleum  
P.O. Box 667  
Buckhannon, WV 26001

Coal Operator or Owner: HORIZON NATURAL RESOURCES  
2000 Ashland Drive  
Ashland, KY 41101

Agent: Stan Lowther

Coal Operator or Owner

RECEIVED  
Office of Oil & Gas

Permit Issued Date: 8-14-2002

AFFIDAVIT

JUL 26 2004

STATE OF WEST VIRGINIA,  
County of Randolph, ss:

WV Department of  
Environmental Protection  
being first duly sworn according to

Stan Lowther and Jim Bookman Oil and Gas Inspector representing the Director, say that said work was commenced on the 21 day of May, 2002 and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
<u>1"</u>	<u>1500</u>	<u>1400</u>	<u>over solid bridge plug</u>	
<u>6 3/8" gal</u>	<u>1400</u>	<u>1000</u>		
<u>1"</u>	<u>1000</u>	<u>900</u>	<u>975'</u>	<u>7.00</u>
<u>gal.</u>	<u>900</u>	<u>SURFACE</u>		

Description of monument: 7" x 42" with vented well tag and that the work of plugging and filling said well was completed on the 21 day of May, 2002


And further deponents saith not. Stan Lowther

Jim Bookman

Sworn and subscribe before me this 21<sup>st</sup> day of SEPTEMBER, 2002

My commission expires: March 20, 2011  
Tammy J. Lowther  
Notary Public

Oil and Gas Inspector: \_\_\_\_\_



STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

RECEIVED  
Office of Oil & Gas  
AUG 08 2002  
WV Department of Environmental Protection

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

- 4) Well Type: Oil  / Gas  / Liquid injection  / Waste disposal   
(If "Gas, Production  or Underground storage  ) Deep  / Shallow
- 5) Location: Elevation 2375' Watershed Big Laurel Run  
District Roaring Creek County Randolph Quadrangle ELLamore 7.5'
- 6) Well Operator R.B. Petroleum 7) Designated Agent Stan Lowther  
Address P.O. Box 667 Address P.O. Box 667  
Buckhannon, WV, 26201 Buckhannon, WV, 26201
- 8) Oil and Gas Inspector to be notified 9) Plugging Contractor  
Name Craig Duckworth Name Wonder Well Service, Inc.  
Address Box 407, Davissan Route Address P.O. Box 579  
Cassaway, WV 26024 Glenville, WV 26351

10) Work Order: The work order for the manner of plugging this well is as follows:

*Swabbed well out and Halliburton pumped cement into bottom  
perfs at 1578-1592'. Formation drank the cement and gel and event  
on vacuum. Received permission from inspector to set a solid bridge  
plug at 1560'. Halliburton pumped a 100' cement plug over the bridge  
plug and ran gel to 1000'. Key energy services shot casing apart at  
975'. Halliburton pumped a 90' cement plug below 7" casing and  
filled hole to surface with gel. Pulled out 4 1/2" casing and put  
on vented top with well tag on it.*

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector Craig Duckworth Date 7-24-02