

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL  
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

*netel map*

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

K. Paul Davis, Salem, W. Va.  
Claud Cottrill, Bristol, R 2, W. Va.  
Fred Diddle, Charleston, W. Va.

COAL OPERATOR OR COAL OWNER

NAME OF WELL OPERATOR

ADDRESS

COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

May 14th 1934.

PROPOSED LOCATION

ADDRESS

Clay District

COAL OPERATOR OR COAL OWNER

Ritchie County

ADDRESS

Well No. (1) One  
Lillie Riggs and  
M. S. Riggs Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated 16th

January, 1934.

, made by M. S. Riggs and Lillie Riggs, his Fred Diddle

wife to K. Paul Davis, Claude C. Cottrill & and recorded on the 5th day

of May, 1934, in the office of the County Clerk for said County in

Book 62, page 214

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address.....day.... before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

*Fred Diddle*  
WELL OPERATOR

Address of Well Operator }

*State Truar. Office*  
STREET

*Charleston*  
CITY OR TOWN

*W. Va.*  
STATE

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

MAY 26 1934

RIT 208

208



WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. RIT-208

Oil or Gas Well Oil  
(Kind)

Company Pike Oil Co  
 Address 131 27 R.T.D. #1, Clarksburg W.Va  
 Farm M.S. Miller Ridge Acres 12  
 Location (waters) South Creek  
 Well No. One Elev. ✓  
 District Clay County Ritchie  
 The surface of tract is owned in fee by M.S. Miller  
 Address Pike W.Va  
 Mineral rights are owned by Same as above  
 Address Cherry Run W.Va  
 Drilling commenced 5/3-34  
 Drilling completed 5/21-34  
 Date shot 5/23-34 Depth of shot 1796 to 1802  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil 1/2 bar \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water  \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water  \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	140	None	Size of
8 1/4	900	None	
6 5/8	151.5	151.5	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used	None		Perf. top
			Perf. bottom

CASING CEMENTED None SIZE \_\_\_\_\_ No. FT. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT Coal Blown FEET \_\_\_\_\_ INCHES \_\_\_\_\_  
 FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_  
 FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
<u>Salt sand</u>	<u>Light</u>		<u>1510</u>				
<u>Impure</u>		<u>hard.</u>	<u>1757</u>	<u>1816</u>		<u>1796</u>	
		<u>oil</u>	<u>1796'</u>				
							<u>total depth 1816</u>









STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Basement

INSPECTOR'S WELL REPORT

Permit No. Rit-238-B

Plugging

Oil or Gas Well (KIND)

Company	Casing and Tubing	Used in Drilling	Left in Well	Packers
<u>Pike Oil Co</u>	Size			
<u>Salem wa</u>	16			Kind of Packer
<u>Biggs lot</u>	13			
Well No. <u>1</u>	10			Size of
District <u>clay</u> County <u>Rit</u>	8 1/4			
Drilling commenced	6 5/8			Depth set
Drilling completed	5 3/16			
Date shot	3			Perf. top
Initial Open Flow	2			Perf. bottom
Open Flow after tubing	Liners Used			Perf. top
Volume				Perf. bottom
Rock Pressure	CASING CEMENTED	SIZE	No. FT.	Date
Oil	COAL WAS ENCOUNTERED AT	FEET	INCHES	
Fresh water	FEET	INCHES	FEET	INCHES
Salt water	FEET	INCHES	FEET	INCHES

Drillers' Names John Tomney

Well Abandoned and Plugged, 19

REMARKS: completing fill -

4/5/37  
DATE

D. H. ...  
DISTRICT WELL INSPECTOR





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

*Bureau*

INSPECTOR'S WELL REPORT

Permit No. *RT 238P*

Oil or Gas Well.....  
(KIND)

Company *Pike Oil Co.*  
 Address *Clarksburg*  
 Farm *Riggs*  
 Well No. *1*  
 District *clay* County *Put.*  
 Drilling commenced.....  
 Drilling completed..... Total Depth.....  
 Date shot..... Depth of shot.....  
 Initial Open Flow...../10ths Water in..... Inch  
 Open Flow after tubing...../10ths Merc. in..... Inch  
 Volume..... Cu. Ft.  
 Rock Pressure..... lbs..... hrs.  
 Oil..... bbls., 1st 24 hrs.  
 Fresh water..... feet..... feet  
 Salt water..... feet..... feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer.....
16.....			Size of.....
13.....			Depth set.....
10.....	<i>Dust out</i>		Perf. top.....
8 1/4.....	<i>out</i>		Perf. bottom.....
6 5/8.....	<i>15 1/8</i>		Perf. top.....
5 3/16.....			Perf. bottom.....
3.....			
2.....			
Liners Used.....			

CASING CEMENTED..... SIZE..... No. FT..... Date.....  
 COAL WAS ENCOUNTERED AT..... FEET..... INCHES.....  
 FEET..... INCHES..... FEET..... INCHES.....  
 FEET..... INCHES..... FEET..... INCHES.....

Drillers' Names *John Jomey*

Well Abandoned and Plugged....., 19.....

REMARKS: *Plugged to bottom of 6" engine broken down*

*2/17/37.*  
DATE

DISTRICT WELL INSPECTOR





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. Rit 238 P

Plug

Oil or Gas Well oil  
(KIND)

		Casing and Tubing	Used in Drilling	Left in Well	Packers
Company <u>Pike Oil Co.</u>		Size			
Address <u>Clarksburg W.Va</u>		16			Kind of Packer
Farm <u>M.S. Riggs</u>		13			
Well No. <u>1</u>		10			Size of
District <u>clay</u> County <u>Ritchie</u>		8 1/4			
Drilling commenced		6 5/8		<u>1515'</u>	Depth set
Drilling completed		5 3/16			
Total Depth <u>1816</u>		3			Perf. top
Date shot		2			Perf. bottom
Depth of shot					
Initial Open Flow		Liners Used			Perf. top
/10ths Water in					Perf. bottom
Inch					
Open Flow after tubing					
/10ths Merc. in					
Inch					
Volume		CASING CEMENTED <u>no</u>		SIZE	No. FT. Date
Cu. Ft.					
Rock Pressure					
lbs. hrs.					
Oil		COAL WAS ENCOUNTERED AT <u>700</u>		FEET	INCHES
bbls., 1st 24 hrs.					
Fresh water				FEET	INCHES
feet					
feet				FEET	INCHES
Salt water					
feet				FEET	INCHES
feet					

Drillers' Names J. R. Toney

Well Abandoned and Plugged....., 19.....

REMARKS: Have been shut down - now pulling tubing

1-27-37  
DATE

D. Hourney  
DISTRICT WELL INSPECTOR



Rit-208-B

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

*Pike Oil Co.*

NAME OF WELL OPERATOR

COAL OPERATOR OR COAL OWNER

*B 27 R 70 #1 Clarksburg W Va*

COMPLETE ADDRESS

ADDRESS

*Dec 7* 19*36*

COAL OPERATOR OR COAL OWNER

WELL TO BE ABANDONED

*Clay*

District

ADDRESS

*Ritchie*

County

LEASE OR PROPERTY OWNER

Well No. *One*

*Mrs. Lurie Riggs*

Farm

ADDRESS

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 76 day of Dec, 1936, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,


*Pike Oil Co.*

Well Operator.

*J. H. Miller Secy. Treas.*

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)



Rit-238-P

208-B



PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER ARRANGED BY THE DEPARTMENT OF MINES:

SUCH A POOR RECORD WAS FURNISHED FOR THIS WELL THAT IT WILL BE NECESSARY TO FILL THE WELL SOLID.

Total depth 1816'
Fill with red clay from bottom 1816' to 1737' - 20' above the Big Injun Sand.
Wood plug 1737' - 1734'
Cement 1734 - 1724' - Sealing the Big Injun Sand.

Continue to fill with red clay from 1724' to 1520' - 5' below 6-5/8" casing
Wood plug 1520 - 1517'

LIFT 6-5/8" casing to 900'
Fill with red clay from 1517' to 1490' - 20' above the Salt Sand.
Cement 1490' - 1480'

Continue to fill with red clay from 1480' to 915' - 15' below 6-5/8" casing
Wood plug 915' - 912'

LIFT 6-5/8" casing to 140'
Fill with red clay to 890' and
Cement from 890' - 880'

Fill with red clay from 880' to 150' - 10' below
Cement from 150' to 140'

PULL BALANCE OF 6-5/8" casing and

Fill with red clay from 140' to the surface

Erect marker such as is described in Rule 18, 1931 Regulations.

All be done in a workman-like manner.

To the Department of Mines,
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Order in Co. by J. R. Thomey Pres.
Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 11th day

of December, 1936

DEPARTMENT OF MINES
Oil and Gas Division

COPY TO INSPECTOR COURTNEY.

By: .....

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.



AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

COAL OPERATOR OR OWNER: PIKE OIL CO. NAME OF WELL OPERATOR: PIKE OIL CO. ADDRESS: BOX 27 RFD #1 CLARKSBURG WVA. COMPLETE ADDRESS: BOX 27 RFD #1 CLARKSBURG WVA. COAL OPERATOR OR OWNER: June 19 1937. WELL AND LOCATION: Clay District. ADDRESS: Ritchie County. LEASE OR PROPERTY OWNER: Well No. One. ADDRESS: M. S. & ZILLIE RIGGS Farm.

AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA, COUNTY OF HARRISON ss:

J. R. THOMEY and Fred Thomey being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by PIKE OIL CO, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the day of FEBRUARY, 19 37, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Red Clay 1816 to 1737', Wood Plug 1737' to 1734', Cement 1734' to 1724', Red Clay 1724' to 1520', Wood Plug 1520' to 1517', Red Clay 1517' to 1490', Cement 1490' to 1480', Red Clay 1480' to 890', Cement 890' to 880', Red Clay 880' to 150', Cement 150' to 140', Red Clay 140' to Surface

Manner in which coal was plugged: No Coal

Description of monument: Short one foot square in top of conductor Pike Oil Co M. S. Riggs No. 1 1937 March 3, 1937


(THE ABOVE DESCRIPTION MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 5 day of March, 19 37.

And further deponents saith not.

Sworn to and subscribed before me this 21 day of June, 19 37. J. R. Thomey, Fred Thomey, J. O. Ritter Notary Public.

My Commission expires: Dec 2 19 45



rit-238P



WEST VIRGINIA DEPARTMENT OF MINES  
 OFFICE OF THE SUPERVISOR  
 AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF  
 PLUGGING AND FILLING WELLS

NAME OF WELL: \_\_\_\_\_  
 LOCAL OPERATOR OF WELL: \_\_\_\_\_  
 ADDRESS: \_\_\_\_\_  
 CITY AND LOCATION OF WELL: \_\_\_\_\_  
 DATE: June 19 1937  
 DISTRICT: Clay  
 COUNTY: Mingo  
 WELL NO. OR  
 NAME OF WELL: M. B. & LILLIE HIGGS

AFFIDAVIT

STATE OF WEST VIRGINIA  
 COUNTY OF HARRISON

I, \_\_\_\_\_, do hereby certify that the above-named well was plugged and filled in the manner and to the time and manner specified in the foregoing report and that the same was done in accordance with the provisions of the laws of this State relating to the plugging and filling of wells.

Manner in which well was plugged: No. 0221

Red Clay 140' to surface	Red Clay 1480' to 880'	Red Clay 1810' to 1200'	Red Clay 1720' to 1240'
Red Clay 880' to 180'	Red Clay 1480' to 880'	Red Clay 1200' to 1480'	Red Clay 1240' to 1720'
Red Clay 180' to 120'	Cement 280' to 880'	Cement 1200' to 1480'	Cement 1240' to 1720'
Red Clay 140' to surface	Red Clay 1480' to 880'	Red Clay 1200' to 1480'	Red Clay 1240' to 1720'

Description of measurement: \_\_\_\_\_  
 Name of person in charge of conductor: \_\_\_\_\_  
 Date: \_\_\_\_\_

and that the work of plugging and filling was done in accordance with the provisions of the laws of this State relating to the plugging and filling of wells.

Subscribed and sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_, 1937.

My Commission Expires: \_\_\_\_\_