

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL  
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

None  
COAL OPERATOR OR COAL OWNER

W. H. Bickel  
NAME OF WELL OPERATOR

ADDRESS

Route 4, Parkersburg, W. Va.  
COMPLETE ADDRESS

Owner of mineral rights:  
COAL OPERATOR OR COAL OWNER

June 21st., 1934  
PROPOSED LOCATION

Thos. E. Loar, Atty-in-Fact  
ADDRESS

Murphy District

Reedsville, W. Va.  
COAL OPERATOR OR COAL OWNER

Ritchie County

ADDRESS

Well No. One

Martha O. Holt's Hrs. Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

October 31, 1933, made by Thos. E. Loar, Atty-in-Fact, to

W. H. Bickel, and recorded on the 7th. day

of November, 1933, in the office of the County Clerk for said County in

Book 61, page 547

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address.....day.... before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

*W. H. Bickel*  
WELL OPERATOR

Address of Well Operator }

Route 4,  
STREET

Parkersburg,  
CITY OR TOWN

West Virginia  
STATE

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

JUN 25 1934



WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. Rit-219 Well No. One

W. H. Bickel Company of Parkersburg, W. Va.  
on the Martha O. Holt's Hrs. Farm  
containing 307 acres. Location on the South Fork of Hughes River  
in Murphy District, in Ritchie County, West Virginia

The surface of the above tract is owned in fee by Harry Miller  
of Smithville, W. Va. address, and the mineral rights are owned by  
Martha O. Holt's Hrs. of Reedsville, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit  
No. Rit-219 issued by the West Virginia Department of Mines, Oil and Gas Division  
July 25th., 1934.

Elevation of surface at top of well, 790' Spirit Barometric.

The number of feet of the different sized casings used in the well.

16' feet 14" size. Wood conductor.  
223 feet 10" size, csg. 912' feet 8-1/4" sized csg.  
1547 feet 3" tubing size, csg. feet sized csg.  
feet size, csg. feet sized csg.

Anchor packer of 3" X 8-1/4" size, set at 1515-1519  
packer of size, set at

, in casing perforated at feet to feet.  
, in casing perforated at feet to feet.

Coal was encountered at None feet, thick ness inches, and at  
feet; thickness inches; and at feet; thickness inches.

Liners were used as follows: (Give details) None

October 31, 1935

Date.

Approved W. H. Bickel, Owner.

By \_\_\_\_\_ (TITLE)



WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

PRELIMINARY DATA SHEET NO. 1

One

W. H. Bickel

Parkersburg, W. Va.

Martha O. Holt's Trs.

on the South Fork of Hughes River

307

in Marsha

Ritchie

HARRY MILLER

Smithville, W. Va.

Reedsville, W. Va.

Martha O. Holt's Trs.

RI-219

July 28, 1935

730'

14"

16'

3-1/4"

9 1/2"

10"

833

3" tubing

1347

1313-1319

3" X 3-1/4"

Anchor

None

None

October 31, 1935

Rit-219

OIL OR GAS WELL Gas well

W. H. Bickel ..... Company

Parkersburg, W. Va. .... Address

COMPLETION DATA SHEET

No. 2

WELL No. 1

FARM Martha O. Holt's Hrs.

FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Surface				0	64	64		
Red Rock				64	79	15		
Slate				79	89	10		
Sand				89	114	25		
Slate				114	124	10		
Red Rock				124	146	22		
Slate				146	170	24		
Sand				170	219	49		
Slate				219	240	21		223'-10"
Red Rock				240	260	20		
Sand				260	300	40		
Lime				300	320	20		
Slate				320	340	20		
Sand				340	400	60		
Slate				400	430	30		
Red Rock				430	600	170		
Slate				600	630	30		
Red Rock				630	640	10		
Lime				640	650	10		
Black Slate				650	720	70		
Lime and shells				720	725	5		
Little Dunkard Sand		Water	740-750	725	770	45		
Red Rock				770	780	10		
White Slate				780	790	10		
Red Rock				790	795	5		
Slate				795	810	15		
Red Rock				810	825	15		912'-8 1/4"
Slate				825	830	5		
Hard Lime Shell				830	838	8		
Slate				838	840	2		
Grampas Rock				840	852	12		
Black Slate				852	885	33		
Red Rock				885	890	5		
Slate				890	900	10		
Big Dunkard Sand				900	930	30		
Slate				930	940	10		
Lime				940	960	20		
Gas Sand				960	978	18		
Slate				978	1100	122		
Gas Sand				1100	1150	50		
Slate				1150	1180	30		
Sand				1180	1225	45		
Slate				1225	1300	75		
First Salt Sand				1300	1340	40		
Slate				1340	1390	50		
Second Salt Sand				1390	1450	50		

(see reverse side of sheet for completed record)

~~Shot~~  
Well was not shot at ..... feet; well was shot at ..... feet.


Salt  
~~fresh~~ water at 740-750 ..... feet; salt  
fresh water at ..... feet.

producing  
Well was ~~dry~~ hole.

October 31, 1935  
Date

Approved W. H. Bickel  
Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.





FORM G-9

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

None  
COAL OPERATOR OR COAL OWNER

W. H. Bickel  
NAME OF WELL OPERATOR

ADDRESS

R 4, Parkersburg, W. Va.  
COMPLETE ADDRESS

None  
COAL OPERATOR OR COAL OWNER

August 30th, 1938  
WELL TO BE ABANDONED

ADDRESS

Murphy District

Thos. E. Loar, Attorney-in-Fact  
Martha O. Holt's Heirs  
LEASE OR PROPERTY OWNER

Ritchie County

Reedsville, West Virginia  
ADDRESS

Well No. One


Martha O. Holt's Hrs. Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 6th day of September, 1938, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.



Very truly yours,

*W. H. Bickel*  
Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

Copy sent by registered mail to  
Thos. E. Loar, Attorney-in-Fact,  
Reedsville, West Virginia.  
August 30th, 1938.

219-8 RIT-219-P

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER ARRANGED BY DEPARTMENT OF MINES

Total depth	1555'
Pull 2" tubing.	
Fill with red clay	1555' - 1520' - 20' above Third Salt Sand.
Wood Plug	1520' - 1517'
Cement	1517' - 1507' - sealing producing sand.
Red Clay	1507' - 1280'
Wood Plug	1280' - 1277'
Cement	1277' - 1267' - sealing salt sands above.
Red Clay	1267' - 922' - 10' below 8 1/2" Casing.
Wood Plug	922' - 919'
Cement	919' - 914'
Pull 8 1/2" Casing and--	
Fill with clay to	705' - 20' above Little Dunkard.
Cement	705' - 695'
Set a permanent bridge at	233' - 10' below 10" Casing.
1 sack cement on bridge.	
Pull 10" Casing and--	
Fill with clay to surface.	
Erect marker such as is required by Rule 18, 1931 regulations.	
NOTE: CEMENT FOR MAKING CEMENT PLUGS BE MIXED WITH WATER ONLY--APPROXIMATELY FIVE (5) GAL WATER TO ONE (1) SACK CEMENT.	

To the Department of Mines,  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this.....day of....., 193.....

September

8

DEPARTMENT OF MINES<sup>2nd</sup>  
Oil and Gas Division

By: .....

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

None  
COAL OPERATOR OR OWNER

W. H. Bickel  
NAME OF WELL OPERATOR

ADDRESS

R 4, Parkersburg, W. Va.  
COMPLETE ADDRESS

None  
COAL OPERATOR OR OWNER

October 15th, 1941  
WELL AND LOCATION

ADDRESS

Murphy District

Martha O. Holt's Heirs  
LEASE OR PROPERTY OWNER

Ritchie County

Thos. E. Loar, Atty-in-Fact  
Reedsville, West Virginia  
ADDRESS

Well No. One

Martha O. Holt's Heirs Farm

STATE INSPECTOR SUPERVISING PLUGGING.....

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Calhoun } SS:

Denver F. Yost and Willie Little  
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by W. H. Bickel, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 10th day of April, 1941, and that the well was plugged and filled in the following manner:

SAND OR ZONE RECORD	FILLING MATERIAL			PLUGS USED	CASING	
	FORMATION	CONTENT	FROM TO		SIZE & KIND	CSG PULLED
	Red clay	1555'	1520'	<del>8 1/4" - Wood</del>		
	Cement	1517'	1507'			
	Red clay	1507'	1280'	<del>8 1/4" - Wood</del>		
	Cement	1277'	1267'			
	Red clay	1267'	1098'	<del>8 1/4" - Wood</del>		
	Cement	1095'	1085'			
	Red clay	1085'	922'	<del>8 1/4" - Wood</del>		
	Cement	919'	914'			
	Red clay	914'	705'		8 1/4"	
	Cement	705'	695'			
	Stone bridge	245'	232'		10"	
	Cement	232'	224'			
	Red clay	224'	Surface			
COAL SEAMS				DESCRIPTION OF MONUMENT		
(NAME)				?		
(NAME)						
(NAME)						
(NAME)						

and that the work of plugging and filling said well was completed on the 26th day of April, 1941.

And further deponents saith not.

Denver Yost  
Willie Little

Sworn to and subscribed before me this 15th day of October, 1941.

O. O. Haraway  
Notary Public.

My commission expires:  
April 10th, 1946

Permit No. Rit-219-P

