FORM G-1

Lease

### NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL (REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

#### WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS SECTION

Charleston, W. Va.	· Coffee State and y does	Ex.
Agustus & Bruce Weekley	Cabin Run Oil & Gas Co	) .
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR	
Cairo. W.Va.	Cairo. W. Va.	
	June 25.	193 4
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION	
ADDRESS	Grant	District
	Ritchie	County
COAL OPERATOR OR COAL OWNER	Well No. J. I.	
ADDRESS		
GENTLEMEN:	Agustus & Bruce Week	ley Farm
The undersigned well operator is entitled to dri	ill upon the above named farm or tract	of land for
oil and gas, having fee title thereto, (or as the case ma	ay be) under grant or lease datedJune	, I5th
1934 , made	by Agustus & Bruce Weekley	, to
Cabin Run Oil and Gas Co	, and recorded on the	22 day
of June 1934		
是一种的。 第一种是一种的一种,是一种的一种的一种。		•
Book 62 , page 323  The enclosed plat was prepared by a competent to be drilled for oil and gas by the undersigned well of and County above named, determined by survey and cland marks.	perator on the farm and in the Magister	ial District
The undersigned well operator is informed and of coal beneath said farm or tract of land on which sa aries of the same, who have mapped their workings are coal operators or coal owners (if any) above named as	aid well is located, or within 500 feet of and filed their maps as required by law, ex	the bound-
The above named coal operators or coal owners desire to make to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the Depa a copy of this notice and accompanying plat by said that forms for use in making such objections will be fur on request and that all such objections must set forth or grounds on which such objections are based and incompanying between the such objections are based and incompanying plat by said that forms for use in making such objections must set forth or grounds on which such objections are based and incompanying plat by said that forms for use in making such objections must set forth or grounds on which such objections are based and incompanying plat by said that forms for use in making such objections must set forth or grounds on which such objections are based and incompanying plat by said that forms for use in making such objections must set forth or grounds on which such objections are based and incompanying plat by said that forms for use in making such objections must set forth or grounds on which such objections are based and incompanying plat by said that forms for use in making such objections must set forth or grounds on which such objections are based and incompanying plat by said that forms for use in making such objections must set forth or grounds on which such objections are based and incompanying plat by said that forms for use in making such objections must set forth or grounds on which such objections are based and incompanying plat by said that for the said that	ey are required to make by Section 3 of a cause a dangerous condition in or about thei artment of Mines within ten* days from the Department. Said coal operators are furt mished to them by the Department of Mines as definitely as is reasonably possible	said Act, if r respective e receipt of her notified es promptly the ground
(The next paragraph is to be completed only in Copies of this notice and the enclosed plat were		to the above
named coal operators or coal owners at their above or on the same day with the mailing or delivery of ton, West Virginia.	e shown respective addressda; this copy to the Department of Mines	y before, at Charles-
Very tru	uly yours,	
	Cabin Run oil an	l yes 60
$\left. egin{array}{c} \operatorname{Address} \\ \operatorname{of} \\ \operatorname{Well Operator} \end{array}  ight\}$	By B. R. everly	Snanager
	CITY OR TOWN	
	West wa	

\*Section 3..... If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location. JUN 27 1934

STATE

221

#### WEST VIRGINIA DEPARTMENT OF MINES

#### OIL AND GAS DIVISION

#### PRELIMINARY DATA SHEET No. 1

File No		ı		We	ll NoOne
Cabin Run Oil	å Gas a Corpor	ation Company,	of Cairo	West Va. I	Route No.1
111000 ha			An matria &	Panas Wasta	
containing 105	acres. Lo	ocation On wa	ters of Cab	in run,	
Gran	t	District, in	Ritchie	Cou	nty, West Virginia
The surface of th	ne above tract is owned in	fee by Augus	tus & Bruce	Weekly	
	a. Route No.1				
Augustus &	Bruce Weekly,	of		va. Koule No	λ•
The oil and gas	privileges are held under	lease by the abov	e named company,	and this well is dr	illed under permit
No. 221		issued by the We	est Virginia Depar	tment of Mines, Oil	and Gas Division
July 7			1934		
0	ace at top of well,8	68 G			Spirit
Elevation of surf	ace at top of well,4	7. g q v	••••••		Barometric.
	the different sized casing				
Woo	d conductor 10	feet	13inches	size.	Wood conductor.
237	feet <u>1</u> _0 <sup>11</sup>	size, csg	1000	feet8"	sized csg.
	feet 6-5/8 <sup>11</sup>				
	feet				
	pac	ker of	si	ze, set at	
·····	pac	ker of	si	ze, set at	•••••
	, in casing perfo	rated at		feet to	feet.
	, in casing perfo	rated at		feet to	feet.
Coal was ancountered	at none	feet: thickness		inches, and at	
	inches; and a				
Liners were used	as follows: (Give details)	none.			
•		•••••		•••••	
	\\				
OPT 16 th	1934				
00,10		Date.			
		Approved Co.	abino Breen	Cil & Sa lefely,	S. Co., Owner.
		ByQu	quetus W	ceply	Pres
				(TITLE)	

a Corporation

Cabin Run Oil & Gas / Company

Cairo, W. Va Route No. 1 Address

Well No. One RIT-ZZ/

# No. 2 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Remarks
Big Dunkard	White	hard	none	923	945	22		
Gas sand	white	soft	none	1150	1180	30		
lst Salt	white	soft	none	1245	1298	53		.51
2nd salt	White	soft	none	1365	1398	33	372	-6/8"
3rd salt	white	soft	none	1510	1550	40		
Maxon sand	white	hard	show of oil 1623	1612	1642	30		
Big Lime	gray	hard	none	1650	1732	82		
Keener	white	hard	none	1732	1760	28		
Injun	white	hard	none	1760	1792	32		
Squaw	white	hard	oil	1805	18571		1857	oil pay 1834 to 1850
		<i>t</i>						
			1					
3								
0								
						•		
•								

Well was shot at 1834 to 1848	feet; well was shot at	feet.
Salt Fresh water at none	salt none	feet.
Well was 6-5/8" hole.		
6 Ct. 16 th 1934 Date	Approved Calino Run Oil & San Owner	Compan

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS DIVISION

#### INSPECTOR'S WELL REPOR

DATE

DISTRICT WELL INSPECTOR

Permit No.			(19/0jl o	Gas Well
Company EL Burge.	Casing and Tubing	Used in Drilling	Left in Well	Packers
Address Carkersbring Wive. Farm 9 + B Weekley.	Size 16	X		Kind of Packer
Well No. 2 (or #/on 105a)	10			Size of
Drilling commenced.	65%			Depth set
Drilling completedTotal Depth	/			Perf. top
Date shot	Liners Used			Perf. top
Open Flow after tubing/10ths Merc. inInch				Perf. bottom
Volume	CASING CEME	ENTED	SIZE	No. FTDate
Oil bbls, 1st 24 hrs.				FEET INCHES
Fresh water feet feet	FE	ETIN	CHES	FEETINCHES
Drillers' Names E C feet	+ 7.f	^		tractive by da
		***************************************		
Well Abandoned and Plugged, 19,		1000		
Ahove not received wo	of ful	ling 7	tufri after	actum home,
ang 18 1938	0	Di	Hours	Luy 1

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

# OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No/Ret 2217. Letter of fau	30 193	9.		Gas Well
Company Burge Drg ls.	Casing and Tubing	Used in Drilling	Left in Well	Packers
Address Parkersburg dova	Size			
Farm A+B Wukley				Kind of Packer
Well No.				Size of
District Grant County Relieber	81/4			
Drilling commenced				Depth set
Drilling completedTotal Depth				Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial Open Flow/10ths Water inInch	Liners Used			Perf. top
Open Flow after tubing/10ths Merc. inInch		1		Peri, bottom
VolumeCu. Ft.	CASING CEMI	ENTED	SIZE	No. FTDate
Rock Pressure lbs. hrs.	······			
Oilbbls., 1st 24 hrs.	COAL WAS E	NCOUNTERE	D AT	FEETINCHES
Fresh water feet feet	FE	ETIN	CHES	FEETINCHES
Salt water feet feet	, ,			
Drillers' Names Mr Burge Clarus	s that d	Deen de	iel no	t give him
affectavet and me pe	en ser	yo that	the o	lich. However
Well Abandoned and Plugged, 19, 19	ar seem	to ma	Kean	other one
REMARKS: and send it du	vert to	us.		
Feb 7 1939		Do	Low	Lucy
DATE				DISTRICT WELL INSPECTOR

#### ANTONIV TALL NO TEATS

#### DEPARTMENT OF MINES

MO SAVID SAVIDA LIIO

#### NEPECTORS WELL REPORT

		Portal Na. 2
	The County of the County	en de la companie de La companie de la companie de
The second secon		
	10ths Water in Inch	
	10ths Merc. inInch	
NOUNTERED AT FEET	.suf 45 let	10
ET	deol	
	dollar della d	
	Yethe	
		PENNAMEN STATES

#### STATE OF WEST VIRGINIA

## DEPARTMENT OF MINES

OIL AND GAS DIVISION

#### NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

TO THE DEPARTMENT OF MINES,

Charleston, W. Va.		
	E. L. Burge	The P
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPE	ERATOR
COAL OF ENAIGH ON COAL OWNER	P. O. Box 3302	C. Linds
· Translation (Sec. 2017)	Parkersburg, West	Virginia
ADDRESS		
100 20 - 201	August 17,	19.38.
COAL OPERATOR OR COAL OWNER	WELL TO BE ABAN	NDONED
COAL OPERATOR ON COAL OWNER		
*0.41 = 1.6	Grant	District
ADDRESS		
The state of the second of the	Ritchie	County
LEASE OR PROPERTY OWNER	Well No. 2 (or No. 1 on t	he 105-acre Trac
ADDRESS	Augustus & Bruce W	leekleyFarm
Gentlemen:—		
	Control Street and Tenning Car	
The undersigned well operator is about to abar	ndon the above described well and	l will commence the
. market the said along the said of the		
work of plugging and abandoning said well on the	e 22d day of August	10 38
(which date shall not be less than five days after the		
due course should be received by the Department of		od is received, or in
This notice is given you in order that your response	ective representatives may be pres	ent at the plugging
and filling of said well. You are further notified the	nat whether you are represented or	not represented the
undersigned will proceed on that date, or shortly		
required by Section 10, Article 4, Chapter 22 of the	e Code and given in detail on the	reverse side of this
notice, in "Work Order."	one fire bounded him air neurom	
This notice is being mailed by registered mail to		
	TI MIN	s on the above date.
Very	truly yours,	

B. I. Burg

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

#### PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

#### WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER ARRANGED BY THE DEPARTMENT OF MINES

Total Depth 1857\*

Fill with red clay from bottom 1857 - 1785' - 20' above the Squaw Sand

1785 - 1782\* Wood plug

Cement 1782 - 1772\* - sealing stratum in which

oil pay was found.

Continue to fill with red clay to 1592\* - 20\* above oil in Maxon Sand.

1592 - 1589\* Wood plug Cement ASA BE OT JUNE 1589 - 1584\*

1584 - 1382\* - 10\* below 6-5/8" casing. Red Clay

Wood plug 1382 - 1379\* 1379 - 1374\* Cement

PULL 6-5/8" CASING AS THE BALANCE OF THE HOLE IS FILLED AND PLUGGED.

1000' - casing seat of 8-1/4" casing Continue to fill with clay to Cement 1000 - 990\*

990 - 923' - top of Big Dunkard Sand Red Clay

237' - casing seat of 10" casing SET A PERMANENT BRIDGE AT

1 sack of cement on bridge and Fill with red clay from 237- to surface

Erect marker such as is described in Rule 18, 1931 Regulations.

NOTE: ALL CEMENT PLUGS SHALL IN MADE OF WATER AND CEMENT ONLY. APPROXIMATELY 5 GAL WATER TO 1 SACK CEMENT.

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

#### Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above the coal owner or coal operator. ging and filling of the well above mentioned. Therefore, the same is hereby approved this..........day

of....., 193g....

DEPARTMENT OF MINES Oil and Gas Division

COPY TO INSPECTOR COURTNEY.

By:....

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

# AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL (Required by Section 9, Article 4, Chapter 22 of the Code)

#### WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

COAL OPERATOR OR OWNER	F. Doom,
	Harrisville, W. Va.
ADDRESS	COMPLETE ADDRESS
COAL OPERATOR OR OWNER	well and location
ADDRESS	Grant District
	Ritchie
LEASE OR PROPERTY OWNER	
ADDRESS	Well No. 2 (or No.1 on the 105 acre Tract)
	Augustus & Bruce Weekley Farm
	TERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL HAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.
AFFI	DAVIT
STATE OF WEST VIRGINIA,	
County of Ritchie ss:	
Edd Scott	and John Wince
	say that they are experienced in the work of plugging
and filling oil and gas wells and were employed by.	F. S. Deem , well operator,
and participated in the work of plugging and filling	the above well, that said work was commenced on the
18 day of August, 1	19.38, and that the well was plugged and filled in
the following manner: Pulled 2" Tubing	g 1857', filled with clay from 1857 to
178 Manner in which sand was plugged: comer	wood plug from 1780 to 1777 and ated from 1777 to 1767 then filled
with alow to 15851. Head wood p	lug from 1585 to 1582 Cemented from
1582 to 1577'. Filled with red	clay from 1577 to 1390'. Used wood plug 1387 to 1382'. Pulled 6 5/8" Pipe and
filled with clay from 1382 to 10	2005' and cemented from 1005 to 995'.
Then filled with clay from 995 clay from 530 to 235 Used two	to 910'. Bridged at 530'. Filled with sacks cement and filled with clay to
surface.  Manner in which coal was plugged:	
1 00	
	· · · · · · · · · · · · · · · · · · ·
Description of monument:	- /- 10
casing filled with ce ment.	nument 30" above surface, using 6 5/8"
casing lilled with co ment.	
(THE ABOVE DESCRIPTION MUST BE IN DETAIL AND IN ACCORDANCE WI	TH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)
and that the work of plugging and filling said well	was completed on the 25 day of August,
19. 38	
And further deponents saith not.	600 Mar XX
STAGE OF THE STATE	Eggl of care
E WE WILL SO	John Wince
Sworn to and subscribed before me this. 7	6 day of Sept 1938
Substitute beter int ins	Chiling the
My Commission expires:	Notary Public.
(my 6. 194)	
	· 21 221-P
	Tit-221-1

AFFIDAVIT IN TRIPLACETE TO MUST PERMITTED THE COMMENT OF THE PROPERTY OF THE P Printer! viana") the Long to 1 9 of Hell orterage that a service and successful the service of beautique energies allowant full lie will be a large that the service of the full that the service of consensed troubles to the to liver:

in a sea clay liver leve to low:

in a sea clay liver levy to low:

to low liver low to low:

to low liver low to low t l deb oleg from 998 00 vio'. krieged at 830'. raliod e 350 to 985'. Used the shoke cament wid filled with clay thance in vehicle coal was plugged: : The broken to multiple toket!

## AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF RIF 221 P

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

#### WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION WELL OPERATOR COAL OPERATOR OR OWNER Harrisville, W. Va. ADDRESS COMPLETE ADDRESS COAL OPERATOR OR OWNER WELL AND LOCATION Grant District Ritchie ......County LEASE OR PROPERTY OWNER Well No... 2 (or No.1 on the 105 acre Tract) Augustus & Bruce Weekley Farm FFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABO **AFFIDAVIT** STATE OF WEST VIRGINIA, SS: COUNTY OF Ritchie and John Wince Edd Scott being first duly sworn according to law depose and say that they are experienced in the work of plugging 18...day of ......August ....., 19.38., and that the well was plugged and filled in the following manner: Pulled 2" Tubing 1857', filled with clay from 1857 to 17801 Manner in which sand was plugged: Used wood plug from 1780 to 1777' and cemented from 1777 to 1767' then filled with clay to 1585'. Used wood plug from 1585 to 1582'. Cemented from 1582 to 1577'. Filled with red clay from 1577 to 1390'. Used wood plug 1390 to 1387' and cemented from 1387 to 1382'. Pulled 6 5/8" Pipe and filled with clay from 1382 to 1005' and cemented from 1005 to 995'. Then filled with clay from 995 to 910'. Bridged at 530'. Filled with clay from 530 to 235'. Used two sacks cement and filled with clay to surface. Manner in which coal was plugged: Erected monument 30" above surface, any 6% Description of monument: (THE ABOVE DESCRIPTION MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE) and that the work of plugging and filling said well was completed on the ... 25 .....day of ... August ....... 19 38. And further deponents saith not. Sworn to and subscribed before me this..... Notary Public. My Commission expires;

lit-221-P