NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL (REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS SECTION

Charleston, W. Va.	+70-	
No voal operators	Wilcox Oil & Gas Com	
ADDRESS	St. Marys, W. Va.	
No coal operators	July 7.	193.4
COAL OPERATOR OR COAL OWNER	PROPOSED LOCA	TION
ADDRESS	Clay	District
No coal operators	Ritchie	County
6. W. WILLOX Blue, NADORESS C.	Well No	
Tike, Moderato C.	C. W. Wilcox	Farm
Gentlemen: The undersigned well operator is entitled to dril	ll upon the above named farm or tr	act of land for
oil and gas, having fee title thereto, (or as the case mag	y be) under grant or lease dated	
June 9, 1934 , made 1	by C. W. Wilcox	, to
S. E. Mackey, et als	, and recorded on th	ne 7.** day
of July 1934	, in the office of the County Clerk for	said County in Lease
Book #62 , page 344		
The enclosed plat was prepared by a competent to be drilled for oil and gas by the undersigned well op and County above named, determined by survey and co- land marks.	erator on the farm and in the Mag	isterial District
The undersigned well operator is informed and of coal beneath said farm or tract of land on which sa aries of the same, who have mapped their workings an	id well is located, or within 500 feet d filed their maps as required by law	t of the bound-
coal operators or coal owners (if any) above named as The above named coal operators or coal owners desire to make to such proposed location, or which the	(if any) are notified that any object y are required to make by Section 3	of said Act, if
the drilling of a well at said proposed location will ca coal mines, must be received by, or filed with the Depa a copy of this notice and accompanying plat by said D	rtment of Mines within ten* days from	m the receipt of
that forms for use in making such objections will be furn on request and that all such objections must set forth or grounds on which such objections are based and indi- should be moved to overcome same.	nished to them by the Department of I as definitely as is reasonably possi	Mines promptly ble the ground
(The next paragraph is to be completed only in	Department's copy.)	
Copies of this notice and the enclosed plat were	e mailed by registered mail, or deliver	red to the above
named coal operators or coal owners at their above		
or on the same day with the mailing or delivery of ton. West Virginia.	this copy to the Department of Mil	nes at Charles-

Very truly	Wilcox Oil & Gas Company
	Wilcox Oil & Gas Company
Address of Well Operator	· · WELL OPERAȚOR
	% R. L. Griffin,
	STREET
	St. Marys,
	CITY OR TOWN

West Virginia.

*Section 3.... If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

JUL 1 0 1934

WEST VIKGINIA DEPARTMENT OF MINES

Mo weal operators

No coal operators

aroderego Laco oM

Ditobie

J. OH HOW

C. W. Wilcox

Wilcox Oil & Gas Company

St. Warre, W. Va.

June 9, 1934

made by C. W. Wilcox

8. H. Mackey, et als

July 1934

The Theoreted on the T ... day

Joly 7, 1934

ver with rough wheam Oil Buch Company

Wilcox Oil & Cus Company

R. L. Criffin,

St. Marys, ayres

West Tirginia.

No second sheet

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No.				Well	No
Wilcox Oil & Gas	Company	of St	. Marys,	West V	irginia.
	on the	C.	W. Wile	ox	Farm
containing 2 acres.	Location Pike,				
	District, in				
The surface of the above tract is owned					
of Pike, West Virginia					
C. W. Wilcox					
The oil and gas privileges are held un					
No. Rit-224 July 23,	issued by the West				
Elevation of surface at top of well,—	785				Barometric.
The number of feet of the different sized ca		7.	~44		
	feet			J.10/	Wood conductor.
	size, csg	1900	feet 6	5/80"	sized csg.
1500 feet 5-3/16	size, csg.		feet		sized csg.
feet	size, csg.		feet		sized csg.
	packer of	•	size, set	at	
	packer of		size, set	at	
, in casing p	perforated at		feet to)	feet.
, in casing p	perforated at		feet to)	feet.
Coal was encountered at No coal	feet, thickness	1000	inches,	and at	
feet; thickness No coal inche	s; and at	feet	; thickness		inches.
Liners were used as follows: (Give d	letails) No	liners			
Plat on file in you	ar office.				
August 11, 1934.					
	Date.	Wilcox (oil & Gas	Compa	nv
	Approved	PI	9.	1 1	ny Owner.

WEST VIRCHNIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

	Prie Xa
or St. Latte, Neet Ministria.	varience and a line Rootily
more constitution of	on no
	containing 12 arrest Location Piles.
Tilchie County, West Virginia	CO My Contracts in
	The surface of the above tract is owned in fee by
address; and the unineral rights are owned by:	of Pike. West Virginia
Pice, West Virginia	
ove named company, and this well is drined under permit.	
n Virginia Department of Mines, Oil and Gas Davision	
and Plat on file in your office.	July 23, spine
	Elevation of surface at top of well, The
contribution book forth	CHARLE TO THE PARTY OF THE PART
The first the second se	The second secon
feet sized oag	1500 icel 5-3/16 sice, esg
	ends.
	In casing perforated at
	Coal was encountered at 10 0001
	fent; inclined
Provide Provide	Livers were used as follower (Give details).
	Plet on file in your office.
	teel that was
Wilcox Oil a Cas Company . Owner.	
Towns Comment of the	
emin .	

8/13/34

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

To the Department of Mines, Charleston, W. Va.	t walo ditty hiles little
No coal operators	Wiccox Oil & Gas Company
COAL OPERATOR OR COAL OWNER	S t. Marys, West Virginia.
ADDRESS AND OF ONLY MOY	August 11, 19 34
No coal operators	WELL TO BE ABANDONED
index fill with clay end a monumer	Clay District
ADDRESS	Ritchie County
NO CHAINIENT OVER	Well No. One
Pike, West Virginia.	C. W. Wilcox Farm
Gentlemen:—	
The undersigned well operator is about to aband	on the above described well and will commence the
work of plugging and abandoning said well on the (which date shall not be less than five days after the due course should be received by the Department of	day on which this notice so mailed is received, or in
This notice is given you in order that your resp and filling of said well. You are further notified that	ective representatives may be present at the plugging whether you are represented or not represented the
undersigned will proceed on that date, or shortly the required by Section 10, Article 4, Chapter 22 of th notice, in "Work Order."	the state of the state of the state of
	each of you at the above addresses on the above date.
Very	truly yours,
VILCON CID. & PAS. COLPANY.	WILCOX OIL & GAS COMPANY.
Well Operator.	Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

ried,0871

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Hole to be filled with clay from bottom at 1875 to 1780, being 20 feet above the top of the Injun Sand. Here a wooden plug will be driven with concrete plug on top of same.

Fill solid with clay from 1780 to 1470, being 20 feet above third streak of Salt Sand. Here a wooden plug will be driven with concrete on same.

Fill solid with clay from 1470 to 1180, being 20 feet above first streak of salt sand. Here wooden plug will be driven, with concrete on same.

Fill solid with clay from 1180 to 275 feet, being approximately 101 feet below the large string of casing. Here a wooden plug will be driven with concrete on same.

From 275 feet to top of hole, fill with clay and a monument of concrete 6" square by 18" long will be set.

Janua in the off off of the the total and the third to show

To the Department of Mines, Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-currence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours, No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this.....day of....., 193...... DEPARTMENT OF MINES
Oil and Gas Division

Bv:	

Pille. West Tirrinia

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.