

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

W.L. BENNETT
Claud Cottrill
Fred Diddle

None

COAL OPERATOR OR COAL OWNER

NAME OF WELL OPERATOR

ADDRESS

Bristol R2 W.Va

COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

July 5th 1934

PROPOSED LOCATION

ADDRESS

Clay

District

COAL OPERATOR OR COAL OWNER

Ritchie

County

ADDRESS

Well No. 2

M.S. and Lillie Riggs Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

....., made by M. S. Riggs and Lillie Riggs, to

Fred Diddle, Claude Cottrill and K. Paul Davis....., and recorded on the.....day

of May, 1934....., in the office of the County Clerk for said County in

Book....., page.....

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address.....day.... before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Claude C. Cottrill
WELL OPERATOR

Address of Well Operator }

Bristol, West Virginia, R. D. #2
STREET

CITY OR TOWN

STATE


*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

B

INSPECTOR'S WELL REPORT

Permit No. Rit 227 P



Oil or Gas Well
(KIND)

Company Pine Valley Prod. Co
 Address West Union W. Va.
 Farm M.S. Riggs
 Well No. 2
 District Clay County Rit
 Drilling commenced.....
 Drilling completed..... Total Depth.....
 Date shot..... Depth of shot.....
 Initial Open Flow...../10ths Water in..... Inch
 Open Flow after tubing...../10ths Merc. in..... Inch
 Volume.....Cu. Ft.
 Rock Pressure..... lbs..... hrs.
 Oil..... bbls., 1st 24 hrs.
 Fresh water..... feet..... feet
 Salt water..... feet..... feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16.....			Kind of Packer.....
13.....			
10.....			Size of.....
8 1/4.....			
6 5/8.....			Depth set.....
5 3/16.....			
3.....			Perf. top.....
2.....			Perf. bottom.....
Liners Used.....			Perf. top.....
			Perf. bottom.....

CASING CEMENTED..... SIZE..... No. FT..... Date.....
 COAL WAS ENCOUNTERED AT..... FEET..... INCHES
 FEET..... INCHES..... FEET..... INCHES
 FEET..... INCHES..... FEET..... INCHES

Drillers' Names

Well Abandoned and Plugged....., 19.....

REMARKS: Nothing done

Sept. 25, 1939
DATE

D. G. Hourney
DISTRICT WELL INSPECTOR

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 INSPECTOR'S WELL REPORT

Name of Well: _____

County: _____

Address: _____

Name of Operator: _____

Well No.: _____

District: _____

Drilling completed: _____

Casing completed: _____

This shot _____

Water level _____

Flow _____

Casing _____

Well Pressure _____

Oil _____

Fresh water _____

Salt water _____

Remarks: _____

Well abandoned and plugged _____

Remarks: _____

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION



INSPECTOR'S WELL REPORT

Permit No.

Oil or Gas Well Plug
(KIND)

Company <u>Pine Valley Products Co., Inc.</u> Address <u>West Union W.Va</u> Farm <u>M. S. Riggs</u> Well No. <u>2</u> District <u>Clay</u> County <u>Ritchie</u> Drilling commenced..... Drilling completed..... Total Depth..... Date shot..... Depth of shot..... Initial Open Flow...../10ths Water in..... Inch Open Flow after tubing...../10ths Merc. in..... Inch Volume.....Cu. Ft. Rock Pressure..... lbs..... hrs. Oil.....bbls., 1st 24 hrs. Fresh water..... feet..... feet Salt water..... feet..... feet	Casing and Tubing Size 16..... 13..... 10..... 8 1/4..... 6 5/8..... 5 3/16..... 3..... 2..... Liners Used.....	Used in Drilling 	Left in Well 	Packers Kind of Packer..... Size of..... Depth set..... Perf. top..... Perf. bottom..... Perf. top..... Perf. bottom.....
---	--	---	---	--

CASING CEMENTED..... SIZE..... No. FT..... Date

COAL WAS ENCOUNTERED AT..... FEET..... INCHES

..... FEET..... INCHES..... FEET..... INCHES

..... FEET..... INCHES..... FEET..... INCHES

Drillers' Names C. O. Travis. C. F. Cox

Well Abandoned and Plugged....., 19.....

REMARKS: Plugged to 1587'

July 31. 1942.

DATE

L W Young
DISTRICT WELL INSPECTOR

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION



INSPECTOR'S WELL REPORT

Permit No. RIT-227-P

Oil or Gas Well Plug
(KIND)

Company	Casing and Tubing	Used in Drilling	Left in Well	Packers
<u>Pine Valley Products Co. Inc.</u>	Size			Kind of Packer
<u>West Union W.Va.</u>	16			
<u>Moses Riggs</u>	13			
<u>2</u>	10			Size of
<u>Clay</u> County <u>Ritchie</u>	8 1/4			
Drilling commenced	6 5/8			Depth set
Drilling completed	5 3/16			
Date shot	3			Perf. top
Initial Open Flow	2			Perf. bottom
Open Flow after tubing	Liners Used			Perf. top
Volume				Perf. bottom
Rock Pressure	CASING CEMENTED	SIZE	No. FT.	Date
Oil	COAL WAS ENCOUNTERED AT	FEEET	INCHES	
Fresh water		FEEET	INCHES	FEEET INCHES
Salt water		FEEET	INCHES	FEEET INCHES

Drillers' Names C. O. Travis. C. F. Cox.

Well Abandoned and Plugged....., 19.....

REMARKS: Plugged to 920' and pulling balance of 6-5/8 casing

Aug. 6. 1942.
DATE

L W Young
DISTRICT WELL INSPECTOR

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

M.S. Riggs

COAL OPERATOR OR COAL OWNER

Pike, W.Va.

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

M.S. Riggs

LEASE OR PROPERTY OWNER

Pike, W.Va.

ADDRESS

Pine Valley Products Co. Inc.

NAME OF WELL OPERATOR

West Union, W.Va.

COMPLETE ADDRESS

August 23 1939

19

WELL TO BE ABANDONED

Clay

District

Ritchie

County

Well No.

2

Moses Riggs

Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the

work of plugging and abandoning said well on the ~~29th~~ ^{4th} day of ~~August~~ ^{September} 1939, 19.....
(which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.


Very truly yours,

Pine Valley Products Co. Inc.

Well Operator

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)



rit-227-B

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Fill with mud and sand to 1600 ft and set wood plug and fill to top with mud and sand, (No Coal) One string of casing in hole.

WORK ORDER ARRANGED BY THE DEPARTMENT OF MINES:

Total Depth 1834'
one string of casing (1569' - 6-5/8")

Fill with red clay from bottom 1837' - 1600' - 30' below 6-5/8" casing
Wood Plug 1600' - 1597'
Cement 1597' - 1587' - Sealing hole completely below 6-5/8" casing.

Pull casing as balance of hole is filled and plugged.

Continue to fill with non-porous material from 1587' - 1115' - 20' above Salt Sands.
Cement 1115' - 1105' - Sealing Salt Sands above.
Fill with red clay 1105' - 925' - top of Dunkard Sand.
Cement 925' - 920' - Sealing hole completely.

Set a permanent bridge at 300'
1 sack cement on bridge.

Fill with red clay or other non-porous material from 300' - to surface.

Erect marker such as is required by Rule 18, 1931 regulations.

NOTE: CEMENT FOR MAKING CEMENT PLUGS BE MIXED WITH WATER ONLY--APPROXIMATELY FIVE GAL WATER TO ONE SACK CEMENT.

To the Department of Mines,
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Pine Valley Products Co., Inc.

[Signature] Well Operator

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 30th day

of August, 1939

DEPARTMENT OF MINES
Oil and Gas Division

By: _____

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.