

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)
WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

TO THE DEPARTMENT OF MINES,
Charleston, W. Va.

William Herron
COAL OPERATOR OR COAL OWNER

Geo. Barker
NAME OF WELL OPERATOR

Fairmont, W. Va.
ADDRESS

Harrisville, W. Va.
COMPLETE ADDRESS

John Freeman
COAL OPERATOR OR COAL OWNER

Cairo, W. Va.
ADDRESS

193
PROPOSED LOCATION

Shant District

Pitchee County

Well No. *One*

Herron & Freeman Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

Feb. 19 1934, made by *William & Ada Herron*
John & Catherine Freeman, to

C. E. Braden, et al (Geo. Barker), and recorded on the *9th* day

of *March 1934*, in the office of the County Clerk for said County in

Book *62*, page *51*

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address.....day before, on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

George C. Barker
WELL OPERATOR

Address of Well Operator }

Box 252
STREET

Harrisville
CITY OR TOWN

West Virginia
STATE

*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

RIT-239 Closed-
8/10/34
KJG:K 2-27-35

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET No. 1

File No. 239

Well No. ONE

George C. Barker, et al Company, of Harrisville, W. Va.

on the Herron and Freeman Farm

containing 19 1/2 acres. Location Grant

District, in RITCHIE County, West Virginia

surface of Roy. William & Ada Herron

The surface of the above tract is owned in fee by Fairmont, W. Va.

1/2 royalty John & Catherine Freeman

of Cairo, W. Va. address, and the mineral rights are owned by

George C. Barker et al of Harrisville, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. Rit-239 issued by the West Virginia Department of Mines, Oil and Gas Division

August 22, 1934 193

Elevation of surface at top of well, 1045.0 Spirit Barometric.

The number of feet of the different sized casings used in the well.

feet size. Wood conductor.

155 feet 10" size, csg. sized csg.

965 feet 8" size, csg. sized csg.

1792 feet 6" size, csg. sized csg.

packer of size, set at

packer of size, set at

, in casing perforated at feet to feet.

, in casing perforated at feet to feet.

Coal was encountered at NONE feet; thickness inches, and at

feet; thickness inches; and at feet; thickness inches.

Liners were used as follows: (Give details)

November 2nd, 1934 Date.

Approved G. C. Barker, Owner.

By (TITLE)

11/3/34

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

Well No. 011 File No.

George C. Barker et al Company of Harrisonville, W. Va.

on the Horton and Freeman

Location Acres Location Acres

District in RICHMOND

County, West Virginia Harrisonville, W. Va.

The surface of the above tract is owned in fee by

of Harrisonville, W. Va. and the mineral rights are owned by

George C. Barker et al of Harrisonville, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. 111-283 issued by the West Virginia Department of Mines, Oil and Gas Division

August 22, 1924

Elevation of surface at top of well 1041.0

The number of feet of the different sized casings used in the well.

Wood conductor size feet

10" size cap. feet

8" size cap. feet

6" size cap. feet

packer of size set at

packer of size set at

in casing perforated at feet to

in casing perforated at feet to

Goal was encountered at NONE feet; thickness

feet; thickness and at feet; thickness

liners were used as follows: (Give details)

November 2nd, 1924

Approved By

Owner

George C. Barker

(over)

George C. Barker, et al Company

Harrisville, W. Va. Address

COMPLETION DATA SHEET

No. 2

FORMATION RECORD

Well No. ONE Herron & Freeman farm. RIT-239

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Big Red				680	756			NJL 70'
BIG DUNKARD				900	950			965' 8 1/4
Sand very hard				1110	1115			
Sand				1125	1185			
FIRST SALT				1262	1275			
SECOND SALT				1375	1465			
THIRD SALT				1670	1695			
MAXON				1695	1735			
shale and lime				1735	1790			1792' - 6 5/8'
Sand (Blue Monday)				1790	1825			
Big Lime				1825	1865			
KEENER & INJUN				1865	1955			
SQUAW				1955	1990			
TOTAL DEPTH.....							2000	

Well was not shot at ~~###~~ NO SHOT feet; well was shot at feet.

Salt Fresh water at NONE feet; salt fresh water at feet.

Well was ~~#####~~ dry hole.

Nov 2 1934 Date

Approved G. C. Barker Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

COMPLETION DATA SHEET
 No. 2
 FORMATION RECORD

Well No. ONE Horizon & Freeman Farm.
 Address Harrisville, W. Va.
 Company George C. Barber, et al.

Remarks	Total Depth	Thickness	Bottom	Top	Oil Gas or Water	Character	Color	Name
			755	680				Big Red
			925	800				BIG RED
			1115	1110				Sand very hard
			1185	1180				Sand
			1275	1265				FIRST SALT
			1455	1445				SECOND SALT
			1595	1585				THIRD SALT
			1735	1730				MAXON
			1790	1785				shale and lime
			1825	1820				Sand (Blue Monday)
			1865	1860				Big lime
			1925	1920				LESTER & IVAN
			1990	1985				SLUAY
	5000							TOTAL DEPTH

Well was first drilled at _____ feet; well was deepened at _____ feet.
 Fresh water at _____ feet; fresh water at _____ feet.
 Well was _____ feet.
 Date _____
 Approved _____
 Owner _____

NOTE: All bottom formations must be noted as indicated above and all top rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for each strata.

174-239

FORM G-9

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

George Barker, et al

NAME OF WELL OPERATOR

COAL OPERATOR OR COAL OWNER

Harrisville, W. Va.

COMPLETE ADDRESS

ADDRESS

Nov 3rd

1934

WELL TO BE ABANDONED

COAL OPERATOR OR COAL OWNER

GRANT

District

ADDRESS

John & Catherine Freeman

RITCHIE

County

LEASE OR PROPERTY OWNER

William & Ada Herron

Well No. ONE

ADDRESS

Herron & Freeman

Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the

work of plugging and abandoning said well on the 8th day of November, 1934
(which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

G. C. Barker

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

11/19/34

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

A wooden plug will be placed at the bottom.

Then filled with Red Mud up into the BIG LIME where another wooden plug will be placed and a concrete seal.

Then filling with red Mud to the top of the ground where a suitable marker will be placed.

WORK ORDER INTERPOSED BY THE DEPARTMENT OF MINES:

Bottom of well 2000'

Fill the hole with red mud or other non-porous material from 2000' to 1845' - 20' above the Keener and Injun Drive wood plug from 1845' to 1842' Cement from 1842' to 1832' sealing the Big Injun Sand.

SET A PERMANENT BRIDGE AT 1765' - 30' below the Maxton Fill with clay from 1765' to 1675' - 20' above the Maxton Drive wood plug from 1675' to 1672' Continue to fill with clay from 1672' to 1242' - 20' above the First Salt Sand. Drive wood plug from 1242' to 1239'

SET A PERMANENT BRIDGE AT 980' Fill with clay from 980' to 880' - 20' above the Big Dunkard Drive wood plug from 880' to 877' One sack of cement on top of plug.

SET A PERMANENT BRIDGE AT 185' - 30' below the 10" casing Fill with clay from 185' to 158' Drive wood plug from 158' to 155' Pull 10" casing set at 155' and fill to the surface with clay

Erect a marker such as is described in Rule 18, 1931 Regulations.

All be done in a workman-like manner.

NOTE: ALL CASING BE PULLED AS THE HOLE IS FILLED AND PLUGGED.

To the Department of Mines,
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-currence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

G. E. Barker

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 5th day of October, 1934.

DEPARTMENT OF MINES
Oil and Gas Division

By:

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

239-8

William & Ada Herron COAL OPERATOR OR OWNER

George Barker, et al NAME OF WELL OPERATOR

ADDRESS

Harrisville, W. Va. COMPLETE ADDRESS

John & Catherine Freeman COAL OPERATOR OR OWNER

December 10 1934 WELL AND LOCATION

ADDRESS

Grant District

COAL OPERATOR OR OWNER

Ritchie County

ADDRESS

Well No. One

Herron & Freeman Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA, COUNTY OF Ritchie } SS:

H. L. Reeves and George Barker being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling oil and gas wells and were employed by George Barker, et al, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

6th day of November, 1934, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Bottom 2000 ft.

- 2000' to 1845' clay, 1845 to 1842 Wooden plug, 1842 to 1832 Cement seal, BRIDGE 1765, 1765 to 1675 clay, 1672 to 1672 Wooden plug, 1672 to 1242 clay,

- 1242 to 1239 Wooden plug, BRIDGE 980, 980 to 880 clay, 880 to 877 Wooden plug, with one sack on top of plug, BRIDGE 185, 185 to 158 Clay, 158 to 155 Wooden plug, PULLED 10" casing, 155 to surface clay.

Manner in which coal was plugged:

Description of monument:

About 14 ft. of 6" casing filled to within about 3 ft of the top and then filled with Concrete, And then played date in cement.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 9th day of November, 1934.

And further deponents saith not.

Handwritten signatures of H. L. Reeves, G. Barker, and John E. Lowther, Notary Public.

Sworn to and subscribed before me this 7 day of July, 1935

My Commission expires:

April 7, 1937

FEB 27 1935

OK JJK 2-27-35 Closing - R17-239