### NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL (REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

#### WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To The Department of Mines, Charleston, W. Va.

	M.Sto	F.Jinkins.
WELL OPERATOR		COAL OPERATOR OR COAL OWNER
le. Ohio.R.F.D	Harie	oleun. W. Va. Rout
LETE ADDRESS		ADDRESS
9. 1934		
		COAL OPERATOR OR COAL OWNER
OSED LOCATION		
.yDistrict		
		ADDRESS
County	R	
		COAL OPERATOR OR COAL OWNER
	Well No	
		ADDRESS
nkins Farm	Ben	
		EN:
farm or tract of land for	ill upon the above	e undersigned well operator is entitled
e dated Sept.II	ay be) under grant	as, having fee title thereto, (or as the
	. D 7 T	1022
, to	by Ben F.J1	1933
ended on the 3T		M.Stoffel
orded on theay	, 6	M.Stoffel
ty Clark for said County in	in the office of the	ly. 1934
ty Clerk for said County in	, in the office of th	±3.a. ±2.9/±
		2, page. 436
thin 500 feet of the bound- uired by law, excepting the at any objections they may by Section 3 of said Act, if a in or about their respective en* days from the receipt of berators are further notified bartment of Mines promptly by broadly possible the ground stance the proposed location ail, or delivered to the above ess	aid well is located and filed their maps is addressees. It is a considerable and filed their maps is addressees. It is a considerable and are required to the considerable and th	e undersigned well operator is informath said farm or tract of land on whe same, who have mapped their works ators or coal owners (if any) above not eabove named coal operators or coal make to such proposed location, or what of a well at said proposed location, or what of a well at said proposed location, or what of a well at said proposed location, or what is notice and accompanying plat by this notice and accompanying plat by so for use in making such objections will tand that all such objections must say that and that all such objections are based moved to overcome same.  The next paragraph is to be completed pies of this notice and the enclosed possible of the same day with the mailing or delication of the complete design of the same day with the mailing or delication.
0,100	ruly yours,	
1.1////	any yours,	
upper	M	
LL OPERATOR		
eff ill a	7/	
STREET		
		Well Ope
R72		
RZZ		
R Z Z		
P2 7 2		
TY OR TOWN  STATE		
STATE f mines, within said period of proposed location, the depart-	e found by the department of mines	ion 3 If no such objections be file from the receipt of said notice and plat be a forthwith issue to the well operator a
1	. X/o	Addre of Well Ope

'AUG' 1 1934 S Please send permit to H.O.Bode, adress below. 243

#### WEST VIRGINIA DEPARTMENT OF MINES

#### OIL AND GAS DIVISION

#### PRELIMINARY DATA SHEET NO. 1

1#
Hugher River Dil+ Gas Company of 121-4th St., Well No. 1
Company of A
on the Farm
containing 76 acres. Location Mushing 76.
District, inCounty, West Virginia
The surface of the above tract is owned in fee by
of Jarlan, L. Va. address, and the mineral rights are owned by
Ben Jerhins of M= Farland, Iv. Va.
The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit
No. Rit 2 13 issued by the West Virginia Department of Mines, Oil and Gas Division
August 24 1934.
Elevation of surface at top of well, 660.72 Spirit Barometric.
The number of feet of the different sized casings used in the well.
size. Wood conductor.
290 feet 8/4" size, csg. 1005 feet 6/4" sized csg.
feetsize, csgfeetsized csg.
packer of size, set at
packer ofsize, set at
, in casing perforated atfeet tofeet.
, in casing perforated atfeet tofeet.
Coal was encountered at feet, thicknessinches, and at
feet; thicknessinches; and atfeet; thicknessinches.
Liners were used as follows: (Give details)
0 f 10 1021/
Date. 10, 1737.
Approved Hughes Sur Vitta Cowner.
By M Bliffel
on on of the state of
a. I be lilling taken by M. Stoffel, his
warming for my for the first of
supany now is known as steagus har out 1 2 1934

Hugh River Opt Hay Company
721-4 & Strut, Marita Chicaddress
Well No. # RIT-24

# No. 2 FORMATION RECORD

=	Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Remarks
-	Ad-	rock	+ State	to 99	5 fe	f	lo wa	ler	30'- 104 290'- 8'4
	100	lost s	and fr	am 99	5 to	1010	, 70	wat	1005- 64
	Gas	san			1140	1210	de	1.	
	Firs	f sal	Frank	0	1300	1360	dre T		
	Sica	nd s	alt sans		1310	1415	dri	1.	
	The same of the sa	lafin	sand		1450	small	and	ut a	l gas
	at	1458	, latte	m of	sand	1525.	4	sm	ill
	ano	mito	f water	famina	her				0
	Bu	Lim		V	1525	- 1620	, ,	ma	4
	Ken	ner.			1620	1690			Dry
	En	gin	2 00		1670	1715			Dry.
	B	reak	to balla	n of Ha	le	2109			Diny.
_				U					
	shot Well was	shot at/	458	feet; w	vell was shot	at		•••••••••••••••••••••••••••••••••••••••	feet.
	Salt Fresh water a		525	salt feet; fresh	water at			^	feet.
	Well was	hole.	20 /	J	fugle.	- River	- Oil	+ 8	las Co.
	Oct.	10, /9	134	Approved	In	Stof	Zul wner		

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

TO THE DEPARTMENT OF MINES,

# NELL PROPE

#### NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

#### WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

Charleston, W. Va.	
. Die roman and Leries and arrive :	Heighes River Oil + Has C
COAL OPERATOR OR COAL OWNER	721 -4 st Street
ADDRESS 1031 TO 1861	miretto Ohio 1934
COAL OPERATOR OR COAL OWNER	WELL TO BE ABANDONED  District
ADDRESS  15 15 S S S S S S S S S S S S S S S S S	Ritchie County
LEASE OR PROPERTY OWNER	Well No.
ADDRESS 1 (ADDRESS 1)	Ben Jenkin Farm
Gentlemen:—	is the property of the propert

work of plugging and abandoning said well on the 15 day of Oct , 1934,

(which date shall not be less than five days after the day on which this notice so mailed is received, or in

The undersigned well operator is about to abandon the above described well and will commence the

due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Hugher River O'S + Sax G.

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

#### PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

## WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

#### WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER SUPPLIED BY THE DEPARTMENT OF MINES:

BOttom of well 21091

SET A PERMANENT BRIDGE AT 1745' - 30' below the Big Injun Fill with red mud or other non-porous material from 1745' to 1600' - 20' above the Keener Sand.

Drive wood plug from 1600' to 1597'
Cement from 1597' to 1587' sealing the top of the Keener and Big Injun and bottom of Big Lime.

Continue to fill with red mud from 1587' to 1528'
Drive wood plug from 1528' to 1525' 9(20' above top of Maxton)
Fill with red clay from 1525' to 1430'/top of Maxton Sand.
Drive wood plug from 1430' to 1427'
Cement from 1427' to 1417' sealing the hole completely.

Fill with red mud from 1417' to 1280' - 20' above the First Salt Sand.
Drive wood plug from 1280' to 1277'

SET A PERMANENT BRIDGE AT 1035' - 30' below the 6 1/4" casing Fill with red mud from 1035' to 1008' Drive wood plug from 1008' to 1005' PULL 6 1/4" casing set at 1005'

SET A PERMANENT BRIDGE AT 300! - 10! below the 8 1/4" casing Fill with red mud from 300! to 290! PULL 8 1/4" casing Fill with red mud from 290! to 33! Drive wood plug from 33! to 30! PULL 10" casing and Fill to the surface with red mud.

Erect a marker such as is described in Rule 18, 1931 Regulations.

All be done in a workman-like manner.

To the Department of Mines, Coal Owner or Operator, Lease or Property Owner.

#### Gentlemen:

This "work order" is submitteed for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this. 15th day

of October , 193. 4...

DEPARTMENT OF MINES

Oil and Gas Division

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.