NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL (REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929) WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS SECTION

To The Department of Mines, Charleston, W. Va.	
H. N. RINEHART.	H. N. RINEHART.
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
	CAIRO. W. VA.
ADDRESS	COMPLETE ADDRESS
	AUG. 30. 193.4
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
ADDRESS	GRANT
	RITCHIE.
COAL OPERATOR OR COAL OWNER	County
	Well No.
ADDRESS	H. N. RINEHART.
GENTLEMEN:	Farm
The undersigned well operator is entitled to drill	upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case may	DEC. 20.
, made by	F. H. MARKEY. , to
H. L. FLANAGAN.	and recorded on theday
of DEC. 1930.	in the office of the County Clerk for said County in
Book, page	
	ngineer and shows the proposed location of a well rator on the farm and in the Magisterial District arses and distances from two permanent points, or
aries of the same, who have mapped their workings and coal operators or coal owners (if any) above named as ac	filed their maps as required by law, excepting the ddressees.
the drilling of a well at said proposed location, or which they the drilling of a well at said proposed location will caus coal mines, must be received by, or filed with the Departs a copy of this notice and accompanying plat by said Departs that forms for use in making such objections will be furnis on request and that all such objections must set forth a or grounds on which such objections are based and indicas should be moved to overcome same.	ment of Mines within ten* days from the receipt of partment. Said coal operators are further notified shed to them by the Department of Mines promptly as definitely as is reasonably possible the ground attention and distance the proposed location
(The next paragraph is to be completed only in D Copies of this notice and the enclosed plat were n	Department's copy.) nailed by registered mail, or delivered to the above
named coal operators or coal owners at their above shor on the same day with the mailing or delivery of the ton, West Virginia.	nown respective addressday before, his copy to the Department of Mines at Charles-
Very truly	yours, M. Runchart WELL OPERATOR
$\left. egin{array}{c} ext{Address} \\ ext{of} \\ ext{Well Operator} \end{array} ight\}$	STREET
	CITY OR TOWN

STATE *Section 3.... If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

WEST TREINE DEPARTMENT OF MINES

	2.5	-		77
*			- 6	1

H. M. BINEHART.

H. W. RIWEHART.

CAIRO. W. VA.

AUG. SU.

CRANGE

HITCHIE.

DEC. 20.

of . H. MARKEY.

H. I. FLANAGAN.

.080I

The enclosed plat was prepared by a competent engineer and shows the proposed location of a wall to be drilled for oil and gas by the undersugned well operator on the term and in the Magistorial District and County above named determined by springs and courses and distances from two permanent points, or loud marks.

Copies of this notice and the enclosed plat were maried by registered mail, or delivered to the above

WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Section

PRELIMINARY DATA SHEET NO. 1

File No. 253	Well No
는 사람들은 사용하는 사용하는 사용이 되었다. 그는 사용이 있는 것은	cairo. W. VA.
	H. N. RINEHART. Farm
CD AND	RITCHIE.
Distrie	t, in
The surface of the above tract is owned in fe	e by
	address, and the mineral rights are owned by
H. N. RINEHART.	cairo. W. VA.
	by the above named company, and this well is drilled under
	est Virginia Department of Mines, Oil and Gas Section,
CPDT TO TO34	
Elevation of surface at top of well,	Spirit Barometric.
The number of feet of the different sized casings u	
12.	feetsize. Wood conductor.
I25' IO" size,	csgsized csg.
1040' 8" size,	csgsized csg.
1. 不是可能不是一定的意思的。	csgsized csg.
	size, set at
	size, set at
in casing perforated a	tfeet tofeet.
in casing perforated a	tfeet tofeet.
Coal was encountered at none. feet	thicknessinches, and at
feet; thicknessinches; and at	feet; thicknessinches.
Liners were used as follows: (Give details)	none.
Dat	te
Ann	roved A. M. Pinelant, Owner.
Арр	
and andr	By

WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Section

PRELIMINARY DATA SHEET NO. 1

Well No.				Kilo No.
	CAIRO. W. VA.	Company	RINEHARI.	
Farm	H. N. RINBHARL:	on thine		
	.HIHOTI	es. Location	45. aer	
County, West Virginia.	dionie.	District in	· TMAS	10
7d bouwo era abduir la	address and the minera	is owned in her by	of the above tract, W. VA.	GAIRO.
	CAIRO. W. VA.		RINEHART.	• M • H
ns well is driffed under	iove named company, and th	held under lease by the al	gas privileges are l	The oil and
Oil and Gas Section.	ia Department of Mines, (sned by the West Virgin		permit No
Spirit Barometric		1500 How	f surface at top of	Elevation o
	How o	sized easings used in the	feet of the different	The number of
size. Wood conductor.	13"			· SI
sized esg				'dSI
sived esg.	feet feet	size, esg	6teel	10101
slzed csg.		size esg.	feet	
	18 198 ,920, 8120, Set 81	packer of		
	size, set at			
	s feet to			
	sfeet; thiekness			
			nsed as follows:	
			•	
		Date.		
Owner.	64			
	dit)	By		1050
4.9				CT 3 - 1934

H. N. RINEHART. Company
CAIRO. W. VA.

COMPLETION DATA SHEET NO. 2 FORMATION RECORD

Na	ame	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Rema	rks
h	ig red	red	soft		655	710	*126		125-	104
	and	white	hard		710	735	8247			
	st.cow		11012		850	860	1850			
	nd.	1 411	n n		908	948				
		black	soft		948	963				
	late		hard		963	I005				
	and	white			1005	1028				
S.	late		soft		1028	1035	1040			
		ck.pink			1035	1040	1078		1040'-	011
	ime	dark	hard			1274	-1743		10 40	04
	and	white			1252		7K1276			
	late	11	soft		1274	1345	7612			
	and	11.	hard		1345	1441				
S.	late	11-	soft		1441	1510				
S	and	. 11	10		1510	1676				
S	late	black	shelly		1576	1624	71604			
	axton	white	hard		1624	1673				
			show of gas	I650			1715			
h	ig lim	A #	hard		1673	1743	-1723			
10	eener	S #	11.		1743	1757				
		# #			1758	1824				
11	njun		show of gas	1762.	2.00					
		1.21-		Tron.	1824	1841				
	late	black	soft		1841	1871				
S	quaw S	. white	hard		1041	1011				
					# 12					
								10.27%		
								The second		
		Yangi.						,		
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							

Shot Well was not shot at	feet; well was shot at	feet.
Salt Fresh water at	saltfeet; fresh water at	feet.
Well was hole.	\mathcal{L}/\mathcal{M} \mathcal{D} .	MARIAN NO
Date	Approved W. M. Rinela	art

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

PROVOSED MANNER OF PLUGGING AND FILLING WELL
(REQUIRED BY RULES AND REQUIATIONS)

OIL AND GAS DEVISION

OIL AND GAS DEVISION

FORM G-9

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

To the Department of Mines, Charleston, W. Va.	EQUITOR OF WELL 1871				
102 ESTI of 1781 Here 1	O MO H. N. RINEHART				
NONE of ESSI mort pulg boom					
COAL OPERATOR OR COAL OWNER	CAIRO. W. VA.				
	Of AOOT MONTH COMPLETE ADDRESS.				
ADDRESS					
76' 50 below reduced hole	OCT 6 19 ³⁴				
COAL OPERATOR OR COAL OWNER	WELL TO BE ABANDONED				
	OT 38 BANT & District				
ADDRESS	RITCHIE.				
mort guiq boow evira 088 o	F ON AL County				
LEASE OR PROPERTY OWNER	• Cas of Ods				
bas elod for 10 motiod 8	Well No				
ADDRESS	H. N. RINEHART				
SI elur ni bediros	Farm				
	.aneiJsimer CEEI				
Gentlemen:	. All to be done in a workman				
The undersigned well operator is about to about	andon the above described well and will commence the				
	6 OCTOPED SA				
	6 day of OCTOBER , 19				
(which date shall not be less than five days after the due course should be received by the Department	e day on which this notice so mailed is received, or in of Mines).				
This notice is given you in order that your r	respective representatives may be present at the plugging				
	hat whether you are represented or not represented the				
	thereafter, to plug and fill said well in the manner				
required by Section 10, Article 4, Chapter 22 of t	he Code and given in detail on the reverse side of this				
notice, in "Work Order."					
This notice is being mailed by registered mai	I to each of you at the above addresses on the above date.				
Very t	ruly yours,				
	H.M. Rinelana				
Wall Operator.					
ently operator, or any available adjacent lease or-	Well Operator.				
NOTE: Upon the abandonment of all wells drilled	prior to June 1, 1929, a plat prepared by a competent en-				

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(revo) OFFARTMENT OF MINES Of and that Division

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER.

BOTTOM OF WELL 1871

fill with clay from bottom of well I871'to I723 20' above the Keener sand drive wood plug from I723 to I720 Cement from I720 to I715 sealing the hole comp.

Fill with clay from I7I5 to I604 _ 20 above the maxton drive wood plug from I604 to I60I sealing Maxton.

Set a permanent bridge at I276' 30 below reduced hole fill with clay from I276 to 1276, and drive wood plug. 1246-1248

Set a permanent bridge at I070' fill with clay from I070 to I040 / Pull '8 casing. /

Continue to fill from IO40 to 850 drive wood plug from 850 to 847.

Set a permanent bridge at I26 bott0m of I3" hole and fill to surface with clay.

Erect a marker such as is described in rule I8 > 1933 regulations.

All to be done in a workman like manner.

To the Department of Mines, Coal Owner or Operator, has guide of methodology through the last of the Department of Mines, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-currence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

M. / Emeliane

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this.....day

of...., 193......

DEPARTMENT OF MINES
Oil and Gas Division

By:

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

NONE.

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

H. N. RINEHART.

253-8

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

COAL OPERATOR OR OWNER	CAIRO WEST VA	
ADDRESS	JULY • 5 •	35.
COAL OPERATOR OR OWNER	WELL AND LOCATION GRANT •	19
ADDRESS	DEBOUTE	District
COAL OPERATOR OR OWNER	RITCHIE.	County
	Well No9	
ADDRESS	H. N. RINEHART.	Farm
AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY REGISTERED OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED	MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE	THE WELL
AFFIDA	VIT	
STATE OF WEST VIRGINIA,		
COUNTY OF COUNTY	han	
HM. Rinellart and	19 G Pars	
being first duly sworn according to law depose and say t	hat they are experienced in the work of p	olugging
and filling oil and gas wells and were employed by	1. Kinelar well o	perator.
r bragging and mind the a	bove well, that said work was commenced	d on the
the following manner:	, and that the well was plugged and	filled in
Manner in which sand was plugged	A STATE OF THE STA	
Manner in which sand was plugged: Filled w: of well 1871 to 1780 Anchor		
1010 100 mad 120.66 1495	rope and wood plug 6' to :	1489
set bridge at I275 to I260 dro	ove rope and wood ning 5t	
to IO70 wood plug 3 to IO67 s at botton of 8 casing.	andpumpings 27° to 1040°	
Could not pull casing left in pulled IO bridged hole at bo to surface set marker as dire	++ 0m 08 TM # 2 7	
to surface set marker as dire	cted.	.ed
Description of monument:		
Description of monument: Piece of casin	g filled with cement.	
(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PRO	OVISIONS OF SECTION 10, ARTICLE 4. CHAPTER 22 OF THE	CODE
and that the work of plugging and filling said well was com-		
1935.	passed on theday or	,
	1/m n :	
	7. M. Rinela	1
	Pa Dall	
Sworn to and only " "	O O	
Sworn to and subscribed before me this 24 th day	of , 195	77
My Commission expires: JUL 1935	Wid Repper	
June 17 19418 WEST VIRGINIA	Notary Public	
DEPARTMENT OF MINES 21		
DEPARTMENT OF MIRES		
8 8 1111153		

VEST VIRGINIA DIPARTMENT OF MINES H. M. RINGIAGE. .AV TONE . ORIAL . C . THU .THARRING .W. .H. MA tenny first duly sworn according to hiw depose one say that the pare tenned in the work of ploaging and filling of and was wally and were employed by of well 1871 to 1780 'Andrew et' miss 156' to 1644' positor' at to 1640' settlement E4' 20' above marton sendoement b'.

to 1615' red mud 180'to 1855 rope and wood plum 6' to 1645 "Surane to local pure shirtened pure 1501 of 2011 to sent pure 1501 of 1000, and pure 1501 of Could not pull casing left in 5000.

pulled TO Diluged hole at bottom of 18 " hole and filled to burface set marker as directed." Description of monument: Price of easing filled with cement.