Lease

# NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL (REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

### WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To THE DEPARTMENT OF MINES, Charleston, W. Va.

F.W.Beal, Et Al, Trustees.	B.F.Gilmore.  NAME OF WELL OPERATOR		
Pike. W.Va.	Pennsboro. W.Va.		
COAL OPERATOR OR COAL OWNER	September 4.1934 193 PROPOSED LOCATION		
ADDRESS	<u>Clay</u> District		
COAL ÓPERATOR OR COAL OWNER	Ritchie County		
	Well No I		
ADDRESS	M.E.Church Lot. Farm		
Gentlemen:  The undersigned well operator is entitled to dril	ll upon the above named farm or tract of land for		
oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated. 17th			
Aug. 1934 , made 1	by F.W. Beal Et Al, Trustees , to		
B.F.Gilmor	e and recorded on the 25th day		
of Aug. 1934	, in the office of the County Clerk for said County in		
The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.  The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.  The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.  (The next paragraph is to be completed only in Department's copy.)  Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address.  Very truly yours,  Well operators  Address			
of Well Operator	Pennsboro, W. Va.		
	STATE		
*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.			

SEP 6 - 1934

well plugged and lilled as lollows.

Bottom of well 1839'

Fill with red mud from 1839' to 1660' - 20' above the Keener Drove wood plug from 1660' to 1657'

Continued to fill with red mud from 1647 to 1560' - 20' above the Maxon sand.

Drive wood plug from 1560 60 1557 ft. Cemente from 1557 to 1547 ft. sealing the Maxon sand.

Continued to fill with red mudfrom 1547 to 953 ft. Drove wood plug from 953 to 950 ft.

Pulled 6-5/8" casing set at 950 ft

Cemented from 950 to 940 ft.

Filled with red mud from 940 to 780 ft. - 20 ft. above Little Dunkard Sand. Drove wood plug from 780 to 777 ft.

Set a permanent bridge at 456 ft. - 30 ft. below the 8 1/4" casing.
Filled with clay from 455 to top of hole.

Brected for marker 6" Casing, filled with cement, with three 24 1930 to four ft. projection from top of ground.

TOLICAL SET, STORE '00 = '0001 of '0001 moral base bor site 1114

eveds 'os - 'ed'l or their more our per dile of the true

Drove wood wing than 1760 of 1972 11. Comenter on 1th to 1th the sting the saxon sean.

continued to the found of the star to 953 to.

NIT UTO 10 see parces of C-0 million

to the trong of the saturate.

entitle vota it 00 2 . th 00 7 65 cap more bun car after botters

Trove wood plur 110% 700 to 777 2t.

det o gement or som er the fire of the fire of the or some of the

Filled water clay from ton to top of hote.

with bellie agrices of worker tol before ... enent, with the thirty of the to four at. To section for top or ground,

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF (REQUIRED BY SECTION 9, ARTICLE 4. CHAPTER 22 OF THE CODE) WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

WEST VIRGILIAND G	GAS DIVISION
	Gilmore & Murph
25-356	
RIT-356  COAL OPERATOR OR OWNER	Pennsboro, W.
ADDRESS	Jan. 10.
	WELL AND
COAL OPERATOR OR OWNER	Clay
ADDRESS	Ritchie
COAL OPERATOR OR OWNER	Well No1
	M. E. Church L
ADDRESS	
AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO	Y REGISTERED MAIL TO THE DEPARTMENT, ONE COP- TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED
AFFIDAVIT TO BE THIRD COPY (AND EXTANDIDENT OPERATOR AND THE THIRD COPY (AND EXTANDIDENT)	AFFIDAVIT

STATE OF WEST VIRGINIA, COUNTY OF Ritchie

being first duly sworn according to law depose and say that they are experienced 

Manner in which sand was plugged: As per work order atte

Manner in which coal was plugged:

Description of monument:

6" Casing, filled with C three to four ft. projec ground.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 1 and that the work of plugging and filling said well was completed on the .....

And further deponents saith not.

My Commission expires:



# AFFIDAVIT IN TRIPLICATE TO THIS AND MANNER OF

(RESUMETH OF SECTION II ACTION & CHAPTER SE OF THE CODE)

# WEST VEGINIA DEPARTMENT OF MINES

COMPLETE ADDRESS	44MIDD A
THE RESERVE TO STATE OF THE PARTY OF THE PAR	COAL DESCRIPTION ON VALE
	App. NO. NO BULKESTO TACS
TOTAL CO.	4
County	
	A STATE OF THE PARTY OF THE PAR
To the Manual Control of the Posts	Too Shi and the same of the sa
ATECO TO SELECT O SHOW OF THE STREET ONE SOUR SERVING BY HE WILL WE STREET TO SELECT OF THE WILL.	
AFFIDAVIT	
and the second s	
pose and say that they are experienced in the work of plugging	heins irref duly dwern according to law of
eyed by C.I.I. come M. R.D. come well operator. and idling the above well that and work was commenced on the	lores crow bon ellers are but he smill bou
	: bornaiq saw bags itsass or esample
	The said was a said of
Paging said with a them. and country	
re del del deltoctori il lever il di	
The same and the same states and the same an	
ED NICE WITH THE PROVISIONS OF SECTION TO, ARTICLE A. CHAPTER 22 OF THE MODEL)	
and well was completed on the Landay of Oat.	
The second secon	
Township have been	
	efform to and subscribed before me th
13.61	
Notary Public.	e : earlings no summer vii
Sittem 1 Committee of the Committee of t	

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

#### WEST VIRGINIA DEPARTMENT OF MINES

### OIL AND GAS DIVISION

TO THE DEPARTMENT OF MINES, Charleston, W. Va.

	B. F. Gilmore	
F. W. Beal, et al Trustees	Consumers Gas Utilit	cy Company
Pike, West Virginia	Pennsboro, West Virg	
*080 Af	October 2,	1934
COAL OPERATOR OR COAL OWNER	WELL TO BE ABAND	
H to 780+ - 201 enove the Ifttl	Clay	District
ADDRESS ** WYY OUT	105% mort auto been evi-	
1551 -501 below the 6 1/4" east	Ritchie	County
LEASE OR PROPERTY OWNER	1335 mort sufg boow evi	
495' and fill with oley and	Well No. 1	
ADDRESS FOI odd tolod 106 - 1018	M. E. Church Lot	
Gentlemen:	Table por anti-op of 11	
The undersigned well operator is about to al	bandon the above described well and v	vill commence the
described in Aule 18, 1931	al se dous contam a door	
work of plugging and abandoning said well on	the 7th day of October	19 34
(which date shall not be less than five days after		
due course should be received by the Department	Operator,	'a the Department Coal Owner or
This notice is given you in order that your re and filling of said well. You are further notified	spective representatives may be presen	
undersigned will proceed on that date, or shortly	The second secon	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
required by Section 10, Article 4, Chapter 22 of notice, in "Work Order."	the Code and given in detail on the re	102-fight of historique
This notice is being mailed by registered mail	to each of you at the above addresses	on the shove date

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or erty owners or interposed by the Department of Mines to the manner herein described for the plugwas and are B. F. Gilmore

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice. NOTE: This "work order" must be filed in duple (Over) reduced to the files of

Very truly yours,

## PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

## WEST VIRGINIA DEPARTMENT OF MINES THE MOCHAG OIL AND GAS DIVISION AND TO BOTTOM

#### WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER SUPPLIED BY THE DEPARTMENT OF MINES:

Bottom of well 18391

Fill with red mud from 1839' to 1660' - 20' above the Keener Drive wood plug from 1660! to 1657! Cement from 1657! to 1647!

Continue to fill with redmud from 1647'to 1560' - 20' above the Maxton Sand.

Drive wood plug from 1560! to 1557!

Cement from 1557! to 1547! sealing the Maxton Sand.

Continue to fill with red mud from 1547' to 953' Drive wood plug from 953' to 950' PULL 6 5/8" casing set at 950' Cement from 950' to 940'

Fill with red mud from 940' to 780' - 20' above the Little Dunkard Sand. Drive wood plug from 780' to 777'

SET A PERMANENT BRIDGE AT 455' -30' below the 8 1/4" casing Fill with clay from 455' to 428' Drive wood plug from 428' to 425' PULL 8 1/4" casing set at 425' and fill with clay and cavings to 415'

SET A PERMANENT BRIDGE AT 210' - 30' below the 10" casing Fill with red mud from 210' to 183' Drive wood plug from 183' to 180' PULL 10" casing set at 180' and 

Erect a marker such as is described in Rule 18, 1931 Regulations.

All be done in a workman-like manner. ninobasda has guiganle to stow

To the Department of Mines, Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitteed for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this.....3d.....day

of October 7th. DEPARTMENT OF MINES Oil and Gas Division

Ву: ..... NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.