

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)
WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

Frank Sheets

COAL OPERATOR OR COAL OWNER

*North Court Street
Mt. Pleasant, Mich.*

ADDRESS

G. W. A. Oil Company

NAME OF WELL OPERATOR

Harrisville, W. Va.

COMPLETE ADDRESS

November 1st 193*4*

PROPOSED LOCATION

Clay

District

Ritchie

County

Well No. *Two*

Frank Sheets

Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

July 23, 1934

made by *Frank Sheets & wife*, to

Geo. Allen, et al.

and recorded on the *24th* day

of *July, 1934*

in the office of the County Clerk for said County in

Book *62*, page *414*

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address.....day.... before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

G. W. A. Oil Co.

WELL OPERATOR

Address
of
Well Operator }

STREET

Harrisville

CITY OR TOWN

W. Va.

STATE

*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

NOV 3 - 1934

RIT-288

288

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. _____

Oil or Gas Well _____
(KIND)

Company _____	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address _____	Size			
Farm _____	16			Kind of Packer _____
Well No. _____	13			
District _____ County _____	10			Size of _____
Drilling commenced _____	8 1/4			
Drilling completed _____ Total depth _____	6 5/8			Depth set _____
Date shot _____ Depth of shot _____	5 3/16			
Initial open flow _____ /10ths Water in _____ Inch	3			Perf. top _____
Open flow after tubing _____ /10ths Merc. in _____ Inch	2			Perf. bottom _____
Volume _____ Cu. Ft.	Liners Used			Perf. top _____
Rock pressure _____ lbs. _____ hrs.				Perf. bottom _____
Oil _____ bbls., 1st 24 hrs.	CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____			
Fresh water _____ feet _____ feet	COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			
Salt water _____ feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			
	_____ FEET _____ INCHES _____ FEET _____ INCHES			

Drillers' Names _____

Remarks: _____

DATE _____

DISTRICT WELL INSPECTOR _____

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. _____

Oil or Gas Well _____
(KIND)

	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Company _____	Size			
Address _____	16			Kind of Packer _____
Farm _____	13			
Well No. _____	10			Size of _____
District _____ County _____	8 1/4			
Drilling commenced _____	6 5/8			Depth set _____
Drilling completed _____ Total depth _____	5 3/16			
Date shot _____ Depth of shot _____	3			Perf. top _____
Initial open flow _____ /10ths Water in _____ Inch	2			Perf. bottom _____
Open flow after tubing _____ /10ths Merc. in _____ Inch	Liners Used			Perf. top _____
Volume _____ Cu. Ft.				Perf. bottom _____
Rock pressure _____ lbs. _____ hrs.	CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____			
Oil _____ bbls., 1st 24 hrs.	COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			
Fresh water _____ feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			
Salt water _____ feet _____ feet	_____ FEET _____ INCHES _____ FEET _____ INCHES			

Drillers' Names _____

Remarks: _____

DATE _____

DISTRICT WELL INSPECTOR _____



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

No Coal Operators.

COAL OPERATOR OR COAL OWNER

Loris Swadley

NAME OF WELL OPERATOR

None

ADDRESS

Harrisville, W. Va.

COMPLETE ADDRESS

None

COAL OPERATOR OR COAL OWNER

May 1,

19 51

WELL TO BE ABANDONED

None

ADDRESS

Clay

District

John Lenley

LEASE OR PROPERTY OWNER

Ritchie

County

Well No. 2

Pike, W. Va.

ADDRESS

John Lenley

Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence


Will call Inspector Harry Haze, Beatrice, W. Va., 2 days before starting
Plugging operations.

the work of plugging and abandoning said well on the _____ day of _____, 19 ____,
(which date shall not be less than five days after the day on which this notice so mailed is received,
or in due course should be received by the Department of Mines.)

This notice is given you in order that your respective representatives may be present at the
plugging and filling of said well. You are further notified that whether you are represented or not
represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said
well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the
reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the
above date.

Very truly yours,



Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent
engineer, showing the district and county in which the tract of land is located, the name and acreage of same,
the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined
by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall
be submitted with this notice.

(Over)

RIT-268-P

PERMIT NUMBER

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

All well records of this oil and gas lease have been lost, would the Department of Mines, make up a plugging program for this well, from their records, this well was drilled in 1935 by George Allen, of Harrisville, W. Va.

WORK ORDER PREPARED BY THE DEPARTMENT OF MINES

NO RECORD FILED WITH THE DEPARTMENT OF MINES AFTER COMPLETION OF WELL

The Elevation of both wells approximately the same

Fill with clay from bottom to 1697' - 30' below 6-5/8" casing

Neat Cement 1697' - 1687'

5' crushed stone on cement plug

PULL 6-5/8" casing as balance of hole is filled and plugged

Continue filling with clay to 1600'

Neat Cement 1600' - 1590'

SET A PERMANENT BRIDGE AT 1280' - bottom of 2nd Salt Sand

2 sacks neat cement and 5' crushed stone on bridge

Fill with clay to 1205' - 20' above Salt Sands

Neat Cement 1205' - 1195'

5' crushed stone on cement plug

SET A PERMANENT BRIDGE AT 400'

2 sacks neat cement and 5' crushed stone on bridge

Fill with clay to surface

Erect marker such as is described in Rule 18, 1951 Regulations

To the Department of Mines
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

8th day of May, 1951, 19

DEPARTMENT OF MINES
Oil and Gas Division

By: *C. H. Hall*

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

No Coal Operators.

Loris Swadley

COAL OPERATOR OR OWNER
None

ADDRESS
None

COAL OPERATOR OR OWNER
None

ADDRESS

LEASE OR PROPERTY OWNER

ADDRESS

NAME OF WELL OPERATOR
Harrisville, West Virginia.

COMPLETE ADDRESS
July 20, 19 51

WELL AND LOCATION
Clay District

Ritchie County

Well No. 2

John Lemley Farm

STATE INSPECTOR SUPERVISING PLUGGING..... Harry Maze

AFFIDAVIT

STATE OF WEST VIRGINIA,


County of _____

SS:

George Cowan and Dennis Cowan

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by _____, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the _____ day of _____, 19_____, and that the well was plugged and filled in the following manner:

SAND OR ZONE RECORD	FILLING MATERIAL			PLUGS USED	CASING	
	FORMATION	CONTENT	FROM TO		SIZE & KIND	CSG PULLED
Injun Sand Horizon	Red Clay	1810'	1697'			
	Cement & Stone	1697'	1687'	5 3/4"	1419	
	Clay	1687'	1600'			
	Cement	1600'	1590'	6 5/8"	775	
	Clay	1590'	1280'			
	Cement	1280'	1270'			
	Red Clay	1270'	1205'			
	Cement & Stone	1205'	1195'			
	Set Bridge	400'	390'	Concrete		
	Red Clay	390'	Surf.			
COAL SEAMS	DESCRIPTION OF MONUMENT					
(NAME)	Concrete.					
(NAME)						
(NAME)						
(NAME)						



and that the work of plugging and filling said well was completed on the 28th. day of May, 19 51.

And further deponents saith not.

George Cowan
Dennis Cowan

Sworn to and subscribed before me this 28 day of January, 19 52

Edith Swadley
Notary Public.

My commission expires: June 10, 1953

Permit No. RIT-288-P