

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL  
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

D. J. Pyles

COAL OPERATOR OR COAL OWNER

Pike, W. Va.

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

McCall Drilling Company

NAME OF WELL OPERATOR

Pittsburgh, Penna.

COMPLETE ADDRESS

November 7th, 1934 193

PROPOSED LOCATION

Clay

District

Ritchie

County

Well No. 1-96

D. J. & T. J. Pyles

Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated 16th day September 1933, made by D. J. Pyles & T. J. Pyles, to McCall Drilling Company, and recorded on the 2 day of October, in the office of the County Clerk for said County in

Book 61, page 299

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address.....day.... before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

McCall Drilling Company

WELL OPERATOR

#612 Keystone Bldg.,

STREET

Pittsburgh, Penna.

CITY OR TOWN

STATE

Address of Well Operator }

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

11/10/34  
4-8-35 RIT-293 - Closed

243

NOV 8 - 1934  
RIT-293



NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL  
 PREPARED BY SECTION 2, CHAPTER 88, ACT OF 1923  
 WEST VIRGINIA DEPARTMENT OF MINES  
 OIL AND GAS SECTION

To the Department of Mines  
 Charleston, W. Va.

McClell Drilling Company  
 NAME OF WELL OPERATOR

D. J. Pyles  
 LOCAL OPERATOR OR COAL OWNER

Blacksburg, Penna.  
 COMPLETE ADDRESS

Pike, W. Va.  
 ADDRESS

November 7th, 1934  
 PROPOSED LOCATION

LOCAL OPERATOR OR COAL OWNER

Clay  
 TOWNSHIP

ADDRESS

Ritchie  
 COUNTY

LOCAL OPERATOR OR COAL OWNER

Well No. 1-98

D. J. Pyles  
 NAME

ADDRESS

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas having the title thereto (unless the case may be) under grant or lease dated 10th day

September 1933 made by D. J. Pyles & F. J. Pyles to

McClell Drilling Company and recorded on the 2 day

October in the office of the County Clerk for said County in

Book 61 Page 299

The undersigned well operator is informed and believes there are no coal operators operating upon or about certain said farm or tract of land on which said well is located or within 500 feet of the boundary of the farm, who have required their names and their maps as required by law, excepting the coal operators or coal owners (if any) whose names are addressed.

The undersigned well operator is informed and believes there are no coal operators operating upon or about certain said farm or tract of land on which said well is located or within 500 feet of the boundary of the farm, who have required their names and their maps as required by law, excepting the coal operators or coal owners (if any) whose names are addressed. The undersigned well operator is informed and believes there are no coal operators operating upon or about certain said farm or tract of land on which said well is located or within 500 feet of the boundary of the farm, who have required their names and their maps as required by law, excepting the coal operators or coal owners (if any) whose names are addressed. The undersigned well operator is informed and believes there are no coal operators operating upon or about certain said farm or tract of land on which said well is located or within 500 feet of the boundary of the farm, who have required their names and their maps as required by law, excepting the coal operators or coal owners (if any) whose names are addressed.

The next part of this notice is to be completed only in the Department's copy. Copies of this notice and the return shall be mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective addresses on the 10th day before or on the 15th day after the mailing of this copy to the Department of Mines in Charleston, West Virginia.

Very truly yours,

McClell Drilling Company  
 WELL OPERATOR

4015 Keystone Bldg.  
 STREET

Blacksburg, Tenn.  
 CITY OR TOWN

Address of Well Operator

Section 2. If no such objection be filed or be found by the department of mines, within said period of ten days from the receipt of this notice and upon the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit authorizing the drilling of such well, and no objections have been made by the coal operators or coal owners to the location of said well, and that the same is approved and the well operator authorized to proceed to drill at said location.



WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. RIT-293

Well No. 1-96

McCall Drilling Co.

Company, of Pittsburgh, Penna.

Drilled

on the D.T. & T.J. Pyles

Farm

containing 90

acres. Location

Clay

District, in

Ritchie

County, West Virginia

The surface of the above tract is owned in fee by D.T. & T.J. Pyles

of Pike, W. Va.

address, and the mineral rights are owned by

same

of Pike, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. RIT-293

issued by the West Virginia Department of Mines, Oil and Gas Division

November 19th, 1935

193.....

Elevation of surface at top of well, 774

Spirit Barometric.

The number of feet of the different sized casings used in the well.

.....	feet	.....	size.	Wood conductor.
<u>27</u>	feet	<u>10</u>	size, csg.	<u>931</u> feet <u>8-1/4</u> sized csg.
<u>1530</u>	feet	<u>6-5/8</u>	size, csg.	..... sized csg.
.....	feet	.....	size, csg.	..... sized csg.

..... packer of ..... size, set at .....

..... packer of ..... size, set at .....

....., in casing perforated at ..... feet to ..... feet.

....., in casing perforated at ..... feet to ..... feet.

Coal was encountered at none feet; thickness ..... inches, and at .....

feet; thickness ..... inches; and at ..... feet; thickness ..... inches.

Liners were used as follows: (Give details) .....

.....

.....

3-13-35

Date.

Approved McCall Drilling Co., Owner.

By E. C. Shaffer Secretary

MAR 14 1935

3-14-35







McCall Drilling Co. Company

COMPLETION DATA SHEET

Pittsburgh, Penna. Address

No. 2

WELL No. 1-96

FARM D.T. & T.J. Pyles

FORMATION RECORD

RIT-293

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Conductor					14			
Slate				14	40			
Sand				40	70			272-10'
Slate				70	90			
<del>Slate</del> Sand				90	110			
Slate				110	230			
Slate Shells				230	375			
Sand				375	395			
Slate				395	410			
Red Rock				410	430			
Sand				430	475			
Slate				475	540			
Lime				540	560			
Red Rock				560	575			
Lime				575	660			
Red Rock				660	745			
Sand				745	762			
Slate				762	805			
Red Rock				805	840			
Big Dunkard				895	970			931-8 1/4'
Slate				970	1010			
Pink Rock				1010	1015			
Slate-White				1015	1255			
Sand				1255	1275			
Slate & Shells				1275	1288			
Sand				1288	1310			
Slate				1310	1375			
Sand				1375	1390			
Slate & Shells				1390	1520			
Lime				1520	1530			
Sand - Show Gas & Oil				1530	1560			1530-6 5/8'
Reduced hole				1530				
Slate				1560	1715			
Show oil				1690				
Lime Dark				1741	1780			
Sand				1780	1830			
Slate & Sand				1830	1850			
Sand & Slate				1850	1855			
Sand & Shells				1855	1957			

shot

Well was not shot at ..... feet; well was shot at ..... feet.

Salt Fresh water at Fresh water 50 & 380 salt feet; fresh water at ..... feet.

~~Producing~~  
Well was ..... hole.  
dry

3-13-35  
Date

Approved McCall Drilling Co.  
Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

MAR 14 1935



BY Hole

COMPLETION DATA SHEET

McCull Drilling Co.

NO. 2

LITTLEBORO, PENNA.

FORMATION RECORD

H. L. J. Tyler

1-26

Formation	Depth	Top	Bottom	Remarks
Condongox	14			
Slate	40	14		
Sand	70	40		
Slate	90	70		
Slate	110	90		
Slate	130	110		
Slate	150	130		
Slate	170	150		
Slate	190	170		
Slate	210	190		
Slate	230	210		
Slate	250	230		
Slate	270	250		
Slate	290	270		
Slate	310	290		
Slate	330	310		
Slate	350	330		
Slate	370	350		
Slate	390	370		
Slate	410	390		
Slate	430	410		
Slate	450	430		
Slate	470	450		
Slate	490	470		
Slate	510	490		
Slate	530	510		
Slate	550	530		
Slate	570	550		
Slate	590	570		
Slate	610	590		
Slate	630	610		
Slate	650	630		
Slate	670	650		
Slate	690	670		
Slate	710	690		
Slate	730	710		
Slate	750	730		
Slate	770	750		
Slate	790	770		
Slate	810	790		
Slate	830	810		
Slate	850	830		
Slate	870	850		
Slate	890	870		
Slate	910	890		
Slate	930	910		
Slate	950	930		
Slate	970	950		
Slate	990	970		
Slate	1010	990		
Slate	1030	1010		
Slate	1050	1030		
Slate	1070	1050		
Slate	1090	1070		
Slate	1110	1090		
Slate	1130	1110		
Slate	1150	1130		
Slate	1170	1150		
Slate	1190	1170		
Slate	1210	1190		
Slate	1230	1210		
Slate	1250	1230		
Slate	1270	1250		
Slate	1290	1270		
Slate	1310	1290		
Slate	1330	1310		
Slate	1350	1330		
Slate	1370	1350		
Slate	1390	1370		
Slate	1410	1390		
Slate	1430	1410		
Slate	1450	1430		
Slate	1470	1450		
Slate	1490	1470		
Slate	1510	1490		
Slate	1530	1510		
Slate	1550	1530		
Slate	1570	1550		
Slate	1590	1570		
Slate	1610	1590		
Slate	1630	1610		
Slate	1650	1630		
Slate	1670	1650		
Slate	1690	1670		
Slate	1710	1690		
Slate	1730	1710		
Slate	1750	1730		
Slate	1770	1750		
Slate	1790	1770		
Slate	1810	1790		
Slate	1830	1810		
Slate	1850	1830		
Slate	1870	1850		
Slate	1890	1870		
Slate	1910	1890		
Slate	1930	1910		
Slate	1950	1930		
Slate	1970	1950		
Slate	1990	1970		
Slate	2010	1990		
Slate	2030	2010		
Slate	2050	2030		
Slate	2070	2050		
Slate	2090	2070		
Slate	2110	2090		
Slate	2130	2110		
Slate	2150	2130		
Slate	2170	2150		
Slate	2190	2170		
Slate	2210	2190		
Slate	2230	2210		
Slate	2250	2230		
Slate	2270	2250		
Slate	2290	2270		
Slate	2310	2290		
Slate	2330	2310		
Slate	2350	2330		
Slate	2370	2350		
Slate	2390	2370		
Slate	2410	2390		
Slate	2430	2410		
Slate	2450	2430		
Slate	2470	2450		
Slate	2490	2470		
Slate	2510	2490		
Slate	2530	2510		
Slate	2550	2530		
Slate	2570	2550		
Slate	2590	2570		
Slate	2610	2590		
Slate	2630	2610		
Slate	2650	2630		
Slate	2670	2650		
Slate	2690	2670		
Slate	2710	2690		
Slate	2730	2710		
Slate	2750	2730		
Slate	2770	2750		
Slate	2790	2770		
Slate	2810	2790		
Slate	2830	2810		
Slate	2850	2830		
Slate	2870	2850		
Slate	2890	2870		
Slate	2910	2890		
Slate	2930	2910		
Slate	2950	2930		
Slate	2970	2950		
Slate	2990	2970		
Slate	3010	2990		
Slate	3030	3010		
Slate	3050	3030		
Slate	3070	3050		
Slate	3090	3070		
Slate	3110	3090		
Slate	3130	3110		
Slate	3150	3130		
Slate	3170	3150		
Slate	3190	3170		
Slate	3210	3190		
Slate	3230	3210		
Slate	3250	3230		
Slate	3270	3250		
Slate	3290	3270		
Slate	3310	3290		
Slate	3330	3310		
Slate	3350	3330		
Slate	3370	3350		
Slate	3390	3370		
Slate	3410	3390		
Slate	3430	3410		
Slate	3450	3430		
Slate	3470	3450		
Slate	3490	3470		
Slate	3510	3490		
Slate	3530	3510		
Slate	3550	3530		
Slate	3570	3550		
Slate	3590	3570		
Slate	3610	3590		
Slate	3630	3610		
Slate	3650	3630		
Slate	3670	3650		
Slate	3690	3670		
Slate	3710	3690		
Slate	3730	3710		
Slate	3750	3730		
Slate	3770	3750		
Slate	3790	3770		
Slate	3810	3790		
Slate	3830	3810		
Slate	3850	3830		
Slate	3870	3850		
Slate	3890	3870		
Slate	3910	3890		
Slate	3930	3910		
Slate	3950	3930		
Slate	3970	3950		
Slate	3990	3970		
Slate	4010	3990		
Slate	4030	4010		
Slate	4050	4030		
Slate	4070	4050		
Slate	4090	4070		
Slate	4110	4090		
Slate	4130	4110		
Slate	4150	4130		
Slate	4170	4150		
Slate	4190	4170		
Slate	4210	4190		
Slate	4230	4210		
Slate	4250	4230		
Slate	4270	4250		
Slate	4290	4270		
Slate	4310	4290		
Slate	4330	4310		
Slate	4350	4330		
Slate	4370	4350		
Slate	4390	4370		
Slate	4410	4390		
Slate	4430	4410		
Slate	4450	4430		
Slate	4470	4450		
Slate	4490	4470		
Slate	4510	4490		
Slate	4530	4510		
Slate	4550	4530		
Slate	4570	4550		
Slate	4590	4570		
Slate	4610	4590		
Slate	4630	4610		
Slate	4650	4630		
Slate	4670	4650		
Slate	4690	4670		
Slate	4710	4690		
Slate	4730	4710		
Slate	4750	4730		
Slate	4770	4750		
Slate	4790	4770		
Slate	4810	4790		
Slate	4830	4810		
Slate	4850	4830		
Slate	4870	4850		
Slate	4890	4870		
Slate	4910	4890		
Slate	4930	4910		
Slate	4950	4930		
Slate	4970	4950		
Slate	4990	4970		
Slate	5010	4990		
Slate	5030	5010		
Slate	5050	5030		
Slate	5070	5050		
Slate	5090	5070		
Slate	5110	5090		
Slate	5130	5110		
Slate	5150	5130		
Slate	5170	5150		
Slate	5190	5170		
Slate	5210	5190		
Slate	5230	5210		
Slate	5250	5230		
Slate	5270	5250		
Slate	5290	5270		
Slate	5310	5290		
Slate	5330	5310		
Slate	5350	5330		
Slate	5370	5350		
Slate	5390	5370		
Slate	5410	5390		
Slate	5430	5410		
Slate	5450	5430		
Slate	5470	5450		
Slate	5490	5470		
Slate	5510	5490		
Slate	5530	5510		
Slate	5550	5530		
Slate	5570	5550		
Slate	5590	5570		
Slate	5610	5590		
Slate	5630	5610		
Slate	5650	5630		
Slate	5670	5650		
Slate	5690	5670		
Slate	5710	5690		
Slate	5730	5710		
Slate	5750	5730		
Slate	5770	5750		
Slate	5790	5770		
Slate	5810	5790		
Slate	5830	5810		
Slate	5850	5830		
Slate	5870	5850		
Slate	5890	5870		
Slate	5910	5890		
Slate	5930	5910		
Slate	5950	5930		
Slate	5970	5950		
Slate	5990	5970		
Slate	6010	5990		
Slate	6030	6010		
Slate	6050	6030		
Slate	6070	6050		
Slate	6090	6070		
Slate	6110	6090		
Slate	6130	6110		
Slate	6150	6130		
Slate	6170	6150		
Slate	6190	6170		
Slate	6210	6190		
Slate	6230	6210		
Slate	6250	6230		
Slate	6270	6250		
Slate	6290	6270		
Slate	6310	6290		
Slate	6330	6310		
Slate	6350	6330		
Slate	6370	6350		
Slate	6390	637		



R-243 ✓

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

D. T. & J. Pyles

COAL OPERATOR OR COAL OWNER

Pike, W. Va.

ADDRESS

McCall Drilling Co.

NAME OF WELL OPERATOR

#612 Keystone Bldg.g, Pgh. Penna.

COMPLETE ADDRESS

3-13-35

19

WELL TO BE ABANDONED

Clay

District

Ritchie

County

LEASE OR PROPERTY OWNER

Well No. 1-96

ADDRESS

D.T. & T.J. Pyles

Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 1st day of April, 1935, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

McCall Drilling Co., Inc.

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

MAR 14 1935

3-14-35



**PROPOSED MANNER OF PLUGGING AND FILLING WELL**

(REQUIRED BY RULES AND REGULATIONS)

**WEST VIRGINIA DEPARTMENT OF MINES**

**OIL AND GAS DIVISION**

**WORK ORDER**

Well to be plugged and filled as follows:

WORK ORDER SUPPLIED BY THE DEPARTMENT OF MINES:

Bottom of Well 1957'

Set a permanent bridge at 1860'

Fill with clay or other non-porous material from 1860' to 1533' -  
3' below the 6-5/8" casing

Drive wood plug from 1533' to 1530'

PULL 6-5/8" casing set at 1530' and

Cement from 1530' to 1520'

Continue to fill with clay from 1520' to 934' - 3' below the 8-1/4" casing

Drive wood plug from 934' to 931'

SET A PERMANENT BRIDGE AT 410'

Fill with clay from 410' to 30' -3' below the 10" casing

Drive wood plug from 410' to 30' to 27'

PULL 10" casing and

Fill to the surface with clay

Erect a markers such as is described in Rule 18, 1931 Regulations.

All be done in a workman-like manner.

To the Department of Mines,  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-currence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 16th day

of March 5, 1935

DEPARTMENT OF MINES  
Oil and Gas Division

By: .....

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

MAR 14 1935



293-8

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

D. T. & T.J. Pyles

COAL OPERATOR OR OWNER

McCall Drilling Co.

NAME OF WELL OPERATOR

Pike, W. Va.

ADDRESS

Pittsburgh, Penna.

COMPLETE ADDRESS

19

COAL OPERATOR OR OWNER

WELL AND LOCATION

ADDRESS

Clay

District

Ritchie

County

COAL OPERATOR OR OWNER

Well No. 1-96

ADDRESS

Pyles

Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF

Ritchie

SS:

Ralph Verner

DM Brooker

being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling oil and gas wells and were employed by McCall Drilling Co., well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

1st day of Apr, 1931, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged:

Bailed hole, Set permanent bridge 1871. Filled with mashed rock and red mud to 1534. Drove wood plug 1531-1534. Pulled 6 5/8 casing up three joints poured cement 10 ft. Pulled out 6 5/8 casing. Filled from 1530-1535 with red mud, drove wood plug 932-935. Pulled out 6 5/8 casing. Filled from 1530 - Set permanent bridge at 410

Manner in which coal was plugged: (no coal).

Filled up to 271 with red mud to bottom of 10 in casing. Drove wood plug - 271-274. Pulled 10 in casing filled within 10 ft of top with red mud. Put 14 ft of 6 5/8 casing filled with red mud within 3 ft of top. Run full of cement also filled top of conductor 2 ft with cement. For Monument.

Description of monument:

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10 ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 6 day of Apr, 1931

And further deponents saith not.

Ralph Verner DM Brooker

Sworn to and subscribed before me this 12 day of Apr, 1931

Ernest F. Hoff Notary Public.

My Commission expires:

July 31, 1936

APR 1 1935

4-19-35  
off 70-4-22-35 R17-293-Clwed



WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF  
PLUGGING AND FILLING WELL  
(REQUIRED BY SECTION B, ARTICLE 2, CHAPTER 23 OF THE CODE)

NAME OF WELL OPERATOR: McCain Drilling Co.      COAL OPERATOR OR OWNER: D. T. & T. J. Ivies  
 COMPLETE ADDRESS: Pittsburgh, Penna.      ADDRESS: Like, W. Va.  
 WELL AND LOCATION: \_\_\_\_\_      COAL OPERATOR OR OWNER: \_\_\_\_\_  
 District: Ohio      ADDRESS: \_\_\_\_\_  
 County: Richie      COAL OPERATOR OR OWNER: \_\_\_\_\_  
 Well No: 1-80      ADDRESS: \_\_\_\_\_  
 Farm: Ivies      ADDRESS: \_\_\_\_\_

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE PLACED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA  
 COUNTY OF Richie  
 I, John Ivies, do hereby depose and say that I am the coal operator and owner of the above well and that I have caused the same to be plugged and filled in the following manner:

Planner in which sand was plugged  
 2 set cement 1871.  
 1st set cement 1871.  
 2nd set cement 1871.  
 3rd set cement 1871.  
 4th set cement 1871.  
 5th set cement 1871.  
 6th set cement 1871.  
 7th set cement 1871.  
 8th set cement 1871.  
 9th set cement 1871.  
 10th set cement 1871.  
 11th set cement 1871.  
 12th set cement 1871.  
 13th set cement 1871.  
 14th set cement 1871.  
 15th set cement 1871.  
 16th set cement 1871.  
 17th set cement 1871.  
 18th set cement 1871.  
 19th set cement 1871.  
 20th set cement 1871.  
 21st set cement 1871.  
 22nd set cement 1871.  
 23rd set cement 1871.  
 24th set cement 1871.  
 25th set cement 1871.  
 26th set cement 1871.  
 27th set cement 1871.  
 28th set cement 1871.  
 29th set cement 1871.  
 30th set cement 1871.  
 31st set cement 1871.  
 32nd set cement 1871.  
 33rd set cement 1871.  
 34th set cement 1871.  
 35th set cement 1871.  
 36th set cement 1871.  
 37th set cement 1871.  
 38th set cement 1871.  
 39th set cement 1871.  
 40th set cement 1871.  
 41st set cement 1871.  
 42nd set cement 1871.  
 43rd set cement 1871.  
 44th set cement 1871.  
 45th set cement 1871.  
 46th set cement 1871.  
 47th set cement 1871.  
 48th set cement 1871.  
 49th set cement 1871.  
 50th set cement 1871.  
 51st set cement 1871.  
 52nd set cement 1871.  
 53rd set cement 1871.  
 54th set cement 1871.  
 55th set cement 1871.  
 56th set cement 1871.  
 57th set cement 1871.  
 58th set cement 1871.  
 59th set cement 1871.  
 60th set cement 1871.  
 61st set cement 1871.  
 62nd set cement 1871.  
 63rd set cement 1871.  
 64th set cement 1871.  
 65th set cement 1871.  
 66th set cement 1871.  
 67th set cement 1871.  
 68th set cement 1871.  
 69th set cement 1871.  
 70th set cement 1871.  
 71st set cement 1871.  
 72nd set cement 1871.  
 73rd set cement 1871.  
 74th set cement 1871.  
 75th set cement 1871.  
 76th set cement 1871.  
 77th set cement 1871.  
 78th set cement 1871.  
 79th set cement 1871.  
 80th set cement 1871.  
 81st set cement 1871.  
 82nd set cement 1871.  
 83rd set cement 1871.  
 84th set cement 1871.  
 85th set cement 1871.  
 86th set cement 1871.  
 87th set cement 1871.  
 88th set cement 1871.  
 89th set cement 1871.  
 90th set cement 1871.  
 91st set cement 1871.  
 92nd set cement 1871.  
 93rd set cement 1871.  
 94th set cement 1871.  
 95th set cement 1871.  
 96th set cement 1871.  
 97th set cement 1871.  
 98th set cement 1871.  
 99th set cement 1871.  
 100th set cement 1871.

and that the work of plugging and filling said well was completed on the 10th day of April, 1935.  
 And further deponent saith not.  
 Sworn to and subscribed before me this 10th day of April, 1935.  
 Notary Public: [Signature]

Commission Expires: Apr 31 1935  
 APR 1 1935