FORM G-1

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES

		AS SECTION	
C.	TO THE DEPARTMENT OF MINES, Charleston, W. Va.		
n'	B.F.Keith.	W.A.Bickerstaff.	
r K	. COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR	
nn	Harrisville. W.Va	Harrisville. W.Va.	
. ~.	ADDRESS	COMPLETE ADDRESS	
y x			
ron	COAL OPERATOR OR COAL OWNER	Nov. I3. I934 193	
1	COAL OFERNIOR OR COAL OWNER	PROPOSED LOCATION	
		Clay Distric	
	ADDRESS	Distric	et
	COAL OPERATOR OR COAL OWNER	Ritchie. Count	У
	GOAL OF LINATON ON COAL OWNER		
		Well No. I.	
	ADDRESS	B.F.Keith Farm	
	GENTLEMEN:	Farr	m
	The undersigned well operator is entitled to dr	rill upon the above named farm or tract of land fo	r
	oil and gas, having fee title thereto, (or as the case m	nay be) under grant or lease dated May. 15	
	1933	B F Veith	
	, made	e byB.F.Keith , t	0
	W.A.Bickerstaff	and recorded on the /3 da	
	X 1	, and recorded on the Zda	У
	of Movember, 1934,	, in the office of the County Clerk for said County in	n
		, and the same of	
ease	Book. 6.5., page		
	The enclosed plat was prepared by a competent to be drilled for oil and gas by the undersigned well of and County above named, determined by survey and land marks.	at engineer and shows the proposed location of a well operator on the farm and in the Magisterial Distric courses and distances from two permanent points, or	t
	The undersigned well operator is informed an of coal beneath said farm or tract of land on which saries of the same, who have mapped their workings a coal operators or coal owners (if any) above named a	and filed their maps as required by law, excepting the	1_
	The above named coal operators or coal owner	s (if any) are notified that any objections they may	V
	the drilling of a well at said proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the Dep a copy of this notice and accompanying plat by said that forms for use in making such objections will be further or grounds on which such objections are based and in should be moved to overcome same.	acy are required to make by Section 3 of said Act, it cause a dangerous condition in or about their respective partment of Mines within ten* days from the receipt of Department. Said coal operators are further notified arnished to them by the Department of Mines promptly the as definitely as is reasonably possible the ground dicate the direction and distance the proposed location	if re of d
	(The next paragraph is to be completed only i	n Department's copy.)	
	Copies or this notice and the enclosed plat we	ere mailed by registered mail, or delivered to the above	e
	named coal operators or coal owners at their abov or on the same day with the mailing or delivery o ton, West Virginia.	e shown respective addressday before f this copy to the Department of Mines at Charles	, -
	Very tr	ruly yours,	
		W.a.Bickerstoff WELL OPERATOR	
	Address		
	$\left\{ egin{array}{ll} & & & & & & \\ & & & & & & \\ & & & & & $	L/ STREET	
,	"or operator)	Hamanele	
		CITY OR TOWN	
		Willa	
		STATE	

*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

799

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. 299			Well No.
W. A. Bickerstaff	Company of	Harrisville	, W. Va.
	on the —	B. F. Keit	h Farm
containing 50 acres.			
Clay	District, inR	itchie	County, West Virginia
The surface of the above tract is owned	in fee byB	. F. Keith	
of Harrisville, W. Va.		address, and the n	nineral rights are owned by
B. F. Keith	of	Harrisville,	W. Va.
The oil and gas privileges are held u	nder lease by the above n	amed company, and this	well is drilled under permit
No. 299	issued by the West Vir	ginia Department of M	lines, Oil and Gas Division
December 1	198	4	
Elevation of surface at top of well,—	777	and the same	S pirit ————————————————————————————————————
The number of feet of the different sized ca			
24		13	
	feet	10	size. Wood conductor.
325 feet 10"	size, csg.	feet	sized csg.
950 feet 8 1/4	size, csg.	feet	sized csg.
1702 feet 6 1/4	size, csg.	feet	sized csg.
p	packer of	size, set a	at
p	packer of	size, set a	at
, in casing p	erforated at	feet to	feet.
, in casing p	erforated at	feet to	feet.
Coal was encountered at			1
feet; thicknessinches	1		
Liners were used as follows: (Give de			
sand is sometimes four			
1925. Wood plug drove			
bbls. oil per day at 18			
		QU EU QUS.	
May 24, 1935	Date.		. M
	Approved	1a Bicke	Joy Owner.
	ByMa	Bickers	and the same of th
		(TITLE)	

MAY 27 1935

	-	-	-	-	384		
			GA				

W. A. Bickerstaff Company

Herrisville, W. Ve. Address

No. 2 FORMATION RECORD

WELL NO. 1 FARM B. F. Keith

	ROT	-299		1				
Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depțh	Remarks
							32	5'-10"
Big Dunkerd	Blue	Hard		940	960	20	950	0'-84"
1 Sald San 2 Salt " 3 " "	d White	Hard "		1070 1300 1390	1200 1335 1400	130 35	100 No.	3 4
Maxon Sand	11	11		1464	1520	56		. ,
Big Lime	Gray	11		1695	1788	93	1700	1-6/4 4
Injun Sand Souaw Sand	White	Soft	Gas 0il	1788 1812 1862 1891	1869 1812 1915 1899	81 53		
Brea Grit	Blue	Hard		2187	2190	3		
Shell							2157	

well was shot at	feet; well was shot at	feet.
Salt	salt	
Fresh water at	feet; fresh water at	feet.
Well was hole.		
May 23, 1935 Date	Approved M. A. Biakers Tox	7

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

MAY 27 1935

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Oil or Gas Well.

DISTRICT WELL INSPECTOR

Permit No.... (KIND) Casing and Tubing Used in Left in Packers Drilling Well Size 16..... Kind of Packer..... Well No ... 10... Size of..... District. Depth set..... Drilling commenced..... Drilling completed......Total Depth..... Perf. top..... Date shot......Depth of shot.... Perf. bottom..... Liners Used.. Perf. top..... Initial Open Flow....../10ths Water in.....Inch Perf. bottom..... Open Flow after tubing....../10ths Merc. in.....Inch Volume......Cu. Ft. CASING CEMENTED SIZE No. FT. Date Rock Pressure lbs. hrs. Oil.....bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT FEET INCHES Fresh water feet FEET INCHES FEET INCHES Salt water.... ...feet. feet FEET INCHES FEET INCHES Abandoned and Plugged. REMARKS:

AMERICATE WITO STATE

SHIM IN OUT FINE MELICATE

MODELVED DATE SWALES

TROPER WILL REPORT

HoW can to Sid		
(GKE)		
and the second of the second o		
	1	
10 to 2	01	
	F3/18: 151 151 151 151 151 151 151 151 151 15	
	1	
The state of the s		
- 10th - 10th	Linear Control Problem	fightmi sets W stillwell made in
		donline in croft richty in inches in a color to be
		Editorial and Control of Control
	the way to be a supplied to the	A STATE OF THE STA
Jest Tiller		
	and the second	
	A Committee of the second of the second	
		And the second s
SCHOOL A PERS		1901s
Could I Visit		9.27.1.
THE THE THE STATE OF THE STATE		1 200 margan market by Commission of the Commiss
•		
		Service Control of the Control of th
I will be the the second and the second		
		the second secon
1 The case of the	N. F. S.	
		William W. Monroe per Commence of the Commence
The state of the s		
To the Commence of the Commenc	The second of the second	
		and the second of the second o
No. of the second		Same of the State of

PROPOSED MANNER OF PLUGGING AND FILLING

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION WORK ORDER

Well to be plugged and filled as follows:

I will suggest that I be permitted to fill the hole with red clay to 1780' seven feet above Keener sand and drive lead wool to shut gas and oil off, with ten feet of cement on lead wool as this well has had 4 7/8" casing installed and set on Hook Wall Packer at 1730' and pull 4 7/8" which leaves 6" casing from 1695 to 995' where 6" was pulled of which wood plug could be drove in top 6" and 10 feet cement and filled to the top. This is my suggestion.

WORK ORDER INTERPOSED BY THE DEPARTMENT OF MINES:

Total depth 2157'
Fill with red clay from the bottom 2157' to 1871' - 20' above the show of oil
Wood plug
1871 - 1868' or lead wood
1868 - 1858'

Continue to fill with red clay to 1780'

Drive lead wool and 10' of cement at 1780' - completely sealing off all gas and oil

Pull 4-7/8" casing

And fill through the 6" casing which cannot be pulled to 1400' - bottom of Salt Sands.

Drive wood plug in top of parted casing at 995° and Cement from 995 - to 985°

Erect marker such as is described in Rule 18, 1931 Regulations.

To the Department of Mines, Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitteed for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

W.A. Bickerstaff
Very Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this....30th...day

of Love gyminast

March 1937

DEPARTMENT OF MINES
Oil and Gas Division

Ву:....

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES, Charleston, W. Va.

	W. A. Bickerstaff	/ a-Ma
B. Frank Keith	NAME OF WELL OPERATOR	
COAL OPERATOR OR COAL OWNER		
	Harrisville, W. Va.	
Harrisville, W. Va.	COMPLETE ADDRESS	
ADDRESS	• • • • • • • • • • • • • • • • • • •	
book basi to 1 dis - 1	December 21,	19636
COAL OPERATOR OR COAL OWNER	WELL TO BE ABANDONED	
tra ser lie the success tipratone - to	Clay	District
ADDRESS		
of a To the control - 10 Mind water at ion	Ritchie	County
LEASE OR PROPERTY OWNER		
10000-	Well No.	
	ton as the bary same tone	
ADDRESS	B. F. Keith	Farm
	. contra e en da jeio coma	
Gentlemen:	Level Coisses al se la se	
The undersigned well operator is about to aban	don the above described well and will con	nmence the
	4th april	
work of plugging and abandoning said well on the		
(which date shall not be less than five days after the due course should be received by the Department of		sived, or in
This notice is given you in order that your respe	ctive representatives may be present at th	ne plugging

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE

Harrisville, W.	ERATOR OR OWNER			NAME OF WELL O	DEDATOR	
	· Va.		Harris	sville, W. Va.		
COAL OPE	ADDRESS		Februa	complete add ary 7, WELL AND LO	CATION	194
	ADDRESS		Clay			District
	ADDRESS		Ritchi	Le		County
	PROPERTY OWNER			1		
	ADDRESS					
				Keith .		Farm
STATE INSPECTOR SI	UPERVISING PLUGG	ING			·	
		AFFIC	PAVIT			
STATE OF WEST V	IRGINIA,	SS:		RIT-Z	:99	
County of		55.	1	1-		
4.07. K	mman		and (X	& Winson	1000	
and filling oil and gas and participated in th day of following manner:						
SAND OR ZONE RECORD	FILLING	MATERIAL		PLUGS USED	CAS	ING
	CONTENT	FROM	то	SIZE & KIND	CSG PULLED	CSG LEFT IN
FORMATION						
	lled with clay	2157	1871			
	lled with clay Wood plug	2157 1870	1871 -	4 7/8 #		
	Wood plug Cement	1870 1865	NAME AND ADDRESS OF TAXABLE PARTY.	4 7/8 11		
	Wood plug	1870 1865 1780	1867 -	4 7/8 11		
	Wood plug Cement Clay to Lead Wool	1870 1865 1780	1867 — 1853 — 1776 —	4 7/8 11		
	Wood plug Cement Clay to Lead Wool Cement	1870 1865 1780 1780 1776	1867 1853 1776 1766	4 7/8 11		
	Wood plug Cement Clay to Lead Wool Cement 4 7/8" could no	1870 1865 1780 1780 1776 t be pul	1867 1853 1776 1766		not pull	
	Wood plug Cement Clay to Lead Wool Cement	1870 1865 1780 1780 1776 t be pul	1867 1853 1776 1766 Lled Casing wa	s shot and did		
	Wood plug Cement Clay to Lead Wool Cement 4 7/8" could no filled clay	1870 1865 1780 1780 1776 t be pul	1867 1853 1776 1766 Lled Casing wa			
	Wood plug Cement Clay to Lead Wool Cement 4 7/8" could no filled clay	1870 1865 1780 1780 1776 t be pul	1867 1853 1776 1766 Lled Casing wa	s shot and did		
	Wood plug Cement Clay to Lead Wool Cement 4 7/8" could no filled clay	1870 1865 1780 1780 1776 t be pul	1867 1853 1776 1766 Lled Casing wa	s shot and did		
	Wood plug Cement Clay to Lead Wool Cement 4 7/8" could no filled clay	1870 1865 1780 1780 1776 t be pul	1867 1853 1776 1766 Lled Casing wa	s shot and did		
	Wood plug Cement Clay to Lead Wool Cement 4 7/8" could no filled clay	1870 1865 1780 1780 1776 t be pul	1867 1853 1776 1766 Lled Casing wa	s shot and did		
Fi	Wood plug Cement Clay to Lead Wool Cement 4 7/8" could no filled clay	1870 1865 1780 1780 1776 t be pul	1867 1853 1776 1766 Lled Casing wa	s shot and did emented , fille		- LT
COAL SEAMS	Wood plug Cement Clay to Lead Wool Cement 4 7/8" could no filled clay	1870 1865 1780 1780 1776 t be pul	1867 1853 1776 1766 Lled Casing wa	s shot and did emented, fille	to top	
COAL SEAMS ME) B. F. Keith	Wood plug Cement Clay to Lead Wool Cement 4 7/8" could no filled clay	1870 1865 1780 1780 1776 t be pul	1867 1853 1776 1766 Lled Casing wa	s shot and did emented , fille	on of Monumented in hol	
COAL SEAMS	Wood plug Cement Clay to Lead Wool Cement 4 7/8" could no filled clay	1870 1865 1780 1780 1776 t be pul	1867 1853 1776 1766 Lled Casing wa	s shot and did emented, fille DESCRIPTION 5" casing ceme	on of Monumented in hol	



		1.181.7		velo stwowell	
		EE 24	100 E	out that	
			Chally I		
	KIT MED COME SOME				
	est des conservations Literations de la conservation de la conservatio				
tio of bee	in Padara b				
					Ten
en and of bee	Mossa				