NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To The Department of Mines,				
Charleston, W. Va.	0014			
none	130, selmone			
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR			
W. L. Bullon	Termoboro W.V.			
ADDRESS / Hd#3	COMPLETE ADDRESS			
Bensolvy, W. Va	Dec 10 1934			
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION			
	Clay District			
ADDRESS	Ritati's			
1). A. Hay trust	County			
COAL OPÉRATOR OR COAL OWNER	2009			
R11 #2 (1 111)	Well No.			
Ryd #3 - Seunston W. Va	My / A . The			
	11, 1 hullong Farm			
GENTLEMEN:				
The undersigned well operator is entitled to drill upon	the above named farm or tract of land for			

oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated made by.... and recorded on the, in the office of the County Clerk for said County in , page 82

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address... .day.... or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Address of Well Operator

*Section 3.... If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

DEC 1 7 1934

WEST VIRGINIA DEPARTMENT OF MINES



OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. 302 Well No.	L
B. F. Gilmore, Company of Pennsboro, W. Va.	
on the W. L. Britton	
containing 81-3/4 acres. Location 3 miles East of Pennsboro	
Clay District, in Ritchie County, West	Virginia
The surface of the above tract is owned in fee by W. L. Britton	
of Pennsboro, R. F. D. #3, W. Va. address, and the mineral rights are over	
W. L. Britton & R. L. Hayhurst of Pennsboro, R. F. D. W. Va	•
The oil and gas privileges are held under lease by the above named company, and this well is drilled under	permit
Noissued by the West Virginia Department of Mines, Oil and Gas	Division
Dec. 27,	314151011
	it
Elevation of surface at top of well, 852 ft. Spin	metric.
The number of feet of the different sized casings used in the well.	
235-ft. ft. feet 10 ** size. Wood co	nductor.
925 <u>feet</u> 8-1/4 size, csg. 8-1/4 feet si	zed csg.
	zed csg.
feetsize, csgfeetsi	
One packer of 5-3/16 x 8-1/4 size, set at 1512 to 15 x 5-3/16) 14
packer ofsize, set at	
, in casing perforated at 1520 feet to 1530	feet.
, in casing perforated atfeet to	feet.
Coal was encountered atfeet, thick nessinches, and at	
feet; thicknessinches; and atfeet; thicknessincl	nes.
Liners were used as follows: (Give details)	
Liners were used as iollows: (Give details)	
Jan. 30, 1935.	1
Date. Date.	
Approved ,	Owner.
By	-

WEST VIRGINIA DEPARTMENT OF MINES

OUR AND GAS DIVISION

PRELIMINARY DATA SHEET NO.

ON HEW	
erc. Company of Mennahure, M. Ve.	Daldy . Pad
on the . L. Erretton . Farm	
The state of the s	AvC) sometime
- District, in 2,1 Cities County, West Virginia	y 1.00
hottirio. I. V	The surface of the above to
	er scans bero, i
I. Hayluret Sconeboto. S. F. L. Va.	A sanding
are held under least by the chose named company, and this well is drilled under permit	accolling and but lie ad I work
moising the Wast, Verginia Department of Mines, Oil and Ga's Division	No. Little Sugar
	7 27 2001
in the state of th	
. How said ni beau spuleso busis area	
the part of the pa	325
and the state of t	
	**
CHERRY OF 18 19 19 19 19 19 19 19 19 19 19 19 19 19	211
91/6-3	
ta bna senieni san kulik deel .	
	vollol as beer used as follow
1935. ************************************	e Contraction
"Approved to see the second of	

1001-103-

	B. F. Gilmore,	Company
	Pennsboro, W. Va.	Address
Well	No. 1	

No. 2 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Remarks
Red Rock L. Dunkard B. Dunkard Slate Sand Slate Salt Sand Slate 2nd Salt Third " Maxon Lime Slate Lime Pencil Car Big Lime Injun Break Squaw Slate	Slate White Slate White Black Slate Dark			630 840 920 1040 1145 1264 1295 1430 1564 1655 1665 1673 1872 1872	690 8550 1040 11455 12264 1270 1475 16450 16555 16655 17337 18847 1877	612 90 50 945550 550570 5	695 950 1046 1145 12264 1270 1475 1645 1655 1665 1730 1877 1877	

Well was not shot at			
Saltx Fresh water at	saltfeet; fresh water at1435	feet.	
well was hole.	B 2 %:	mont	
Jan. 30, 1935	Approved Owner		

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.