

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)
WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

J. F. Kelly,
COAL OPERATOR OR COAL OWNER
Pike, W. Va.
ADDRESS

Mahaney & Lucas
NAME OF WELL OPERATOR
Pike, W. Va.
COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER
ADDRESS

Dec. 13 193*4*
PROPOSED LOCATION

Clay District
Ritchie County

COAL OPERATOR OR COAL OWNER
ADDRESS

Well No. *Five*
J. F. Kelly Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

Oct. 12, 1933, made by *J. F. & Laura Kelly*, to *Mahaney & Lucas, Pike W. Va.* and recorded on the *16th* day of *October, 1933*, in the office of the County Clerk for said County in Book *61*, page *345*.

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address..... day.... before, on the same day with the mailing or delivery of this copy to the Department of Mines at Charles-

Very truly yours,

Mahaney and Lucas
WELL OPERATOR
by *W. O. Lucas*
STREET
Pike
CITY OR TOWN
W. Va.
STATE

Address of Well Operator }

*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

303

17 1934

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL
 (REQUIRE BY SECTION 3, CHAPTER 88, ACT 1933)
 WEST VIRGINIA DEPARTMENT OF MINES
 OIL AND GAS SECTION

To THE DEPARTMENT OF MINES
 Charleston, W. Va.

NAME OF WELL OPERATOR: *Madison & Sons*

COMPLETE ADDRESS: *103 W. 13th St. Charleston, W. Va.*

PROPOSED LOCATION: *103 W. 13th St. Charleston, W. Va.*

NAME OF COAL OPERATOR: *Madison & Sons*

ADDRESS: *103 W. 13th St. Charleston, W. Va.*

WELL NO.: *103 W. 13th St. Charleston, W. Va.*

COUNTY: *Putnam*

DISTRICT: *Putnam*

DATE: *October 1, 1933*

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Mineral District and County above named, determined by survey and compass and distance from two permanent points or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundary of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by or filed with the Department of Mines within ten days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be transmitted to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground conditions on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail or delivered to the above named coal operators or coal owners at their above shown respective addresses on the date hereinafter stated, and the undersigned hereby certifies that he has caused this copy to be filed with the Department of Mines at Charleston, West Virginia, on the date hereinafter stated.

STATE OF *West Virginia*

CITY OR TOWN: *Charleston*

STREET: *103 W. 13th St.*

WELL OPERATOR: *Madison & Sons*

Address of Well Operator: *103 W. 13th St. Charleston, W. Va.*

DATE: *October 1, 1933*

*Section 3. If no such objections be filed or be found by the Department of Mines, within said period of ten days from the receipt of well notices and plat by the Department of Mines, to said proposed location, the well shall forthwith be drilled by the well operator a drilling permit received the filing of such plat, and no objections have been made by the coal operators to the location of the well, or to the location of the well, and that the same is approved and the well operator authorized to proceed to drill at said location.

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET No. 1

File No. Well No. 5

Mahaney & Lucas, et al Company, of Pike, West Virginia

on the J. F. Kelly Farm

containing 99.7 acres. Location Waters of Bonds Creek

Clay District, in Ritchie County, West Virginia

The surface of the above tract is owned in fee by J. F. Kelly

of Pike, West Virginia address, and the mineral rights are owned by

of

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. Rit-303 issued by the West Virginia Department of Mines, Oil and Gas Division

December 27, 1934

Elevation of surface at top of well, 760.0 Spirit Barometric.

The number of feet of the different sized casings used in the well.

15 feet 13 size. Wood conductor.

240 feet 10 size, csg. feet sized csg.

860 feet 8 1/2 size, csg. feet sized csg.

1477 feet 6-5/8 size, csg. feet sized csg.

packer of size, set at

packer of size, set at

in casing perforated at feet to feet.

in casing perforated at feet to feet.

Coal was encountered at feet; thickness inches, and at

feet; thickness inches; and at feet; thickness inches.

Liners were used as follows: (Give details)

Feb 12 - 1935 Date.

Approved Mahaney & Lucas, et al, Owner.

By Frank Mahaney (TITLE)

FEB 13 1935

2-13-35

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

The No. _____ Well No. _____

Company of _____ of _____ West Virginia

on the _____ of _____ Kelly _____ Farm

containing _____ acres. Location _____

District in _____ Middle _____ County, West Virginia

The surface of the above tract is owned in fee by _____ Kelly

of _____ West Virginia. _____ address, and the mineral rights are owned by _____

_____ of _____

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. _____ issued by the West Virginia Department of Mines, Oil and Gas Division

_____ _____

Elevation of surface at top of well _____

The number of feet of the different sized casings used in the well.

_____ feet _____ size _____ Wood conductor

_____ feet _____ size _____

_____ feet _____ size _____

_____ feet _____ size _____

_____ packer of _____ size, set at _____

_____ packer of _____ size, set at _____

_____ feet _____ in casing perforated at _____

_____ feet _____ in casing perforated at _____

Coal was encountered at _____ feet; thickness _____ inches, and at _____

_____ feet; thickness _____ inches; and at _____ feet; thickness _____ inches.

_____ liners were used as follows: (Give details) _____

Mahaney & Lucas, et al Company

Pike, West Virginia Address

Well No. 5 RIT-303

COMPLETION DATA SHEET
No. 2
FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Little Duncard				750	775	25		
Big Duncard				830	885	55	860'	8 1/4"
Gas Sand				1045	1100	55		being collapsed at 1145'
First Salt Sand				1205	1235	30		
Second Salt Sand				1330	1370	40		
Third Salt Sand				1460	1515	55		
Sand				1595	1662	67		
Injun Sand			Oil & Gas 1762-1786	1667			1795	

Well was ~~not~~ shot at 1762-1786 feet; well was shot at _____ feet.

Salt Fresh water at _____ feet; salt fresh water at _____ feet.

Well was producing hole.

Feb. 12 - 1935
Date

Approved Mahaney & Lucas, et al
Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

FEB 13 1935

Rit-303-Q

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

COAL OPERATOR OR COAL OWNER Mahaney & Lucas
NAME OF WELL OPERATOR

ADDRESS Pike, W. Va.
COMPLETE ADDRESS

March 30, 1936

COAL OPERATOR OR COAL OWNER WELL TO BE ABANDONED

ADDRESS Clay District

LEASE OR PROPERTY OWNER J. F. Kelly
Ritchie County

Well No. 5

ADDRESS Pike, W. Va.
J. F. Kelly Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 6th day of April, 1936, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER SUPPLIED BY THE DEPARTMENT OF MINES:

Total depth of well 1795'

Casing collapsed at 1145' (6-5/8" casing)

Fill about 10' of red clay on top of collapsed casing
Drive wood plug and lead wool if necessary to shut off gas
Pour (neat cement) on top of plug - about 50' cement.

Continue to fill with red clay from top of 50' cement plug to
865' - 5' below the 8-1/4" casing
Drive wood plug from 865' to 862'
PULL 8-1/4" casing and

Fill with red clay to 810' - 20' above the Big Dunkard Sand.
Drive wood plug from 810' to 807'
Cement from 807' to 797' sealing the hole completely

Continue to fill with red clay from 797' to 245'
Drive wood plug from 245' to 242'
Pull 10" casing set at 240' and

Fill with red clay to the surface

Erect a marker such as is described in Rule 18, 1931 Regulations.

To the Department of Mines,
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours, *Mahoney & Lucas*
By *Frank Mahoney*
Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 30th day

of March, 1936

DEPARTMENT OF MINES
Oil and Gas Division

By:

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.
COPY TO INSPECTOR COURTNEY.

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION**

..... COAL OPERATOR OR OWNER	Mahaney & Lucas, wt-al NAME OF WELL OPERATOR
..... ADDRESS	Pike, west virginia COMPLETE ADDRESS
..... COAL OPERATOR OR OWNER	April 13 19 36 WELL AND LOCATION
..... ADDRESS	Clay District
J. F. Kelly LEASE OR PROPERTY OWNER	Ritchie County
Pike, west Virginia ADDRESS	Well No. 5
	J. F. Kelly Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,
COUNTY OF Ritchie } SS:

Frank Mahaney and W. O. Lucas
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Mahaney & Lucas, et-al, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6 day of April, 1936, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: 6 5/8" casing collapsed at 1145'. Filled 10' or more with red clay and drove wood plug, shutting off all gas; poured (neat cement) about 50' on top of wood plug. Continued to fill with red clay to 850', at which point we were able to pull 6 5/8" casing. On account of the cave were not able to set wood plug at the bottom of 8 1/4" reduced hole. Cave continued to fill the hole to 600' at which depth a plug was drove and 10' or more of cement. Continued to fill with clay to 10" reduced hole, at which depth a wood plug was drove and cemented 10' on top completely shutting off all surface water. Continued to fill with
Manner in which coal was plugged: red clay to the surface.

Description of monument: Erected piece of 6 5/8" casing 3' high filled with cement.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 10 day of April, 1936.

And further deponents saith not.

Frank Mahaney
W. O. Lucas
Carl Hostetler
Notary Public.

Sworn to and subscribed before me this 13 day of April, 1936.

My Commission expires: October 29 - 1936

