

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

D. L. Baker

COAL OPERATOR OR COAL OWNER

Glenn F. McBurney

NAME OF WELL OPERATOR

Mole Hill, W. Va.

ADDRESS

1201 Berkshire Ave. Pitt., Pa.

COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

April 1 1935

PROPOSED LOCATION

ADDRESS

Clay District

COAL OPERATOR OR COAL OWNER

Ritchie County

ADDRESS

Well No. 1

D. L. Baker Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

January 21, 1935, made by Russell C. Morris, to

Glenn F. McBurney, and recorded on the 22 day

of February 1935, in the office of the County Clerk for said County in

Book 63, page 242

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address.....day.... before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Glenn F. McBurney /per

H. W. Stephen

WELL OPERATOR

of Pennsboro, W. Va.

Address of Well Operator }

STREET

CITY OR TOWN

STATE

*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

APR 5 1935

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET No. 1

File No. 335 Well No. 1

GLENN F. MCBURNEY Company, of PITT. PENN.

on the D.L. BAKER Farm

containing _____ acres. Location _____

CLAY District, in RITCHIE County, West Virginia

The surface of the above tract is owned in fee by D.L. BAKER, ET AL.

of ELLENBORO, W. Va. address, and the mineral rights are owned by

GLENN F. MCBURNEY of PITT. PENN.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. RIT-335 issued by the West Virginia Department of Mines, Oil and Gas Division

APRIL 13 1935

Elevation of surface at top of well, _____ Spirit Barometric.

The number of feet of the different sized casings used in the well.

8' feet _____ 13" size. Wood conductor.

_____ feet _____ size, csg. 242' feet 10" sized csg.

_____ feet _____ size, csg. 1135 feet 8" sized csg.

_____ feet _____ size, csg. _____ feet _____ sized csg.

_____ packer of _____ size, set at _____

_____ packer of _____ size, set at _____

_____ in casing perforated at _____ feet to _____ feet.

_____ in casing perforated at _____ feet to _____ feet.

Coal was encountered at _____ feet; thickness _____ inches, and at _____

feet; thickness _____ inches; and at _____ feet; thickness _____ inches.

Liners were used as follows: (Give details) _____

Sept. 20, 1935 Date.

Approved _____ Owner.

By _____ (TITLE)



GLENN F. McBURNEY Company

PITT. PENN. Address

COMPLETION DATA SHEET
No. 2
FORMATION RECORD

Well No. 1 335

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
STARTED SPUDDING				Aug. 5, 1935				
SAND	-	-	-	218	240	22		242' - 10"
			Water	222	-	-		
LITTLE DUNKARD	-	-	-	985	995	10		
BIG " " "	-	-	-	1088	1110	22		1135' - 8 1/4"
FIRST SALT SAND	-	-	-	1200	1295	95		
SECOND " " "	-	-	-	1395	1440	45		
" " " " "	-	-	-	1530	1580	50		
THIRD " " "	-	-	-	1600	1695	95		
LITTLE LIME	-	-	-	1785	1805	20		
BIG " " "	-	-	-	1810	1875	65		
INGUN SAND	-	-	-	1875	2025	150		
			"SHOW" of OIL & GAS	1977				
							2040	

9-23-35

Well was not shot at none feet; well was shot at _____ feet.


Fresh water at 222 feet; salt fresh water at _____ feet.

Well was producing hole. dry

Date Sept 20, 1935

Approved Glenn F. McBurney Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.



See Mr. Stephenson.
near Murphys Gap, Pennsboro.

COMPLETION DATA SHEET

Company *Glenn F. M. ...*

No. 2

Wad 9/25/2

Address *Pitt ...*

FORMATION RECORD

Plugged to 1130' o.k.

Well No. *...*

Remarks	Total Depth	Thickness	Bottom	Top	Oil Gas or Water	Character	Color	Name
								STARTED
								SAND
					Water			Little Bunker
								" "
								" "
								First Salt Sand
								" "
								" "
								Third
								Little Lime
								" "
								Big
								Ingou Sand
					Oil & Gas			

Well was not shot at *...* feet; well was shot at *...* feet.

Fresh water at *...* feet; fresh water at *...* feet.

Well was *...* hole.

Approved *...* Date *...*

Owner *...*

NOTE: All bottom formations must be noted as indicated above and all key rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

8

Rit-331

FORM G-9

NOTICE OF INTENTION TO PLUG AND ABANDON WELL
(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

TO THE DEPARTMENT OF MINES,
Charleston, W. Va.

D. L. BAKER
COAL OPERATOR OR COAL OWNER

GLENN F. McBURNEY
NAME OF WELL OPERATOR

ELLENBORO, W. Va.
ADDRESS

PITT. PENN.
COMPLETE ADDRESS

SEPT. 20 1935

COAL OPERATOR OR COAL OWNER

WELL TO BE ABANDONED

ADDRESS

CLAY District

LEASE OR PROPERTY OWNER

RITCHIE County

Well No. 1

ADDRESS

D. L. BAKER Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 29 day of SEPT, 1935, (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."


This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

per/ H W Stephan Glenn F McBurney
Well Operator. Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)



PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

- 1- Start on bottom of INJUN SAND, plugging with RED CLAY from 2040' to 1875'
- 2- WOODEN PLUG between 1875' to 1810', also concrete
- 3- RED CLAY 1810' to 1150'
- 4- WOODEN PLUG 1150' to 1130' to Here 9/28/35.
- 5- RED CLAY 1130' to 260'
- 6- WOODEN PLUG and CONCRETE 260' to 230'
- 7- RED CLAY 260' to TOP - 0'

6 5/8" casing to be used as final plug. 20' long, sank in CONCRETE. PERTRUDING ± 3' above ground.

PINE PLUGS to be used.

WORK ORDER INTERPOSED BY THE DEPARTMENT OF MINES:

Fill with clay from the bottom 2040' to 1855' with-clay - 20' above the Big Injun Sand.
Drive wood plug from 1855' to 1852' -- CEMENT from 1852' to 1842'
SET A PERMANENT BRIDGE AT 1725'
Fill with clay from 1725' to 1180' - 20' above the Salt Sands.
Drive wood plug from 1180' to 1177' - CEMENT FROM 1177' to 1167'
Continue to fill with clay from 1177' to 1157' and PULL 8-1/4" casing

Fill with clay from 1157' to 965' - 20' above the Little Dunkard Sand.
Cement from 965' to 955' sealing the hole

SET A PERMANENT BRIDGE AT 272' and fill with clay to 252' -DRIVE WOOD plug to 249'
Cement from 249' to 242' and PULL 10" casing

Fill with clay from 242' to the surface and

To the Department of Mines,
Coal Owner or Operator,
Lease or Property Owner.

Erect a marker such as is described in Rule 18, 1931 regulation

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-currence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Glen A. McBurney
Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 24th day of September, 1935.

DEPARTMENT OF MINES
Oil and Gas Division

By:

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

none
COAL OPERATOR OR OWNER

Alvin F. McBurney
NAME OF WELL OPERATOR

1201 Berkshire Ave., Pgh. Pa.
COMPLETE ADDRESS

D. L. Baker 1945
COAL OPERATOR OR OWNER WELL AND LOCATION

Play District

Pitchie County

D. L. Baker (owner)
LEASE OR PROPERTY OWNER

Pennsboro, W. Va. Well No. *1*
ADDRESS

D. L. Baker Farm

STATE INSPECTOR SUPERVISING PLUGGING.....

AFFIDAVIT

Pennsylvania
STATE OF ~~WEST VIRGINIA~~, }
County of *Allegheny* } SS:
Palmer Hill and *Joyce Jamison*
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by _____, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the *9th* day of *October*, 1945, and that the well was plugged and filled in the following manner:

SAND OR ZONE RECORD	FILLING MATERIAL				PLUGS USED	CASING	
	FORMATION	CONTENT	FROM	TO		SIZE & KIND	CSG PULLED
I do not have the work order but guaranteed the work was completed as per instructions and was checked by state inspector.							
Do not know where either of these men are located at this time							
COAL SEAMS					DESCRIPTION OF MONUMENT		
(NAME)	Cement in 4 ft of 6" casing erected on location checked by inspector.						
(NAME)							
(NAME)							
(NAME)							

and that the work of plugging and filling said well was completed on the *12th* day of *October*, 1945.

And further deponents saith not.

Alvin F. McBurney
Owner

Sworn to and subscribed before me this *14th* day of *December*, 1945.

My commission expires:

Paul A. Hughes
Notary Public.

Notary Public.

Permit No. *Pit 335-P*



